

MODIFICATION 0634 - LEGAL TEXT - EXPLANATORY TABLE

REVISED ESTIMATION PROCESS FOR DM SITES WITH D-7 ZERO CONSUMPTION

Notes

1. This table is based on the legal text for Modification 0634 published on the Joint Office website on 18 October 2017.

TRANSPORTATION PRINCIPAL DOCUMENT SECTION M – SUPPLY POINT METERING	Topic	BRDs	Explanation
Amendment to paragraph 5.4.1	Estimated meter readings	-	<p>The proposed amendments to paragraph 5.4.1 mean that the starting position for the calculation of estimated readings where the D-7 consumption figure is zero will be the Annual Quantity for the Supply Meter Point divided by 365 (which will provide an average figure across the year), then converted to volume by dividing the applicable calorific value. This is the same calculation that is used when no Metered Volume or estimate is available and will hopefully reduce the volume of gas consumption currently being allocated to Unidentified Gas, which is paid for by NDM Shippers until the point at which a Valid Meter Reading is accepted.</p> <p>The relevant Shipper Users can elect to use the D-7 consumption figure as the basis for the estimate if they prefer and if they provide written notice of such election to the CDSP within 5 calendar Days from receiving notification from the CDSP that estimate has been calculated using the Annual Quantity/365 method as opposed to the D-7 figure of zero.</p>
Amendment to 5.4.6	Estimated meter readings		This amendment updates the cross reference from the existing paragraph 5.4.1(b) to the new paragraph 5.4.1(d).