

Representation

Draft Modification Report

0487VS - Introduction of an Advanced Meter Reader (AMR) Service Provider (ASP) Identifier (ASP ID) and Advanced Meter Indicator

Consultation close out date: 06 November 2014

Respond to: enquiries@gasgovernance.co.uk

Organisation: Corona Energy

Representative: Tim Hammond

Date of Representation: 06 November 2014

The consultation is aimed at establishing if the content/effect of the variation have caused you to change a view that you previously expressed, or to take a view that you had not previously considered. Please note any representation received in respect of Modification 0487S will be carried forward should parties not wish to change their original representation.

Do you support or oppose implementation?

Support/~~Oppose/Qualified Support/Neutral~~/Comments* *delete as appropriate*

Please summarise (in one paragraph) the key reason(s) for your support/opposition.

Corona Energy (CE) did not initially submit a representation for MOD 487S. CE believe that this modification (MOD 487VS) offers a practical solution to our concerns over the Change of Supplier (CoS) process where the new supplier is unable to categorise the meter as a) Advanced, or b) to quickly identify who the current Advanced Meter Reader service provider is for that meter.

Are there any new or additional issues that you believe should be recorded in the Modification Report?

CE believe that this modification will allow both the shipper and supplier to quickly identify if the meter is Advanced or dumb. Having this information will assist suppliers in their compliance obligations to ensure relevant meters are Advanced.

Self Governance Statement:

Do you agree with the Modification Panel's decision that this should be a self-governance modification?

Yes.

Relevant Objectives:

How would implementation of this modification impact the relevant objectives?

We have covered this in the above paragraphs.

Impacts and Costs:

0487VS

Representation

06 November 2014

Version 1.0

Page 1 of 2

© 2014 all rights reserved

What analysis, development and ongoing costs would you face if this modification were implemented?

There will be a small one-off cost to CE, but we believe that this cost will be mitigated by the benefits this modification proposal brings.

Implementation:

What lead-time would you wish to see prior to this modification being implemented, and why?

CE would like to see this modification approved and implemented as soon as possible.

Legal Text:

Are you satisfied that the legal text will deliver the intent of the modification?

CE has not reviewed the legal text.

Is there anything further you wish to be taken into account?

Please provide any additional comments, supporting analysis, or other information that that you believe should be taken into account or you wish to emphasise.

CE has no further comments.