ENERGY BALANCING INVOICE (.IDB)

AI_O_UKL_BALANCING_INVOICE

Contains 24 different record types: -

| Level | Record Name | Occurences | Optionality |
|-------|--|--------------|-------------|
| 1 | HD_A00_STANDARD_HEADER | 1 | M |
| 1 | RT_D00_UKL_INVOICE | 1 | M |
| 1 | RT_D01_STANDARD_CLAUSE | up to 99 | M |
| 1 | RT_D02_INVOICE_ITEM_SUMMARY | 43 | M |
| 1 | RT_D07_DAILY_CASHOUT | up to 62 | O |
| 1 | RT_D08_FLEX_PAYMENT | up to 1000 | O |
| 1 | RT_D09_CUMULATIVE_CASHOUT | up to 32 | O |
| 1 | RT_D10_ENTRY_SCHEDULING | up to 620 | O |
| 1 | RT_D11_EXIT_SCHEDULING | up to 49,600 | O |
| 1 | RT_D12_DMA_EXIT_SCHEDULING | up to 1116 | O |
| 1 | RT_D13_CASH_NEUTRALITY | up to 31 | O |
| 1 | RT_D14_TOP_UP_SMEARING | up to 31 | O |
| 1 | RT_D15_NDM_RECONCILIATION | up to 2 | O |
| 1 | RT_D16_AD_HOC_SMEARING_CHARGES | up to 800 | O |
| 1 | RT_D17_AD_HOC_CHARGES | up to 775 | O |
| 1 | RT_D32_OCM_CHARGES | up to 1000 | O |
| 1 | RT_D33_PRI_CHARGES | up to 93 | O |
| 1 | RT_D89_INCENTIVISED_NOMINATION_CHARGES | up to 31 | M |
| 1 | RT_D90_INCENTIVISED_NOMINATION | up to 124 | M |
| | SUPPORTING_INFORMATION | | |
| 1 | RT_D91_INS_ADJUSTMENT_SUPPORTING INFORMATION | up to 31 | O |
| 1 | HD_RT_R03_BAL_REMITTANCE_ADVICE_DETAIL | 1 | O |
| 1 | RT_R04_REMITTANCE_ADVICE_ITEM | 43 | O |
| 1 | RT_V01_VAT_TOTAL | up to 10 | M |
| 1 | TR_Z99_STANDARD_TRAILER | 1 | M |

 $\begin{tabular}{ll} \textbf{Note 1} & OPT-\underline{O}ptional, \underline{M} and atory, DOM-Domain i.e. \underline{T}ext, \underline{N} umeric, Date, \underline{M} timestamp, DEC-Number of decimal places \\ \end{tabular}$

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 1 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

BALANCING INVOICE FILE

$HD_A00_STANDARD_HEADER$

| RECORD/FIELD NAME | OP | T DOM | 1 LNC | G DEC | DESCRIPTION |
|-------------------|----|-------|-------|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains.VALUE: A00 |
| ORGANISATION_ID | M | N | 10 | 0 | A reference that uniquely identifies a user/organisation. |
| FILE_TYPE | M | T | 3 | 0 | An application specific code used to identify the structure and the usage of the file.VALUE: IDB |
| CREATION_DATE | M | D | 8 | 0 | The date on which the file was generated. Format: YYYYMMDD |
| CREATION_TIME | M | M | 6 | 0 | The time at which the file was generated (within the CREATION DATE). Format: HHMMSS |
| GENERATION_NUMBER | M | N | 6 | 0 | This field is used to uniquely identify the file. For this file the field will contain the invoice number. |
| | | | | | |

* 36

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 2 of 31

RT_D00_UKL_INVOICE

| RECORD/FIELD NAME | OP | T DON | <u>I LNC</u> | G DEC | <u>DESCRIPTION</u> |
|-----------------------|----|-------|--------------|-------|---|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D00 |
| BA_ABBR | M | T | 12 | 0 | Abbreviation of your User name. |
| INVOICE_TYPE | M | T | 3 | 0 | A code that indicates the invoice type. In this instance the invoice type is BAL - Balancing. |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an Invoice. |
| INVOICE_CREATION_DATE | M | D | 8 | 0 | Date on which this invoice was created. Format: YYYYMMDD |
| TAX_POINT_DATE | M | D | 8 | 0 | The Tax Point Date. Format: YYYYMMDD |
| | | | | | |

* 40

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 3 of 31

$RT_D01_STANDARD_CLAUSE$

| RECORD/FIELD NAME | <u>OP</u> | T DOM | I LNO | G DEC | DESCRIPTION |
|-------------------|-----------|-------|-------|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D01 |
| SEQUENCE_NUMBER | M | N | 2 | 0 | Line number of standard clause. VALUE: 01 to 99. |
| STANDARD_CLAUSE | M | T | 60 | 0 | Standard text that is contained in the invoice. |
| | | | | | |

* 65

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 4 of 31

RT_D02_INVOICE_ITEM_SUMMARY

| RECORD/FIELD NAME OPT DOM LNG DEC | | DESCRIPTION | | | | | | |
|-----------------------------------|----|-------------|-------|---|---|--|--|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D02 | | | |
| BA_ABBR | M | T | 12 | 0 | Abbreviation of your User name. | | | |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. | | | |
| CHARGE_TYPE_CODE | M | | 3 | 0 | A code to identify the type of charge for the invoice item. Values: 'DCT' Daily Cashout due Transco 'DCS' Daily Cashout due User 'CCT' Cumulative Cashout due Transco 'CCS' Cumulative Cashout due User 'FPT' Flexibility Payment due Transco 'FPS' Flexibility Payment due User 'ESC' Entry Scheduling 'DXS' DMA Exit Scheduling 'EXS' Exit Scheduling 'CNU' Cash Neutrality Smearing 'TUT' Top Up Smearing 'REC' NDM Reconciliation Smearing 'BAS' Ad-Hoc Smearing 'TTB' Transco Trade Buy 'TTS' Transco Trade Buy 'TTS' Transco Trade Sell 'PRI' Physical Renom Incentive 'INS' Incentivised Nominations Scheme 'B40' Theft of Gas – Gas 'B43' Ad-Hoc Interest 'B44' Energy Lt Pymt Recovery Chg CR 'B45' Energy Lt Pymt Recovery Chg DR 'B62' Ad-Hoc Rec Gas Cashout due Transco 'B63' Ad-Hoc Rec Gas Cashout due Transco 'B72' Ad-Hoc Exit DMA Scheduling 'B76' Ad-Hoc Exit DMA Scheduling 'B77' Ad-hoc Balancing Neutrality 'B78' Ad-Hoc NDM Rec Smear 'B79' Ad-Hoc Top Up Smear 'B80' Ad-Hoc Cum Cashout due User 'B81' Ad-Hoc Cum Cashout due User 'B81' Ad-Hoc Cashout Gushout due User 'B81' Ad-Hoc Cashout Gushout due User 'B81' Ad-Hoc Top Up Smear 'B80' Ad-Hoc Flex Payment due User 'B81' Ad-Hoc Cashout due User 'B82' Ad-Hoc Flex Payment due User 'B83' UGF Exit Cashout due User 'B85' CSEP Cashout due Transco 'B86' CSEP Cashout due User | Deleted: ¶ Deleted: 5 Deleted: Live Deleted: 17 Deleted: 06 Deleted: 2005 Deleted: 2005 | | |
| | | | | | 'B87' Ad-Hoc DM Rec Smear 'B90' Physical Renom Incentive Adj | Deleted: 18 | | |
| | | | | | 'B91' Transco Trade Buy Adj 'B92' Transco Trade Sell Adj | Deleted: 10 | | |
| • | | | | | (h) | // Deleted: 2005 | | |
| ©2006, All Rights Reserved. | Pa | ige 5 d | of 31 | | Version <u>6 For Representation</u> Issued: <u>12 20 2006</u> Implementation Date: <u>29 16 2007</u> | / | | |

'B93' Incentivised Nominations Scheme Adj

| NET_AMOUNT | M | N | 12 | 2 | The total amount due for the invoice item net of VAT . The first character is signed - if it is a payment to the User. |
|---------------------------|---|---|----|---|--|
| VAT_PERCENTAGE | M | N | 4 | 2 | The applicable VAT Rate. |
| VAT_AMOUNT | M | N | 12 | 2 | The amount of the VAT due for the invoice item . The first character is signed - if it is a payment to the User. |
| TOTAL_AMOUNT | M | N | 12 | 2 | The total amount of the invoice item including VAT . The first character is signed - if it is a payment to the User. |
| BILLING_PERIOD_BEGIN_DATE | M | D | 8 | 0 | The first date in a billing period for which the invoice has been calculated. Format: YYYYMMDD. |
| BILLING_PERIOD_END_DATE | M | D | 8 | 0 | The last date in the billing period for which the invoice has been calculated. Format: YYYYMMDD. |
| VAT_REG_NBR | О | T | 20 | 0 | User's VAT number. This will only be used for self billed invoice items. For everything else it will be null. |
| | | | - | | |

* 100

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

RT_D07_DAILY_CASHOUT

| RECORD/FIELD NAME | OP' | T DOM | <u> LNC</u> | G DEC | <u>DESCRIPTION</u> |
|-------------------------|-----|-------|-------------|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D07 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. This will be either: 'DCT' Daily Cashout due Transco 'DCS' Daily Cashout due User |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates. Format: YYYYMMDD |
| BA_CASHOUT_TOL_Q | M | N | 14 | 0 | The User tolerance quantity (in kilowatt hours) |
| ABS_TOLERANCE_QT | M | N | 14 | 0 | The absolute tolerance quantity (in kilowatt hours) used in the cashout calculation. |
| DIFFERENCE_QUANTITY | M | N | 14 | 0 | The difference between a Users input sum and output sum (in kilowatt hours). The first character is signed if the value is negative. |
| BILLABLE_QUANTITY | M | N | 14 | 0 | The quantity (in kilowatt hours) on which the charge is based. The first character is signed - if the value is negative. |
| PRICE | M | N | 7 | 4 | The daily rate (in pence) used to calculate this charge. |
| CHARGES_DUE | M | N | 12 | 2 | The total amount of the charge which is included on the invoice (pounds, pence) excluding VAT. The first character is signed - if it is a payment to the User. |
| TIER_NUMBER | M | T | 2 | 0 | Divides the charge up into different rate bands. Tier Nbr identifies which rate band has been used. |
| RATE_TYPE | M | T | 1 | 0 | A classification of what the rate applies to. VALUE: W - Weighted Average Price, B - System Marginal Price - buy, S - System Marginal Price - sell |
| | | *148 | 3 | | |

Deleted: 5 Deleted: Live Deleted: 17 Deleted: 06 Deleted: 2005 Deleted: 2005 Deleted: 18 Deleted: 10 Deleted: 2005

Page 7 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

RT_D08_FLEX_PAYMENT

| RECORD/FIELD NAME | OP | T DON | <u>I LNC</u> | G DEC | <u>DESCRIPTION</u> |
|-------------------------|----|-------|--------------|-------|---|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D08 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. This will be either: 'FPT' Flex Payment due Transco 'FPS' Flex Payment due User |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates. Format: YYYYMMDD |
| BID_ID | M | T | 7 | 0 | The unique code allocated to a User which identifies the original flex bid. |
| BUY_SELL_INDICATOR | M | T | 1 | 0 | Identifies whether the payment is for buying or selling gas. VALUE: 'S' or 'B'. |
| BILLABLE_QUANTITY | M | N | 14 | 0 | The quantity (in kilowatt hours) on which the charge item amount is based. The first character is signed - if the value is negative. |
| PRICE | M | N | 7 | 4 | The annual rate (in pence) that is used to calculate this charge. |
| CHARGES_DUE | M | N | 12 | 2 | The total amount of the charge that is included on the invoice (pounds, pence) excluding VAT. The first character is signed - if it is a payment to the User. |
| | * | 111 | | | |

Deleted: 5

Deleted: Live

Deleted: 17
Deleted: 06

Deleted: 2005

Deleted: 2005 Deleted: 18

Deleted: 10

Deleted: 2005

Page 8 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

$RT_D09_CUMULATIVE_CASHOUT$

| RECORD/FIELD NAME | OP | T DON | <u>I LNO</u> | G DEC | DESCRIPTION |
|-------------------------|----|-------|--------------|-------|---|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D09 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. This will be either: 'CCT' Cumulative Cashout due Transco 'CCS' Cumulative Cashout due User |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates. Format: YYYYMMDD |
| TIER_NUMBER | M | T | 2 | 0 | For Cumulative Cashout this can only be one of two values: 1 - Daily Cumulative Cashout 2 - Monthly Cumulative Cashout |
| CUMULATIVE_BALANCE | M | N | 14 | 0 | A quantity (in kilowatt hours) representing a Users cumulative imbalance within a month. The first character is signed - if the value is negative. |
| BILLABLE_QUANTITY | M | N | 14 | 0 | The quantity (in kilowatt hours) on which the charge is based. The first character is signed - if the value is negative. |
| PRICE | M | N | 7 | 4 | The daily rate (in pence) used to calculate this charge. |
| CHARGES_DUE | M | N | 12 | 2 | The total amount for this charge that is included on the invoice (pounds, pence) excluding VAT. The first character is signed - if it is a payment to the User. |
| | | | | | |

* 119

Deleted: 5 Deleted: Live Deleted: 17 Deleted: 06 Deleted: 2005 Deleted: 2005 Deleted: 18 Deleted: 10 Deleted: 2005

Page 9 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

RT_D10_ENTRY_SCHEDULING

| RECORD/FIELD NAME | <u>OP</u> | T DON | <u>I LNO</u> | G DEC | <u>DESCRIPTION</u> |
|-------------------------|-----------|-------|--------------|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D10 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE: ESC |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates. Format: YYYYMMDD |
| SERVICE_ID | M | T | 15 | 0 | A unique reference identifying one of your services. |
| RATE_SCHEDULE_CODE | M | T | 7 | 0 | A text code classifying the type of transportation or storage service offered by Transco. |
| BILLING_ZONE | M | T | 3 | 0 | The particular entry zone for this charge. |
| TIER_NUMBER | M | T | 2 | 0 | Divides the charge up into different rate bands. Tier Nbr identifies which rate band has been used. |
| BILLABLE_QUANTITY | M | N | 14 | 0 | The quantity (in kilowatt hours) on which the charge is based. |
| PRICE | M | N | 7 | 4 | The daily rate (in pence) used to calculate this charge. |
| CHARGES_DUE | M | N | 12 | 2 | The total amount for the charge that is included on the invoice (pounds, pence) excluding VAT. The first character is signed - if it is a payment to the User. |
| | | * 13 | | | |

* 130

Deleted: 5 Deleted: Live Deleted: 17 Deleted: 06 Deleted: 2005 Deleted: 2005 Deleted: 18 Deleted: 10 Deleted: 2005

Page 10 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

RT_D11_EXIT_SCHEDULING

| RECORD/FIELD NAME | <u>OP</u> | T DON | A LNO | G DEC | <u>DESCRIPTION</u> |
|-------------------------|-----------|-------|-------|-------|---|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D11 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE: EXS |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates. Format: YYYYMMDD |
| SERVICE_ID | M | T | 15 | 0 | A unique reference identifying one of your services. |
| RATE_SCHEDULE_CODE | M | T | 7 | 0 | A text code classifying the type of transportation or storage service offered by the Gas Transporter. |
| OUTPUT_POINT_NUMBER | M | T | 10 | 0 | When the gas flows from the NTS to a meter, the output point number is the meter where the gas is flowing to. |
| BILLING_ZONE | M | T | 3 | 0 | The particular exit zone for this charge. |
| DMC_TYPE | M | T | 1 | 0 | Daily Metered Consumer Type. Daily metered consumers are sub-divided according to their gas consumption. VALUE: L=Very Large, S=Small, N=Normal |
| TIER_NUMBER | M | T | 2 | 0 | Divides the charge up into different rate bands. Tier Nbr identifies which rate band has been used. |
| BILLABLE_QUANTITY | M | N | 14 | 0 | The quantity (in kilowatt hours) on which the charge is based. |
| PRICE | M | N | 7 | 4 | The daily rate (in pence) used to calculate this charge. |
| CHARGES_DUE | M | N | 12 | 2 | The total amount for this charge that is included on the invoice (pounds, pence) excluding VAT. The first character is signed - if it is a payment to the User. |
| | | * 14 | 1 | | |

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 11 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

$RT_D12_DMA_EXIT_SCHEDULING$

| RECORD/FIELD NAME | OP | T DOI | M LNO | G DEC | <u>DESCRIPTION</u> |
|-------------------------|----|-------|-------|-------|---|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D12 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE: DXS |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates. Format: YYYYMMDD |
| SERVICE_ID | M | T | 15 | 0 | A unique reference identifying one of your services. |
| RATE_SCHEDULE_CODE | M | T | 7 | 0 | A text code classifying the type of transportation or storage service offered by Transco. |
| LDZ | M | T | 6 | 0 | A unique identifier for a Local Distribution Zone. |
| TOLERANCE_TYPE | M | T | 3 | 0 | A unique reference identifying the type of DMA scheduling charge. VALUE: DMI - meaning DMA(I)/Small DMC scheduling DMF - meaning DMA(F) scheduling |
| TIER_NUMBER | M | T | 2 | 0 | Divides the charge up into different rate bands. Tier Nbr identifies which rate band has been used. |
| BILLABLE_QUANTITY | M | N | 14 | 0 | The quantity (in kilowatt hours) on which the charge is based. |
| PRICE | M | N | 7 | 4 | The daily rate (in pence) used to calculate this charge. |
| CHARGES_DUE | M | N | 12 | 2 | The total amount of the charge that is included on the invoice excluding VAT. The first character is signed if it is a payment to the User. |

* 136

Deleted: 5 Deleted: Live

Deleted: 17 Deleted: 06

Deleted: 2005 Deleted: 2005 Deleted: 18

Deleted: 10 Deleted: 2005

Page 12 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

RT_D13_CASH_NEUTRALITY

| RECORD/FIELD NAME | OP | T DON | 1 LNO | G DEC | <u>DESCRIPTION</u> |
|-------------------------|----|-------|-------|-------|---|
| TRANSACTION_TYPE | M | Т | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D13 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates. Format: YYYYMMDD |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE: CNU |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| SMEAR_SUM_NORMAL | M | N | 12 | 2 | The sum of cashout charges, scheduling charges, and OCM Buy / Sell payments / flexibility payments that are to be smeared across all Users in the current month). The first character is signed - if the value is negative. |
| SMEAR_SUM_OTHER | M | N | 12 | 2 | The sum of all additional amounts that are to be smeared in a current month . The first character is signed - if the value is negative. |
| PREV_DAY_UNDER | M | N | 12 | 2 | The carry over amount to be smeared that was unrecoverable on the previous day . The first character is signed - if the value is negative. |
| SYSTEM_TOTAL_INP_OUT | M | N | 14 | 0 | The total quantity of gas (in kilowatt hours) that is the sum of all Users' UDQI and UDQO. |
| CAP_PRICE | M | N | 7 | 4 | The maximum price that may be used in calculating the cash neutrality charges for Users. The first character is signed - if the value is negative. |
| BA_TOTAL_INP_OUT | M | N | 14 | 0 | The total quantity of gas (in kilowatt hours) that is the sum of the User's UDQI and UDQO |
| PRICE | M | N | 13 | 10 | The rate for this charge (pence). The first character is signed - if the value is negative. |
| CHARGES_DUE | M | N | 12 | 2 | The total amount for this charge that will be included on the invoice (pounds, pence) excluding VAT. The first character is signed - if it is a payment to the User. |
| | | * 16 | 6 | | |

Deleted: 5 Deleted: Live Deleted: 17 Deleted: 06 Deleted: 2005 Deleted: 2005 Deleted: 18 Deleted: 10 Deleted: 2005

Page 13 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

$RT_D14_TOP_UP_SMEARING$

| RECORD/FIELD NAME | OP | T DON | <u>I LNC</u> | G DEC | DESCRIPTION |
|-------------------------|----|-------|--------------|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D14 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates. Format: YYYYMMDD |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE: TUT |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| TOP_SMEAR_NORMAL | M | N | 12 | 2 | The sum of top up charges that are to be smeared across all Users in the current month. The first character is signed - if the value is negative. |
| PREV_DAY_UNDER | M | N | 12 | 2 | The carry over amount to be smeared that was unrecoverable on the previous day. The first character is signed - if the value is negative. |
| SYSTEM_TOTAL_INP_OUT | M | N | 14 | 0 | The total quantity of gas (in kilowatt hours) that all Users have put into and taken out of the NTS. |
| CAP_PRICE | M | N | 7 | 4 | The maximum price that may be used in calculating the top up smearing charges for Users. The first character is signed - if the value is negative. |
| BA_TOTAL_INP_OUT | M | N | 14 | 0 | The total quantity of gas (in kilowatt hours) a User has put into and taken out of the NTS. |
| PRICE | M | N | 13 | 10 | The rate for this charge . The first character is signed - if the value is negative. |
| CHARGES_DUE | M | N | 12 | 2 | The total amount for this charge that will be included on the invoice excluding VAT. The first character is signed - if it is a payment to the User. |
| | | | | | |

* 154

Deleted: 5 Deleted: Live Deleted: 17 Deleted: 06 Deleted: 2005 Deleted: 2005 Deleted: 18 Deleted: 10 Deleted: 2005

Page 14 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

RT_D15_NDM_RECONCILIATION

| RECORD/FIELD NAME | OP' | T DOM | 1 LNC | G DEC | <u>DESCRIPTION</u> |
|-------------------------|-----|-------|-------|-------|---|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D15 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates. As there is only one NDM reconciliation record and only one DM reconciliation record per User per month this date will always be set to the 1st of the billing period in question. Format: YYYYMMDD |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE: REC or DMR |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| NDM_SMEAR_NORMAL | M | N | 12 | 2 | The sum of NDM reconciliation charges or DM reconciliation charges depending on the charge type that are to be smeared across all Users in the current month . The first character is signed - if the value is negative. |
| PREV_DAY_UNDER | M | N | 12 | 2 | The carry over amount to be smeared that was unrecoverable on the previous day. The first character is signed - if the value is negative. |
| SYSTEM_TOTAL_NDM_OUT | M | N | 14 | 0 | The total quantity (in kilowatt hours) of NDM outputs or DM outputs depending on the charge type that all Users have taken out of the NTS for the month. |
| CAP_PRICE | M | N | 7 | 4 | The maximum price that may be used in calculating the NDM or DM depending on the charge type smearing charges for Users. The first character is signed - if the value is negative. |
| BA_TOTAL_NDM_OUT | M | N | 14 | 0 | The total quantity (in kilowatt hours) of NDM outputs or DM outputs depending on the charge type that a User has taken out of the NTS for the month. |
| PRICE | M | N | 13 | 10 | The rate for this charge (pence). The first character is signed - if the value is negative. |
| CHARGES_DUE | M | N | 12 | 2 | The total amount for this charge that will be included on the invoice (pounds, pence) excluding VAT. The first character is signed - if it is a payment to the User. |
| | | * 1 | 54 | | |

Deleted: 5 Deleted: Live Deleted: 17 Deleted: 06 Deleted: 2005 Deleted: 2005 Deleted: 18 Deleted: 10 Deleted: 2005

Page 15 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

$RT_D16_AD_HOC_SMEARING_CHARGES$

| RECORD/FIELD NAME | OP' | T DOM | I LNO | G DEC | <u>DESCRIPTION</u> |
|-------------------------|-----|-------|-------|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D16 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE: ADS |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date of allocations used to calculate the charge amount. Format: YYYYMMDD |
| INVOICE_DT | M | D | 8 | 0 | The date of the invoice which will contain the charges. Format: YYYYMMDD |
| SMEAR_ID | M | N | 4 | 0 | The unique reference to the smear. |
| SMEAR_TYPE_IND | M | Т | 1 | 0 | Indicates the frequency of charges. Can be 'D' - daily, 'M' - monthly, or 'A' - ad-hoc charges. |
| SMEAR_TYPE_DESC | M | Т | 7 | 0 | The description of the smear type. Can be 'Daily', 'Monthly' or 'Ad-Hoc'. |
| SMEAR_DESC | M | T | 50 | 0 | The description of the smear charge |
| RATE_ALLOC_START_DT | M | D | 8 | 0 | The beginning date of allocations used to calculate the smear rate. Format: YYYYMMDD |
| RATE_ALLOC_END_DT | M | D | 8 | 0 | The last date of allocations used to calculate the smear rate. Format: YYYYMMDD |
| RATE_ALLOC_SUM | M | N | 16 | 0 | The sum of allocations (in kilowatt hours) used to calculate the smear rate. The first character is signed - if the value is negative. |
| CHG_ALLOC_START_DT | M | D | 8 | 0 | The first date of allocations used to calculate the smear charge. Format: YYYYMMDD |
| CHG_ALLOC_END_DT | M | D | 8 | 0 | The last date of allocations used to calculate the smear charge. Format: YYYYMMDD |
| CHG_ALLOC_SUM | M | N | 16 | 0 | The sum of allocations (in kilowatt hours) used to calculate the smear charge. The first character is signed - if the value is negative. |
| BILLBALE_QT | M | N | 14 | 0 | The quantity (in kilowatt hours) on which the charge is based. The first character is signed - if the value is negative. |
| SMEAR_RATE | M | N | 14 | 10 | The rate for this charge (pence). The first character is signed - if the value is negative. |

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 16 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

| SMEAR_AMOUNT | M | N | 14 | 2 | The primary quantity (in kilowatt hours) which is being smeared. The first character is signed - if the value is negative. |
|--------------------|---|---|----|---|--|
| OTHER_TOTAL_AMOUNT | M | N | 14 | 2 | The sum of amounts (in kilowatt hours) smeared not included in the 'SMEAR_AMOUNT'. The first character is signed - if the value is negative. |
| CHARGES_DUE | M | N | 12 | 2 | The total amount for this charge that will be included on the invoice (pounds, pence) excluding VAT. The first character is signed - if it is a payment to the User. |

* 272

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 17 of 31

RT_D17_AD_HOC_CHARGES

| RECORD/FIELD NAME | OP | T DOI | M LNO | G DEC | DESCRIPTION |
|-----------------------------|----|--------|-------|-------|---|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D17 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUES: B40, B43, B44, B45, B62, B63, B71, B72, B73, B74, B75, B76, B77, B78, B79, B80, B81, B82, B83, B84, B85, B86, B87,B90,B91,B92, B93 |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date of allocations used to calculate the charge amount. Format: YYYYMMDD |
| INVOICE_DT | M | D | 8 | 0 | The date of the invoice which will contain the charges. Format: YYYYMMDD |
| SMEAR_ID | О | N | 4 | 0 | The unique reference to the smear which included the amount of this charge. |
| CONTR_ID | О | Т | 15 | 0 | The contract against which the charge is made. Field will contain a contract id only for charge type codes: B74, B75, B76 |
| LDZ_ZONE_POINT | O | T | 10 | 0 | Depending upon the charge type code, this field can contain the following: a) The LDZ to which the charge applies. Field will contain an LDZ reference only for charge type codes: B75 b) The billing zone to which the charge applies. Field will contain a billing zone only for charge type codes: B74 c) The output point to which the charge applies. Field will contain a point only for charge type codes: B76. |
| BILLABLE_QUANTITY | M | N | 14 | 0 | The quantity (in kilowatt hours) on which the charge is based. The first character is signed - if the value is negative. |
| CHARGE_RATE | M | N | 7 | 4 | The rate used to calculate the charge. The first character is signed - if the value is negative. |
| BASE_DAILY_CHARGE | О | N | 12 | 2 | The total amount of all BASE_CHARGE_T for all NOMINATION_RECORDING_POINTS (pounds, pence). The first character is signed - if it is a payment to the User. Field will contain data only for charge type code B93 (details can be located in RT_D91_INS_ADJUSTMENT_SUPPORTING_ |
| | Pa | ige 18 | of 31 | | Version <u>6 For Representation</u> Issued: <u>12 20 2006</u> |
| ©2006, All Rights Reserved. | | | | | Implementation Date: 29 06 2007 |

| Dele | eted: 5 |
|------|--------------------|
| Dele | e ted: Live |
| Dele | e ted: 17 |
| '— | e ted: 06 |
| Dele | eted: 2005 |
| Dele | eted: 2005 |
| Dele | e ted: 18 |
| Dele | e ted: 10 |
| Dele | eted: 2005 |

INFORMATION)

| REVISED_DAILY_CHARGE | 0 | N | 12 | 2 | The total amount of all REVISED_CHARGE_T for all NOMINATION_RECORDING_POINTS (pounds, pence). The first character is signed - if it is a payment to the User. Field will contain data only for charge type code B93. (details can be located in RT_D91_INS_ADJUSTMENT_SUPPORTING_INFORMATION) |
|----------------------|---|---|----|---|---|
| CHG_REASON_DESC | M | T | 60 | 0 | The detailed explanation for the charge. |
| SMEAR_REASON_CD | 0 | T | 3 | 0 | The reason code used to associate the charge to the current month's cash neutrality, NDM reconciliation, DM reconciliation, or top up smear. |
| CHARGES_DUE | M | N | 12 | 2 | The total amount for this charge that will be included on the invoice (pounds, pence) excluding VAT. The first character is signed - if it is a payment to the User. |

227

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 19 of 31

RT_D32_OCM_CHARGES

| RECORD/FIELD NAME | OP | T DOM | 1 LNO | G DEC | DESCRIPTION |
|-------------------------|----|-------|-------|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D32 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE: 'TTB' Transco Trade Buy 'TTS' Transco Trade Sell |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates. Format: YYYYMMDD |
| OCM_BID_ID | M | T | 8 | 0 | The unique code allocated to a User which identifies the bid. |
| BUY_SELL_IND | M | Т | 1 | 0 | Identifies whether the payment is for buying or selling gas. VALUE: 'S' (Selling) or 'B' (Buying). |
| BILLABLE_QUANTITY | M | N | 14 | 0 | The quantity (in kilowatt hours) on which the charge is based. The first character is signed - if the value is negative. |
| PRICE | M | N | 7 | 4 | The price (in pence) that is used to calculate this charge. The first character is signed - if the value is negative. |
| CHARGES_DUE | M | N | 12 | 2 | The total of the charge that is included on the invoice (pounds, pence) excluding VAT. The first character is signed - if it is a payment to the User. |
| | | *110 | | | |

*112

Deleted: 5

Deleted: Live
Deleted: 17

Deleted: 06
Deleted: 2005

Deleted: 2005 **Deleted:** 2005

Deleted: 18
Deleted: 10

Deleted: 2005

Page 20 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

RT_D33_PRI_CHARGES

| RECORD/FIELD NAME | <u>OP</u> | T DON | <u>I LNO</u> | G DEC | <u>DESCRIPTION</u> |
|-------------------------|-----------|-------|--------------|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D33 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE: 'PRI' Physical Renomination Incentive |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| BID_DT | M | D | 8 | 0 | The date to which the BID relates. Format: YYYYMMDD |
| OCM_BID_ID | M | T | 8 | 0 | The unique code allocated to a User which identifies the bid. |
| BID_TYPE | M | T | 1 | 0 | The type of the BID - Physical or Locational. |
| PRO_RATE | M | N | 8 | 2 | The PRI pro rate applicable on the gas flow day. The first character is signed - if the value is negative. |
| BID_QTY | M | N | 14 | 0 | The quantity (in kilowatt hours) on which the PRI charge item amount is based. The first character is signed - if the value is negative. |
| PRI_CHARGE_AMNT | M | N | 12 | 2 | The total amount of the charge that is included on the invoice (pounds.pence) excluding VAT. |
| MIN_CHG_FLG | M | Т | 1 | 0 | The flag to indicate whether minimum PRI charge has been applied. VALUES: Y or spaces |
| | | | | | |

*114

Deleted: 5 Deleted: Live Deleted: 17 Deleted: 06 Deleted: 2005 Deleted: 2005 Deleted: 18 Deleted: 10 Deleted: 2005

Page 21 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

${\bf RT_D89_INCENTIVISED_NOMINATIONS_CHARGES}$

| RECORD/FIELD NAME | OP | T DOM | 1 LNC | G DEC | <u>DESCRIPTION</u> |
|-------------------------|----|-------|-------|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D89 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE: 'INS' Incentivised Nominations |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates Format: YYYYMMDD |
| DAILY_CHARGE | M | N | 12 | 2 | The total amount of the charge that is included on the Invoice (pounds, pence) excluding VAT. (details can be located in RT_D90_INCENTIVISED_NOMINATIONS_SUPPORTING_INFORMATION) |

*82

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 22 of 31

${\bf RT_D90_INCENTIVISED_NOMINATIONS_SUPPORTING_INFORMATION}$

OPT DOM LNG DEC DESCRIPTION

RECORD/FIELD NAME

| RECORD/TIEED TAINE | 01 | 1 201 | ı Lı | 3 DEC | BESCRI HOLV |
|----------------------------------|----|--------|-------|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D90 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE: 'INS' Incentivised Nominations |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date to which the charge relates. Format: YYYYMMDD |
| NOMINATION_RECORDING _POINT_T | M | T | 5 | 0 | The time (t) that the charge relates to (in hh:mm). |
| ALLOCATED_IMBALANCE | M | N | 14 | 0 | User allocated end of day imbalance quantity (in kilowatt hours) . The first character is signed - if the value is negative. |
| INS_SCALING_FACTOR | M | N | 14 | 11 | The INS tolerance scaling factor as a percentage. |
| NDM_EOD_ALLOC | M | N | 14 | 0 | The NDM end of day allocation for the User (in kilowatt hours). The first character is signed - if the value is negative. |
| NDM_NOMS_T | M | N | 14 | 0 | The NDM nomination for the User at time (t) (in kilowatt hours). The first character is signed - if the value is negative. |
| INS_NOMS_T | M | N | 14 | 0 | The INS nomination for the User at time (t) (in kilowatt hours). The first character is signed - if the value is negative. |
| INS_TOLERANCE_QTY_T | M | N | 14 | 0 | The INS Tolerance Quantity for the User at time (t) (in kilowatt hours). The first character is signed - if the value is negative. |
| NOMS_SCALING_FACTOR_T | M | N | 14 | 11 | The INS Nominations scaling factor at time (t) as a percentage. |
| PERFORMANCE_MEASURE_T | M | N | 14 | 0 | The INS Performance Measure for the User at time (t) (in kilowatt hours). |
| BUY_PRICE_SCALING_FACTOR | M | N | 14 | 11 | The Buy Price Scaling factor as a percentage. |
| SELL_PRICE_SCALING_FACTOR | M | N | 14 | 11 | The Sell Price Scaling factor as a percentage. |
| SAP | M | N | 7 | 4 | The System Average Price (in pence per kilowatt hour). |
| | Pa | ige 23 | of 31 | | Version 6 For Representation |
| ©2006, All Rights Reserved. | | | | | Issued: <u>12 20 2006</u> [w// Implementation Date: <u>29 06 2007</u>] |
| | | | | | |

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

| SMP_BUY | M | N | 7 | 4 | The System Marginal Buy Price (in pence per kilowatt hour). |
|-------------|---|---|----|---|---|
| SMP_SELL | M | N | 7 | 4 | The System Marginal Sell Price (in pence per kilowatt hour). |
| CHARGE_RATE | M | N | 7 | 4 | The daily rate (in pence) used to calculate this charge. |
| CHARGE_T | M | N | 12 | 2 | The INS Charge for the User at time (t), (in pounds, pence). |

*255

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 24 of 31

$RT_D91_INS_ADJUSTMENT_SUPPORTING_INFORMATION$

| RECORD/FIELD NAME | OP | TDON | A LNO | G DEC | DESCRIPTION |
|----------------------------------|----|------|-------|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: D91 |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. VALUE:B93 |
| CHARGE_TYPE_DESCRIPTION | M | T | 50 | 0 | The detailed description of the charge. |
| PRODUCTION_DT | M | D | 8 | 0 | The date of allocations used to calculate the charge amount. Format: YYYYMMDD |
| NOMINATION_RECORDING _POINT_T | M | T | 5 | 0 | The time (t) that the charge relates to (in hh:mm). |
| BASE_ALLOCATED_IMBALANCE | M | N | 14 | 0 | User allocated end of day imbalance quantity (in kilowatt hours) before this adjustment. The first character is signed - if the value is negative. |
| REVISED_ ALLOCATED _IMBALANCE | M | N | 14 | 0 | Revised User allocated end of day imbalance quantity (in kilowatt hours). The first character is signed - if the value is negative. |
| BASE_INS_SCALING_FACTOR | M | N | 14 | 11 | The INS tolerance scaling factor (as a percentage) before adjustment. |
| REVISED_INS_SCALING_FACTOR | M | N | 14 | 11 | The revised INS tolerance scaling factor (as a percentage). |
| BASE_NDM_EOD_ALLOC | M | N | 14 | 0 | The NDM end of day allocation for the User (in kilowatt hours) before this adjustment. The first character is signed - if the value is negative. |
| REVISED_NDM_EOD_ALLOC | M | N | 14 | 0 | The revised NDM end of day allocation for the User (in kilowatt hours). The first character is signed - if the value is negative. |
| BASE_NDM_NOMS_T | M | N | 14 | 0 | The NDM nomination for the User at time (t) (in kilowatt hours) before this adjustment. The first character is signed - if the value is negative. |
| REVISED_NDM_NOMS_T | M | N | 14 | 0 | The revised NDM nomination for the User at time (t) (in kilowatt hours). The first character is signed - if the value is negative. |
| BASE_INS_NOMS_T | M | N | 14 | 0 | The INS nomination for the User at time (t) (in kilowatt hours) before this adjustment. The first character is signed - if the value is negative. |
| | | | | | |

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

 Page 25 of 31
 Version 6 For Representation

 Issued: 12 20 2006

 Implementation Date: 29 06 2007

| REVISED_INS_NOMS_T | M | N | 14 | 0 | The revised INS nomination for the User at time (t) (in kilowatt hours). The first character is signed - if the value is negative. |
|------------------------------------|---|---|----|----|---|
| BASE_INS_TOLERANCE_QTY_T | M | N | 14 | 0 | The INS tolerance quantity for the User at time (t) (in kilowatt hours) before this adjustment. The first character is signed - if the value is negative. |
| REVISED_INS_ TOLERANCE _QTY_T | M | N | 14 | 0 | The revised INS tolerance quantity for the User at time (t) (in kilowatt hours). The first character is signed - if the value is negative. |
| BASE_NOMS_SCALING_FACTOR_T | M | N | 14 | 11 | The INS nominations scaling factor at time(t) (as a percentage) before this adjustment . |
| REVISED_NOMS_SCALING _FACTOR_T | M | N | 14 | 11 | The revised INS nominations scaling factor at time(t) (as a percentage). |
| BASE_PERFORMANCE_MEASURE_T | M | N | 14 | 0 | The INS Performance Measure for the User at time (t) (in kilowatt hours) before this adjustment. |
| REVISED_ PERFORMANCE _MEASURE_T | M | N | 14 | 0 | The revised INS Performance Measure for the User at time (t) (in kilowatt hours). |
| BASE_BUY_PRICE_SCALING _FACTOR | M | N | 14 | 11 | The Buy Price Scaling Factor before this adjustment (as a percentage). |
| REV_BUY_PRICE_SCALING_FACTOR | M | N | 14 | 11 | The revised Buy Price Scaling Factor (as a percentage). |
| BASE_SELL_PRICE_SCALING _FACTOR | M | N | 14 | 11 | The Sell Price Scaling Factor before this adjustment (as a percentage). |
| REV_SELL_PRICE_SCALING _FACTOR | M | N | 14 | 11 | The revised Sell Price Scaling Factor (as a percentage). |
| BASE_SAP | M | N | 7 | 4 | The System Average Price before this adjustment (in pence per kilowatt hours). |
| REVISED_SAP | M | N | 7 | 4 | The revised System Average Price (in pence per kilowatt hours). |
| BASE_SMP_BUY | M | N | 7 | 4 | The System Marginal Buy Price before this adjustment (in pence per kilowatt hours). |
| REVISED_SMP_BUY | M | N | 7 | 4 | The System Marginal Buy Price (in pence per kilowatt hours). |
| BASE_SMP_SELL | M | N | 7 | 4 | The System Marginal Sell Price before this adjustment (in pence per kilowatt hours). |
| REVISED_SMP_SELL | M | N | 7 | 4 | The System Marginal Sell Price (in pence per kilowatt hours). |
| BASE_CHARGE_RATE | M | N | 7 | 4 | The daily rate (in pence) used to calculate this charge before adjustment. The first character is signed - if the value is negative. |

Deleted: 5 Deleted: Live Deleted: 17 Deleted: 06 Deleted: 2005 Deleted: 2005 Deleted: 18 Deleted: 10 Deleted: 2005

Page 26 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

| REVISED_CHARGE_RATE | M | N | 7 | 4 | The revised daily rate (in pence) used to calculate this charge. The first character is signed - if the value is negative. |
|---------------------|---|---|----|---|---|
| BASE_CHARGE_T | M | N | 12 | 2 | The INS charge for the User at time (t) before adjustment (in pounds, pence). The first character is signed - if it is a payment to the User. |
| REVISED_CHARGE_T | M | N | 12 | 2 | The revised INS charge for the User at time (t) (in pounds, pence). The first character is signed - if it is a payment to the User. |

*435

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 27 of 31

$HD_RT_R03_BAL_REMITTANCE_ADVICE_DETAIL$

| RECORD/FIELD NAME | OP | T DON | 1 LN | G DEC | DESCRIPTION |
|-----------------------|----|-------|------|-------|---|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: R03 |
| ORGANISATION_ID | M | N | 10 | 0 | A reference that uniquely identifies a user/organisation. |
| INVOICE_NUMBER | M | N | 6 | 0 | The unique reference allocated to an invoice. |
| PAYMENT_FORECAST_DATE | 0 | Т | 8 | 0 | Remittance Advice Forecast Date. This is the date that the User intends to transfer the monetary value, detailed on the remittance advice, to the xoserve Transco Neutrality bank account. It shows the Users intention of the payment date for an invoice. Format: YYYYMMDD. |
| TOTAL_AMOUNT_DUE | M | N | 12 | 2 | The total amount due for this invoice. This will be a negative value if the net value of the invoice is due to the User. The first character is signed - if it is a payment to the User. |
| TOTAL_AMOUNT_PAID | M | N | 12 | 2 | The total value of the settlement made to Transco with respect to an invoice. |
| | | * 5 | | | |

* 51

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 28 of 31

$RT_R04_REMITTANCE_ADVICE_ITEM$

| RECORD/FIELD NAME | OPT DOM LNG DEC | | | | <u>DESCRIPTION</u> |
|-----------------------------|-----------------|---|-----|---|---|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: R04 |
| INVOICE_ITEM_REF_NUMBER | M | N | 3 | 0 | The invoice item reference number used by Invoicing '95. This relates one to one with the charge type code. |
| CHARGE_TYPE_CODE | M | T | 3 | 0 | A code to identify the type of charge. |
| TOTAL_AMOUNT_DUE_FOR_CHARGE | M | N | 12 | 2 | Holds the sum of the invoice line amount plus the VAT applied to that line amount. |
| AMOUNT_PAID | M | N | 12 | 2 | The total amount paid against this item to date for a charge type including VAT. |
| PAYMENT_REASON_DESCRIPTION | 0 | T | 200 | 0 | This contains the reason for partial payment or non-payment of this invoice item. To include details of invoice number, invoice item number and charge item number that is being queried. |

* 233

Deleted: 5

Deleted: Live
Deleted: 17

Deleted: 06
Deleted: 2005

Deleted: 2005

Deleted: 18
Deleted: 10

Deleted: 2005

Page 29 of 31

Version <u>6 For Representation</u>
Issued: <u>12 20 2006</u>
Implementation Date: <u>29 06 2007</u>

RT_V01_VAT_TOTAL

| RECORD/FIELD NAME | OP | OPT DOM LNG DEC | | <u>DEC</u> | DESCRIPTION |
|-------------------|----|-----------------|----|------------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: V01 |
| VAT_CODE | M | T | 3 | 0 | A code identifying the type of VAT being used. |
| VAT_PERCENTAGE | M | N | 4 | 2 | The percentage used to calculate the VAT amount. |
| TOTAL_VAT_AMOUNT | M | N | 12 | 2 | The total amount of the VAT due per VAT code for the invoice. Unit: pounds. |
| | | | | | |

* 22

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 30 of 31

$TR_Z99_STANDARD_TRAILER$

| RECORD/FIELD NAME | OP' | TDOM LNG DEC | | | <u>DESCRIPTION</u> |
|-------------------|-----|--------------|-----|-------|--|
| TRANSACTION_TYPE | M | T | 3 | 0 | A code identifying the type of information that this record contains. VALUE: Z99 |
| RECORD_COUNT | M | N | 10 | 0 | The number of detail records contained within the file. This should not include the standard header and standard trailer but should include any file specific trailers if specified for this file. |
| | | | *13 | i | |
| | | | | | |
| | | ** | 331 | 6 | |

Deleted: 5
Deleted: Live
Deleted: 17
Deleted: 06
Deleted: 2005
Deleted: 2005
Deleted: 18
Deleted: 10
Deleted: 2005

Page 31 of 31