



<b>Communication Ref</b>	<b>2054 – RJ – RH</b>
<b>Title</b>	<b>Modification 0632 Report</b>
<b>Date</b>	<b>22/08/2018</b>

Dear Colleagues,

UNC Modification 0632 Shipper Asset Details Reconciliation was approved with an implementation date of 10<sup>th</sup> April 2018. The Modification introduced a requirement for Users to update the Meter Mechanism Code on UK Link to reflect where a meter was Smart or AMR (Automated Meter Reading), to improve the data reported to the Central Data Services Provider (CDSP).

A report reflecting the numbers of Smart and AMR meters held on UK Link has been requested to be sent to the industry three months after implementation. This communication includes the report as required by UNC Modification 0632; the data provided is as of the 10<sup>th</sup> July 2018.

The report was requested to provide a count of Meter Point Reference Numbers (MPRNs) broken down into the Meter Mechanism Code; NS (None SMETs (SMET- Smart Meter Equipment Technical Specification compliant), SMET 1 and SMET 2, by End User Category (EUC) bands. Also within the report is a count of MPRNs with an AMR indicator. Please see the report below:

<b>Meter Type</b>	<b>EUC</b>	<b>Number Of MPRNs</b>
NS	01	1062095
NS	02	380
NS	03	7
NS	04	15
NS	05	1
S1	01	4807829
S1	02	1750
S1	03	45
S1	04	39
S1	07	1
S2	01	2072
S2	02	1
<b>Total</b>		<b>5874235</b>

<b>Meter Type</b>	<b>Dom / I&amp;C</b>	<b>Number Of MPRNs</b>
-------------------	----------------------	------------------------

AMR	Domestic	79877
AMR	I&C	73903
<b>Total</b>		<b>153780</b>

If you require any further information or have any questions, please contact me via [uklink@xoserve.com](mailto:uklink@xoserve.com)

Kind regards,

Rachel Hinsley – **Customer Change Lifecycle Specialist**

**Customer Change**

[rachel.hinsley@xoserve.com](mailto:rachel.hinsley@xoserve.com) | 0121 623 2854



**Address:** Xoserve Limited, Lansdowne Gate, 65 New Road, Solihull, B91 3DL

**Company Website:** <http://www.xoserve.com>