XOserve

PAC ACTION 1201

Anonymised Report of Outstanding DM Consumption Adjustments as at 21/12/2018


Background

- At Project Nexus Go-Live a large number of DM sites failed to load actual meter readings for a number of reasons
- D-7 estimates were used instead until the issues were resolved on a site-by-site basis
- For simple issues, the next actual meter reading automatically triggered on-line reconciliation
- For more complex issues a consumption adjustment MAY be required
- Need for a consumption adjustment is determined jointly by the DM Service Provider (DMSP) and the relevant Shipper

Latest position

- As at 21 December 2018 there were 13 outstanding MPRs where:
 - Shipper has reported that a consumption adjustment is required
 - Or a Shipper decision is still pending
- Link to location of latest DM stats:
- https://www.xoserve.com/index.php/unidentifiedgas-uig/ (Under UIG Resolution – Weekly Updates)

DM Estimates Time-Line




Decision on need for Consumption Adjustment for period of estimates – made jointly by DMSP and Shipper

Xoserve liaising with Shippers/DMSPs to promote speedy investigation and resolution – dependent on co-operation of all parties


Dec '18 – 13 MPRs still outstanding

XOSETVE

POT 1 ESTIMATING AT PROJECT NEXUS GO-LIVE



Note: twin-stream sites counted as a single MPR. Total count 13.




Note: AQ may not be an indication of the scale of consumption adjustment required. AQ represents value at point when added to log.




POT 2 BEGAN ESTIMATING SINCE PROJECT NEXUS GO-LIVE


Note: sites generally added to Pot 2 after 2 to 3 weeks, if not resolved through BAU processes.



Note: twin-stream sites counted as a single MPR. Total count 14.



Note: AQ may not be an indication of the scale of any consumption adjustment required



Note: Count of days is since date that estimates first began, not necessarily time spent with current action owner

XOSETVE