

From: ".Box.UKLINK.Manual" <uklink@xoserve.com>
Subject: CB /992/DA - COR962.4 - ADD / UNC - Address Update Request - Change Pack 1 of 4
Date: 9 July 2010 11:57:58 GMT+01:00
▶ 2 Attachments, 65.8 KB



Communication Ref : CB/992/DA
Subject : COR962.4 - ADD / UNC - Address Update Request

Colleague,

As discussed at the UKLink Committee meeting, please find attached the changes to the process for amending an address held on UK Link systems. The ADD contact type must be used for address updates within your current portfolio, and the UNC when the meter point in question has yet to be confirmed. This change proposal has been for a period of consultation with the relevant business contacts. Within this period, no negative comments were received that impacted the proposal relating to the file formats to be received via the web interface, or via the existing I'X link.

As with the MNC communication, this proposal has changed slightly from the CEUG notification, as when a file is issued via I'X or Web, we will not be able to derive the User details. As a result of this, the 'User Id' is mandated in these circumstances so that the relevant User within your organisation can be contacted in the event of a clarification being required. We will derive how users are contacted based on the data held within the Security Layer (i.e. email address).

The new fields requested are as per the CEUG proposal:

- **'Current Delivery Point Alias'** and **'Proposed Delivery Point Alias'** - We are requesting the addition of this field to enhance address quality and to facilitate improved validation. Typically we would expect this field to be used for plot numbers or some text to help pinpoint the locality of a building e.g 'Adjacent to....' or 'Rear of' or in some cases, a business name.
- **'Service Type'** - This will assist in identification of the meter point and address in question. Currently we will reject this as we may not have visibility that another service pipe is in situ at the same address.
- **'Swapped Address Flag'** and **'Swapped Address Meter Point Reference'** - You will have the facility to notify us that you wish to correct 2 addresses that have crossed information i.e. the MPRN and associated asset details need to be switched between 2 addresses. If you indicate this by a **'Y'** then the Swapped Address MPRN field then becomes a Mandatory field that needs to be completed.

The file format provided is only a draft format at this point, but uses the proposed generic template. This uses the principle of the single consolidated record which can be provided for all operational contact types and is currently provided using the EFT template (as a Excel file) or the *.QMP csv file. As a consequence of this, the final formats will be confirmed once all **changes** are notified to the UKLink Committee, and redundant fields will be removed. I have left previous COR962 formats within the template, this sheet will be retained in future to assist users understand the relevant conditionality.

The field lengths and descriptions will be subject to change, and will be baselined against the existing data standards and descriptions, but are provided for illustration.

This format provided is the csv file version. At implementation it is proposed to provide an Excel sheet that will use macros to generate the csv formats to assist in your transition to the new system.

Users comments are invited upon this change by Friday 23rd July to uklink@xoserve.com.

Regards,

David Addison
Project Manager
xoserve Projects & Change Management
31, Homer Road, Solihull, B91 3LT.
0121 623 2741
<mailto:david.addison@xoserve.com>

If you have any comments, concerns or issues with this email, please contact uklink@xoserve.com

P Save Paper - Do you really need to print this email?



[QMP Format ...xls \(63.5 KB\)](#)

