

**From:** ".Box.UKLINK.Manual" <uklink@xoserve.com>  
**Subject:** **CB/985/LP - DME UKLink Implementation Summary**  
**Date:** 11 June 2010 14:31:58 GMT+01:00  
▶ 2 Attachments, 1.1 MB

---



Communication Ref : CB/985/LP  
Subject : DME UKLink Implementation Summary

Colleague,

Please see the attached UK Link Implementation Summary document being issued for approval; please note that the original file formats were issued for approval in April 2009. As part of the analysis and design phase some additional files were identified that require updates and there were some minor changes to some of the previously approved files. All of the files that have not been updated from the original file formats approved have been detailed below, xoserve are seeking approval of the additionally identified files/changes.

- **List of files not changed from v1 approved**

-  
.NMR file S72 - Record - New Rejection Reasons  
.MDE file  
.DMI file

- **List of filename changes from v1 approved**

-  
.DME - file name changed to .DLE  
.DMO - file name changed to .DMR

If you have any questions or queries please email your responses to the email account [xoserve.dmelective@xoserve.com](mailto:xoserve.dmelective@xoserve.com)

Regards,

Lewis Plummer  
Project Officer  
xoserve Projects & Change Management  
31, Homer Road, Solihull, B91 3LT.  
0121 623 2649  
[lewis.plummer@xoserve.com](mailto:lewis.plummer@xoserve.com)

If you have any comments, concerns or issues with this email, please contact [uklink@xoserve.com](mailto:uklink@xoserve.com)

P Save Paper - Do you really need to print this email?



[DME UKLink ....doc \(1.1 MB\)](#)