

Stage 01: DRAFT Modification

OXXX (Joint Office to insert number)

Harmonisation of Reference Conditions at Interconnection Points

At what stage is this document in the process?



Modification



Workgroup Report



Draft Modification Report



Final Modification

This Modification seeks to facilitate compliance with requirements to implement harmonised reference conditions that are contained in the EU Network Code on Interoperability and Data Exchange Rules.

It proposes to adopt the use of such conditions for mandated processes at Interconnection Points (IPs) whilst allowing processes at other points to continue operating to the current GB reference conditions.



The Proposer recommends that this Modification should be assessed by a Workgroup



High Impact:



Medium Impact:

IP Users, National Grid Gas Transmission



Low Impact:

0xxx

Modification

7th November 2014

Version 1.0

Page 1 of 10

© 2014 all rights reserved

Contents

- 1 Summary
- 2 Why Change?
- 3 Solution
- 4 Relevant Objectives
- 5 Implementation
- 6 Legal Text
- 7 Recommendation

About this document:

This Modification will be presented by the Proposer to the Panel on 20th November 2014.

The Panel will consider the Proposer's recommendation and agree whether this Modification should be referred to a Workgroup for assessment.



Any questions?

Contact:

Code Administrator



5

6

8

9

9

9

enquiries@gasgover nance.co.uk



Proposer: **Phil Hobbins**



Phil.Hobbins@natio nalgrid.com



Transporter
National Grid
Transmission

Systems Provider: **Xoserve**



commercial.enquirie s@xoserve.com



Additional contacts: **Phil Balfe**



Phil.Balfe@national grid.com



0xxx

Modification

7th November 2014

Version 1.0

Page 2 of 10

© 2014 all rights reserved



1 Summary

Is this a Self-Governance Modification?

Self Governance procedures are not proposed because this Modification is to be considered in the context of other EU-driven changes that will have a material effect on commercial activities connected with the transportation of gas conveyed via the National Transmission System and the operation of this pipeline system¹.

Is this a Fast Track Self-Governance Modification?

Fast Track procedures are not proposed because this is not a housekeeping modification.

Why Change?

The European Network Code on Interoperability and Data Exchange requires the use of reference conditions of 0°C for volume and 25°C for calorific value (hereafter referred to in this Modification as "0/25") for any data exchange and data publication related to Regulation (EC) No 715/2009. The GB regime currently uses reference conditions of 15°C for volume and 15°C for calorific value (hereafter referred to in this Modification as "15/15") and the UNC therefore needs to be amended to reflect the use of different reference conditions for these new IP processes.

It is the view of the Proposer that the new capacity booking process and new nominations process that are proposed to be introduced at GB IPs will be captured by the "data exchange" provisions referred to in this EU Code.

Solution

The proposed solution aims to 'ring-fence' the application of 0/25 reference conditions to the IP processes for which they are mandated whilst keeping processes at all other GB system points, as well as operational and GB User balancing, unchanged at 15/15 conditions. Capacity will be booked and Energy will be nominated and allocated on a 0/25 basis, with an "IP Balancing Allocation", which corrects to 15/15, added to the Energy allocation.

It is envisaged that UNC, General Terms, Section C Interpretation will need to be amended.

Relevant Objectives

This Modification will better facilitate achievement of the following Relevant Objective:

Compliance with the Regulation and any relevant legally binding decisions of the European Commission and/or the Agency for the Co-operation of Energy Regulators

0xxx

Modification

7th November 2014

Version 1.0

Page 3 of 10

© 2014 all rights reserved

uiu 2-1(c

¹ The relevant self-governance criteria as specified in SSC A11 Network Code and Uniform Network Code, Para 24(a)

Implementation

No specific implementation timescales are proposed, however this Modification would need to be implemented no later than 1st April 2016 to be compliant with the provisions of the EU Interoperability Code.

Does this modification affect the Nexus delivery, if so, how?

This Modification does not affect Project Nexus.



0xxx

Modification

7th November 2014

Version 1.0

Page 4 of 10

© 2014 all rights

2 Why Change?

Measurement of a quantity of gas is sensitive to several factors, one of which is temperature. Therefore, in order to derive consistency, measurements are 'corrected' to constant reference temperatures for volume and for calorific value in order to derive an energy measurement. At present, these reference temperatures vary across EU member states, for example the majority of Western Europe correct to 0°C for volume and 25°C for CV, whereas GB and ROI/NI operate to 15°C for volume and 15°C for CV.

Whilst reference temperatures fundamentally relate to a physical measurement process, 'commercial' energy figures such as User capacity bookings, nominations and allocations may also be declared at particular reference conditions by virtue of the physical arrangements that prevail which UNC Section GTC 'Interpretation' recognises.

The European Network Code on Interoperability and Data Exchange requires harmonisation of reference conditions at 0/25 "for any data exchange and data publication related to Regulation (EC) No 715/2009." The GB regime currently uses 15/15 reference conditions both for physical measurement and commercial processes in accordance with UNC, General Terms, Section C, 'Interpretation'. The UNC therefore needs to be amended to reflect the use of different reference conditions for these new IP processes.

It is the view of the Proposer that the new capacity booking process and new nominations process that are proposed to be introduced at GB IPs will be captured by the "data exchange" provisions referred to in this EU Code.

0xxx

Modification

7th November 2014

Version 1.0

Page 5 of 10

© 2014 all rights

3 Solution

The proposed solution aims to 'ring-fence' the application of 0/25 reference conditions to the IP processes for which they are mandated whilst keeping processes at all other points, as well as operational and GB User balancing unchanged at 15/15 conditions. The solution to apply to the GB IPs only is as follows:

Capacity

- Capacity will be made available and booked by Users on PRISMA on a 0/25 basis;
- National Grid NTS will not convert either existing or future User bookings within Gemini;
 and
- National Grid NTS will not seek to make any change to its baseline capacity obligations at the IPs as a consequence of this Modification.

Energy

- User nominations to be submitted at 0/25 conditions;
- National Grid NTS and its adjacent TSOs will conduct the matching of User nominations at 0/25 conditions;
- Confirmed nominations (post matching) will be provided to Users on a 0/25 basis;
- User allocations (UDQIs and UDQOs) will be determined on a 0/25 basis; and
- GB User balancing will be maintained at 15/15 by adding an additional quantity of gas (an 'IP balancing allocation') to IP Users' imbalance accounts in Gemini equal to the difference between the 0/25 allocation and the value of that energy at 15/15 reference conditions using a fixed conversion factor of 0.9990.
 - So for example:
 - User NTS entry nomination = 100,000 kWh
 - User UDQI = 100,000 kWh
 - 'IP Balancing allocation' = 100 kWh (100,000 * 0.001)
 - Quantity available for GB trading = 100,100 kWh

It is envisaged that UNC, General Terms, Section C, 'Interpretation' will need to be amended.

0xxx

Modification

7th November 2014

Version 1.0

Page 6 of 10

© 2014 all rights

User Pays

Classification of the modification as User Pays, or not, and the justification for such classification.

No User Pays service would be created or amended by implementation of this Modification and it is not, therefore, classified as a User Pays Modification.

Identification of Users of the service, the proposed split of the recovery between Gas Transporters and Users for User Pays costs and the justification for such view.

Not Applicable

Proposed charge(s) for application of User Pays charges to Shippers.

Not Applicable

Proposed charge for inclusion in the Agency Charging Statement (ACS) – to be completed upon receipt of a cost estimate from Xoserve.

Not Applicable.

This Modification seeks to amend the UNC to comply with European Network Code delivery into the GB gas regime. It is part of a wider suite of UNC changes that are being proposed to achieve compliance with the European Network Codes. National Grid NTS has been allocated some funding through the RIIO-T1 price control process for EU market facilitation. National Grid NTS expects to be able to utilise this funding to meet the costs of this EU-related change and where this proves insufficient it anticipates using the mid-point review as the mechanism to address any funding gaps. Therefore no User Pays charges will be raised in relation to this Modification.

0xxx

Modification

7th November 2014

Version 1.0

Page 7 of 10

© 2014 all rights

4 Relevant Objectives

Impact of the modification on the Relevant Objectives:	
Relevant Objective	Identified impact
a) Efficient and economic operation of the pipe-line system.	None
 b) Coordinated, efficient and economic operation of (i) the combined pipe-line system, and/ or (ii) the pipe-line system of one or more other relevant gas transporters. 	None
c) Efficient discharge of the licensee's obligations.	None
 d) Securing of effective competition: (i) between relevant shippers; (ii) between relevant suppliers; and/or (iii) between DN operators (who have entered into transportation arrangements with other relevant gas transporters) and relevant shippers. 	None
e) Provision of reasonable economic incentives for relevant suppliers to secure that the domestic customer supply security standards are satisfied as respects the availability of gas to their domestic customers.	None
f) Promotion of efficiency in the implementation and administration of the Code.	None
g) Compliance with the Regulation and any relevant legally binding decisions of the European Commission and/or the Agency for the Co-operation of Energy Regulators.	Positive

This Modification will facilitate compliance with European legislative requirements by implementing the requirements of the EU Interoperability Code (linked to requirements in the EU CAM and Balancing Codes) to use reference temperatures of 0/25 for capacity and nominations processes at the IPs.

Oxxx

Modification

7th November 2014

Version 1.0

Page 8 of 10

© 2014 all rights
reserved

5 Implementation

No specific implementation timescales are proposed, however this Modification would need to be implemented no later than 1st April 2016 to be compliant with the provisions of the EU Interoperability Code.

6 Legal Text

Legal text will be provided at a suitable stage during development of this Modification.

7 Recommendation

The Proposer invites the Panel to:

- Determine that this Modification should not be subject to self-governance; and
- · Progress to Workgroup assessment.



Modification

7th November 2014

Version 1.0

Page 9 of 10

© 2014 all rights

Appendix A – Interoperability Code Extract

[To be updated if necessary post comitology]

CHAPTER III Units

Article 13 Common set of units

- 1. With regard to data publication, this Article shall apply to relevant points defined in paragraph 3.2 of Annex I to Regulation (EC) No 715/2009.
- 2. Each transmission system operator shall use the common set of units defined in this Article for any data exchange and data publication related to Regulation (EC) No 715/2009.
- 3. For the parameters of pressure, temperature, volume, gross calorific value, energy, and Wobbe-index the transmission system operators shall use:

(a) pressure: bar

(b) temperature: °C (degree Celsius)

(c) volume: m³

(d) gross calorific value (GCV): kWh/m³

(e) energy: kWh (based on GCV)

(f) Wobbe-index: kWh/m³ (based on GCV)

For pressure, the transmission system operators shall indicate whether it refers to absolute pressure (bar (a)) or gauge pressure (bar (g)).

The reference conditions for volume shall be 0°C (15°C) and 1.01325 bar(a). For GCV, energy and Wobbe-index the default combustion reference temperature shall be 25°C. (15°C).

0xxx

Modification

7th November 2014

Version 1.0

Page 10 of 10

© 2014 all rights