NTS ENTRY COMMODITY InvoiceFile (.ECO)

$AI_O_NTS_ENTRY_COMMODITY_INVOICE_FILE$

Contains 17 different records

Level	Record Name	Occurrences	Optionality	
1	HD_A00_STANDARD_HEADER	1	M	
1	RT_D00_UKL_INVOICE	1	M	
1	RT_D01_STANDARD_CLAUSE	up to 99	M	
1	RT_D02_INVOICE_ITEM_SUMMARY	up to <u>7</u> ,	M - Deleted: 7	
1	RT_D98_NTS_ENTRY_COMMODITY_DETAIL	up to 20	0	
1	RT_D99_NTS_ENTRY_COMMODITY_SUPPORTING_DOCUMENTATION	up to620	O	
1	RT_G07_NTS_ENTRY_COMMODITY_REBATE_RECORD	up to <u>30</u>	O Deleted: 7	
1	RT_G08_NTS_ENTRY_COMMODITY_REBATE_LMN_DETAIL	up to 3,100	0	
1	RT_G09_NTS_ENTRY_COMMODITY_ADJUSTMENT_RECORD	up to 3,100	О	
1	RT K24 TO COMMODITY REBATE DETAILS	<u>360</u>	<u>O</u> Formatted: Font: N	lot Bold
1	RT_K26_TO_COMMODITY_REBATE_ADJUSTMENT_RECORD	<u>360</u>	Formatted: Font: N	lot Bold
1	RT_K25_TO_COMMODITY_CREDIT_DETAILS	<u>30</u>	0	
1	RT K27 TO COMMODITY CREDIT ADJUSTMENT RECORD	30	O Formatted: Font: N	lot Bold
1	HD_RT_R06_REMITTANCE_ADVICE_DETAIL	1	O Formatted: Font: N	lot Bold
1	RT_R07_REMITTANCE_ADVICE_ITEM	up to 3	O Formatted: Font: N	lot Bold
1	RT_V01_VAT_TOTAL	up to 10	M	
1	TR_Z99_STANDARD_TRAILER	1	M	

Note OPT - Optional, Mandatory, DOM - Domain i.e. \underline{T} ext, Numeric, Date, MTimestamp, DEC - Number of decimal places

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

NTS_ENTRY COMMODITY INVOICE FILE

$HD_A00_STANDARD_HEADER$

RECORD/FIELD NAME	<u>OP</u>	T DON	1 LNO	G DEC	DESCRIPTION
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains.VALUE: A00
ORGANISATION_ID	M	N	10	0	A reference that uniquely identifies a User/organisation.
FILE_TYPE	M	T	3	0	An application specific code used to identify the structure and the usage of the file.VALUE: ECO
CREATION_DATE	M	D	8	0	The date on which the file was generated.Format: YYYYMMDD
CREATION_TIME	M	M	6	0	The time at which the file was generated (within the CREATION DATE) Format: HHMMSS.
GENERATION_NUMBER	M	N	6	0	This field is used to uniquely identify the file. For this file the field will contain the invoice number.

* 36

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

RT_D00_UKL_INVOICE

RECORD/FIELD NAME	OP	<u>r don</u>	1 LNC	B DEC	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: D00
BA_ABBR	M	T	12	0	Abbreviation of your User name.
INVOICE_TYPE	M	T	3	0	A code that indicates the invoice type. In this instance the invoice type is ECO – NTS Entry Commodity.
INVOICE_NUMBER	M	N	6	0	The unique reference allocated to an Invoice.
INVOICE_CREATION_DATE	M	D	8	0	Date on which this invoice was created.Format: YYYYMMDD
TAX_POINT_DATE	M	D	8	0	The Tax Point Date.Format: YYYYMMDD

* 40

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

$RT_D01_STANDARD_CLAUSE$

RECORD/FIELD NAME	OPT DOM LNG DEC				<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: D01
SEQUENCE_NUMBER	M	N	2	0	Line number of standard clause. VALUE: 01 to 99.
STANDARD_CLAUSE	M	T	60	0	Standard text that is contained in the invoice.
		* 65	5		

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

RT _D02_INVOICE_ITEM_SUMMARY

RECORD/FIELD NAME	<u>OP</u>	T DON	<u> 1 LNC</u>	G DEC	<u>DESCRIPTION</u>			
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: D02			
BA_ABBR	M	T	12	0	Abbreviation of your User name.			
INVOICE_NUMBER	M	N	6	0	The unique reference allocated to an invoice.			
CHARGE_TYPE_CODE	M	T	3	0	A code to identify the type of charge for the invoice item. Values NCE – NTS Commodity Entry ROC – NTS Commodity Entry Rebate AOC – NTS Commodity Entry Rebate Adjustment TOR - TO Commodity Rebate TAR - TO Commodity Rebate Adjustment			
					TOC - TO Commodity Credit TAC - TO Commodity Credit			
					Adjustment			
NET_AMOUNT	M	N	12	2	The total amount due for the invoice item net of VAT. The first character is signed – if it is a payment to the User.			
VAT_PERCENTAGE	M	N	4	2	The applicable VAT Rate			
VAT_AMOUNT	M	N	12	2	The amount of the VAT due for the invoice item . The first character is signed - if it is a payment to the User.			
TOTAL_AMOUNT	M	N	12	2	The total amount of the invoice item including VAT. The first character is signed – if it is a payment to the User.			
BILLING_PERIOD_BEGIN_DATE	M	D	8	0	The first date in the billing period for which the invoice has been calculated Format: YYYYMMDD.			
BILLING_PERIOD_END_DATE	M	D	8	0	The last date in the billing period for which the invoice has been calculated Format: YYYYMMDD.			
VAT_REG_NBR	0	T	20	0	Users VAT number. This will only be used for self billed invoice items. For everything else it will be null.			
I								

Deleted: 2
Deleted: Live
Deleted: 23.02.2007
Deleted: 7
Deleted: 23.02.2007

Page 5 of 23 Version <u>3 For Representation</u> J Issued: <u>15.02.2008</u>

©2008 xoserve

Implementation Date: 27.02.2009

Deleted: ¶ ***** 100 Deleted:

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

$RT_D98_NTS_ENTRY_COMMODITY_RECORD$

RECORD/FIELD NAME	<u>OP</u>	T DON	1 LNC	G DEC	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: D98
INVOICE_NUMBER	M	N	6	0	The unique reference allocated to an invoice.
CHARGE_TYPE_CODE	M	T	3	0	A code to identify the type of charge .VALUE: NCE
CHARGE_TYPE_DESCRIPTION	M	T	50	0	The detailed description of the charge.
SERVICE_ID	M	T	15	0	A unique reference identifying one of your services.
TERMINAL_ID	M	T	10	0	Ten letter code that identifies the terminal.
TERMINAL_NAME_DESCRIPTION	M	T	40	0	Full Description name of the terminal.
MONTHLY_TOTAL_ALLOCATION	M	N	14	0	Aggregated Daily UDQI for the User for a particular terminal (in kilowatt hours)
NTS_COMM_ENTRY_RATE	M	N	7	4	The relevant rate that is used to calculate the Entry Commodity Charge (in pence per kilowatt hour)
CHARGES_DUE	M	N	12	2	The total value of the Charge per terminal that is included on the Invoice excluding VAT.
		* 16	0		

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

${\bf RT_D99_NTS_ENTRY_COMMODITY_SUPPORTING_DOCUMENTATION}$

RECORD/FIELD NAME	<u>OP</u>	<u>r don</u>	<u>LNC</u>	<u> DEC</u>	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: D99
INVOICE_NUMBER	M	N	6	0	The unique reference allocated to an invoice.
CHARGE_TYPE_CODE	M	Т	3	0	A code to identify the type of charge. VALUE: NCE
CHARGE_TYPE_DESCRIPTION	M	Т	50	0	The detailed description of the charge.
GAS_FLOW_DAY	M	D	8	0	The date to which the allocation relates to. Date Format YYYYMMDD
TERMINAL_ID	M	T	10	0	Ten letter code that identifies the terminal.
TERMINAL_NAME_DESCRIPTION	M	T	40	0	Full Description name of the terminal.
DAILY_ALLOCATION	M	N	12	0	Daily UDQI for the User for the terminal (in kilowatt hours).

* 132

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

$RT_G07_NTS_ENTRY_COMMODITY_REBATE_RECORD$

RECORD/FIELD NAME	<u>OP</u>	T DON	<u> LNC</u>	G DEC	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: G07
INVOICE_NUMBER	M	N	6	0	The unique reference allocated to an invoice.
CHARGE_TYPE_CODE	M	T	3	0	A code to identify the type of charge . VALUE: ROC
CHARGE_TYPE_DESCRIPTION	M	T	50	0	The detailed description of the charge.
SERVICE_ID	M	T	15	0	A unique reference identifying one of your services.
TERMINAL_ID	M	T	10	0	Ten letter code that identifies the terminal.
TERMINAL_NAME_DESCRIPTION	M	T	40	0	Full Description name of the terminal.
TERMINAL_TOTAL_UDQI	M	N	12	0	Aggregated Daily UDQI for the User for a specified terminal (in kilowatt hours)
TERMINAL_TOTAL_UDQO	M	N	12	0	Aggregated Daily UDQO for the eligible LMNs linked to a specified terminal for the User (in kilowatt hours)
TERMINAL_REBATE_QUANTITY	M	N	12	0	The aggregated monthly Eligible Rebate Quantity for the specified terminal to be rebated back to the User (in kilowatt hours).
NTS_COMM_ENTRY_RATE	M	N	7	4	The relevant rate used to calculate the Entry Commodity Rebate Charge (in pence per kilowatt hour)
CHARGES_DUE	M	N	12	2	The total value of the Charge per terminal that is included on the Invoice excluding VAT. The first character is signed – as this is a payment to the User
		*	182		

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

Deleted: 23.02.2007

Implementation Date: 27.02.2009

$RT_G08_NTS_ENTRY_COMMODITY_REBATE_LMN_DETAIL$

RECORD/FIELD NAME	<u>OP</u>	T DON	1 LNO	G DEC	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	Т	3	0	A code identifying the type of information that this record contains. VALUE: G08
INVOICE_NUMBER	M	N	6	0	The unique reference allocated to an invoice.
CHARGE_TYPE_CODE	M	T	3	0	A code to identify the type of charge VALUE: ROC
CHARGE_TYPE_DESCRIPTION	M	T	50	0	The detailed description of the charge.
TERMINAL_ID	M	T	10	0	Ten letter code that identifies the terminal.
TERMINAL_NAME_DESCRIPTION	M	T	40	0	Full description name of the terminal.
SITE_NAME	M	T	60	0	The Name of the site.
LMN	M	T	15	0	The Logical Meter Number .
GAS_FLOW_DAY	M	D	8	0	The date to which the gas allocation relates . Date Format YYYYMMDD.
DAILY_LMN_UDQO	M	N	12	0	The UDQO for the gas day for that LMN (in kilowatt hours).
DAILY_LMN_REBATE_QUANTITY	M	N	12	0	The daily Rebate quantity for the LMN (in kilowatt hours).

* 219

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

${\bf RT_G09_NTS_ENTRY_COMMODITY_ADJUSTMENT_RECORD}$

RECORD/FIELD NAME	<u>OP</u>	T DOM	<u>1 LNC</u>	B DEC	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: G09
INVOICE_NUMBER	M	N	6	0	The unique reference allocated to an invoice.
CHARGE_TYPE_CODE	M	T	3	0	A code to identify the type of charge VALUE: AOC
CHARGE_TYPE_DESCRIPTION	M	T	50	0	The detailed description of the charge.
SERVICE_ID	M	T	15	0	A unique reference identifying one of your services.
TERMINAL_ID	M	T	10	0	Ten letter code that identifies the terminal.
TERMINAL_NAME_DESCRIPTION	M	Т	40	0	Full description name of the terminal.
SITE_NAME	M	T	60	0	The Name of the site.
LMN	M	Т	15	0	The Logical Meter Number .
GAS_FLOW_DAY	M	D	8	0	The date to which the adjustment relates. format YYYYMMDD.
PREVIOUS_LMN_ UDQO	M	N	12	0	The preceding LMN UDQO used in the previous invoice calculation for the gas day (in kilowatt hours).
PRVLNG_LMN_UDQO	M	N	12	0	The Prevailing LMN UDQO used to calculate the adjustment for the gas day (in kilowatt hours).
DAILY_ADJ_QUANTITY	M	N	12	0	The daily quantity for the LMN eligible for an Entry Commodity Rebate Adjustment (in kilowatt hours). The first character is signed "-" if it drives a payment to the user.
NTS_COMM_ENTRYRATE	M	N	7	4	The relevant rate used to calculate the Entry Commodity Rebate Adjustment Charge. (in pence per kilowatt hour)
CHARGES_DUE	M	N	12	2	The total value of the Charge per LMN per gas day that is included on the Invoice excluding VAT. The first character is signed – if it is a payment to the User
		*	265		

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

Deleted: 23.02.2007

Page 11 of 23 Version

Version <u>3 For Representation</u> J Issued: <u>15.02.2008</u>

Implementation Date: 27.02.2009

RT K24 TO COMMODITY REBATE DETAILS

RECORD/FIELD NAME	OPT	DOM	1 LNC	G DEC	DESCRIPTION		
TRANSACTION TYPE	M '	<u>T</u>	3	0	A code identifying the type of information that this record contains. VALUE: K24		
INVOICE_NUMBER	M	N	6	0	The unique reference allocated to an invoice.		
CHARGE TYPE CODE	M	Т	3	0	A code to identify the type of charge VALUE: TOR		
CHARGE TYPE DESCRIPTION	M	<u>T</u>	50	0	The detailed description of the charge.		
TERMINAL ID	M '	<u>T</u>	10	0	Ten letter code that identifies the terminal.		
TERMINAL NAME DESCRIPTION	M	Т	40	0	Full description name of the terminal.		
PERIOD FROM	M	D	8	0	Charge period start date Format: YYYYMMDD		
PERIOD_TO	M	D	8	0	Charge period end date Format: YYYYMMDD		
TERMINAL_UDQI	M	N	14	0	Aggregated UDQI for the User for a specified Terminal. Specific for charge period (in kWhs).		
ELIGIBLE SHORTHAUL	M	N_	14	0	The eligible Shorthaul quantity for the User for a specified Terminal. Specific for charge period (in kWhs).		
REBATABLE UDQI	M	N_	14	0	Rebatable UDQI for charge period for specified terminal. This is your terminal UDQI less any Shorthaul eligiable quantity, giving the Rebatable UDQI		
REBATE RATIO	M	N_	7	4	Percentage derived from the Total Over Recovery Amount divided	-	Deleted: 5
					by the Total Transportation Owner Revenue multipled by 100.	1	Deleted: 2
TO_RATE	M	N	7	4	The relevant Transportation Owner rate that is applicable for the period (in pence per kilowatt hour)	/	Deleted: used to calculate the Charge (in pen Deleted: -
CHARGES_DUE	M	NT	12	2	The total value of the Charge per	// //{	Deleted: as this Deleted: 2
CHARGES_DUE	IVI	IN	12		terminal that is included on the	'' /}(Deleted: Live
					Invoice excluding VAT. The first	///	Deleted: 23.02.2007
					character is signed <u>if this is a</u> payment to the User.	/// <u>/</u>	Deleted: 7
					, , , , , , , , , , , , , , , , , , ,	///{	Deleted: 23.02.2007

Page 12 of 23

Version 3 For Representation

Issued: 15.02.2008

Implementation Date: 27.02.2009

©2008 xoserve

*196, Deleted: 8

Compared to the compared to

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

RT K26 TO COMMODITY REBATE ADJUSTMENT RECORD

RECORD/FIELD NAME	OPT DON	1 LNG DEC	DESCRIPTION	
TRANSACTION TYPE	МТ	3 0	A code identifying the type of information that this record contains. VALUE: K26	
INVOICE_NUMBER	M N	6 0	The unique reference allocated to an invoice.	
CHARGE TYPE CODE	МТ	3 0	A code to identify the type of charge VALUE: TAR	
CHARGE TYPE DESCRIPTION	МТ	50 0	The detailed description of the charge	- Deleted: ¶
TERMINAL ID	<u>M</u> T	10 0	Ten letter code that identifies the terminal.	Deleted: ¶ Deleted:
TERMINAL NAME DESCRIPTION	M T	40 0	Full description name of the terminal.	
PERIOD FROM	M D	8 0	Charge period start date Format: YYYYMMDD	- Deleted:
PERIOD_TO	M D	8 0	Charge period end date Format: YYYYMMDD	
TERMINAL_UDQI	M N	14 0	Aggregated UDQI for the User for a specified Terminal. Specific for charge period (in kWhs).	Deleted: PREVIOUS_AGGREG
ELIGIBLE SHORTHAUL	M N	14 0	The eligible Shorthaul quantity for the User for a specified Terminal.	Deleted: Previous A Deleted: ggregated UDQI for charge period for specified terminal.¶
REBATABLE UDQI	M N	14 0	Specific for charge period (in kWhs). Rebatable UDQI for charge period for specified terminal. This is your terminal UDQI less any Shorthaul eligible quantity, giving	Deleted: CURRENT_AGGREG ATED_UDQI M N 14 0 Cur rent Aggregated UDQI for charge period for specified terminal.¶ PREVIOUS Deleted: 5
ORIGINAL REBATE RATIO	<u>M</u> N	7 4	the Rebatable UDQI. Percentage derived from the	Deleted: 2 Deleted: Previous
			original Over Recovery Amount divided by the Total Transportation Owner Revenue multipled by 100.	Deleted: Previous Deleted: CURRENT
ADDITIONAL REBATE RATIO	M N	7 4	Percentage derived from the	Deleted: 5 Deleted: 2
			additional Over Recovery Amount divided by the Total Transportation Owner Revenue	Deleted: Current Deleted: 2
			multipled by 100. Note: The original rebate ratio and additional rebate ratio are	Deleted: Live Deleted: 23.02.2007
			capped at 100% of the Transportation Owner Revenue.	Deleted: 7
			$y_{ij}^{\prime\prime}$	Deleted: 23.02.2007

Page 14 of 23

©2008 xoserve

Version 3 For Representation

Issued: 15.02.2008

Implementation Date: 27.02.2009

TO RATE M N	7	4	The relevant Transportation Owner rate that is applicable for	 Deleted: PREVIOUS_
			the period (in pence per kilowatt hour)	
			Current charge value for specified terminal excluding VAT. The first character is signed - if this is a payment to the User.	Deleted: The previous Transportation Owner rate that was used to calculate the Charge (in pence per kilowatt hour).¶ ¶ CURRENT_TO_RATE M N 7 4 The relevant Transportation Owner rate that is used to calculate the Charge (in pence per kilowatt hour).¶ ¶ PREVIOUS_CHARGES_DUE M N 12 2 Previous charge value for specified terminal excluding VAT. The first character is signed - as this is a
				payment to the User. ¶ Deleted: CURRENT_ Deleted: was

Deleted: 2

Deleted: 175 Deleted: 204

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

RT K25 TO COMMODITY CREDIT DETAILS

RECORD/FIELD NAME	OPT DON	PT DOM LNG DEC		DESCRIPTION	
TRANSACTION TYPE	МТ	3	0	A code identifying the type of	
				information that this record contains. VALUE: K25	
INVOICE_NUMBER	M N	6	0	The unique reference allocated to	
				an invoice.	
CHARGE TYPE CODE	M T	3	0	A code to identify the type of charge VALUE: TOC	
CHARGE TYPE DESCRIPTION	МТ	50	0	The detailed description of the charge.	
TERMINAL ID	МТ	10	0	Ten letter code that identifies the terminal.	
TERMINAL NAME DESCRIPTION	МТ	40	0	Full description name of the terminal.	
PERIOD FROM	M D	8	0	Charge period start date. Format: YYYYMMDD	
PERIOD_TO	M D	8	0	Charge period end date Format: YYYYMMDD Formatted: Indent: Left: cm, First line: 0 cm	: 0
TERMINAL_UDQI	M N	14	0	Aggregated UDQI for the User for a specified Terminal. Specific for charge period (in kWhs).	
ELIGIBLE SHORTHAUL	M N	14	0	The eligible Shorthaul quantity for the User for a specified Terminal. Specific for charge period (in kWhs).	
REBATABLE UDQI	M N	14	0	Rebatable UDQI for charge period Deleted: BA_	
				for the specified terminal. This is your terminal UDQI less any Shorthaul eligible quantity, giving the Rebatable UDQI.	ıte
AGGREGATE REBATABLE UDQI	M N	14	0	Aggregate UDQI for all Terminals and all Business Associates. This is the aggregated UDQI less any	
				Shorthaul eligible quantity, giving the Aggregate Peterble UDOI	
· · · · · · · · · · · · · · · · · · ·				the Aggregate Rebatable UDQI. Deleted: B	
BA_PERCENTAGE	M N	11	8	The Business Associate Percentage of the aggregated Deleted: Business Associa	
				Percentage of the aggregated UDQL This is derived from the Deleted: Business Associate Deleted: Terminal	ile.
				Rebatable UDQI for the terminal	_
				divided by the Aggregate Rebatable UDQI multipled by Deleted: 2 Deleted: 2	
				100. This value defines the Deleted: 23,02,2007	
				percentage of the total UDQI per	_
				terminal which is then used to Deleted: 7	
	Page 16	of 23	3	Version 3 For Representation Issued: 15.02.2008	
©2008 xoserve				Implementation Date: 27.02.2009	

		define the percentage of the over- recovery amount to be given to the Business Associate, per terminal.
GCM11 OVERRECOVERY AMNT	M N 12 2	The over-recovery amount fed into the GCM11 mechanism. This is the residual amount of Transportation Owner over- recovery after rebating through the GCM09 (PC65) and GCM10 mechanisms.
CHARGES DUE	M N 12 2	The total value of the Charge per terminal that is included on the Invoice excluding VAT. The first character is signed - if this is a payment to the User.
	*219	Deleted: 91
		Deleted: 79

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

RT K27 TO COMMODITY CREDIT ADJUSTMENT RECORD

RECORD/FIELD NAME	OPT DOM LNG DEC	DESCRIPTION	
TRANSACTION TYPE	M T 3 0	A code identifying the type of information that this record contains. VALUE: K27	
INVOICE_NUMBER	M N 6 0	The unique reference allocated to an invoice.	
CHARGE TYPE CODE	M T 3 0	A code to identify the type of charge VALUE: TAC	
CHARGE TYPE DESCRIPTION	M T 50 0	The detailed description of the charge.	
TERMINAL ID	M T 10 0	Ten letter code that identifies the terminal.	
TERMINAL NAME DESCRIPTION	M T 40 0	Full description name of the terminal.	
PERIOD FROM	M D 8 0	Charge period start date Format: YYYYMMDD	
PERIOD_TO	M D 8 0	Charge period end date Format: YYYYMMDD	
TERMINAL_UDQI	M N 14 0	Aggregated UDQI for the User for a specified Terminal. Specific for charge period (in kWhs).	
ELIGIBLE SHORTHAUL	M N 14 0	The eligible Shorthaul quantity for the User for a specified Terminal. Specific for charge period (in kWhs).	
REBATABLE, UDQI	<u>M N 14 0</u>	Rebatable UDQI for charge period	Deleted: PREVIOUS_BA
		for the specified terminal. This is your terminal UDQI less any Shorthaul eligible quantity, giving the Rebatable UDQI.	Deleted: _
AGGREGATE REBATABLE UDQI	M N 14 0	Aggregate UDQI for all Terminals and all Business Associates. This is the aggregated UDQI less any Shorthaul eligible quantity, giving the Aggregate Rebatable UDQI.	Deleted: Previous Business Associate UDQI for charge period for specified terminal.¶ ¶ CURRENT_BA_UDQI M N 1 4 0 Current Business Associate UDQI for charge period for specified terminal.¶
BA_PERCENTAGE	M N 11 8	The Business Associate Percentage of the aggregated UDQI. This is derived from the Rebatable UDQI for the terminal divided by the Aggregate	Formatted: Indent: Left: 0 cm, First line: 0 cm
		Rebetable UDQI multipled by	Deleted: Live
		100. This value defines the	Deleted: 23.02.2007
		percentage of the total UDQI per terminal which is then used to	Deleted: 7
			Deleted: 23.02.2007

Page 18 of 23

©2008 xoserve

Version 3 For Representation Issued: 15.02.2008

Implementation Date: 27.02.2009

					define the percentage of the over- recovery amount to be given to the Business Associate, per terminal.
ORIGINAL GCM11 OVERRECOVERY AMT	M	N	12	2	The original over-recovery amount fed into the GCM11 mechanism. This is the residual amount of Transportation Owner over-recovery after rebating through the GCM09 (PC65) and GCM10 mechanisms.
ADDITIONSL GCM11 OVER	M	N	12	2	The additional over-recovery
RECOVERY AMNT					amount fed into the GCM11 mechanism.
CHARGES DUE	M	N		2	The total value of the Charge per terminal that is included on the Invoice excluding VAT. The first character is signed - if this is a payment to the User.

Deleted: PREVIOUS_CHARGE S_DUE M N 12 2 The previous total value of the Charge per terminal that was included on the Invoice excluding VAT. The first character is signed - if this was a payment to the User. ¶

CURRENT_CHARGES_DUE M
N 12 2 The current total
value of the Charge per terminal
that is included on the Invoice
excluding VAT. The first
character is signed - if this is a
payment to the User. ¶

Deleted: 2

Deleted: 03

Deleted: 154

Formatted: Left

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

Deleted: 23.02.2007

*231

$HD_RT_R06_REMITTANCE_ADVICE_DETAIL$

RECORD/FIELD NAME	OP	<u>ΓDOM</u>	LNG	DEC	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: R06
ORGANISATION_ID	M	N	10	0	A reference that uniquely identifies a User/organisation
INVOICE_NUMBER	M	N	6	0	The unique reference allocated to an invoice.
PAYMENT_FORECAST_DATE	O	Т	8	0	Remittance Advice Forecast Date. This is the date that the User intends to transfer the monetary value, detailed on the remittance advice, to the Network Operator's bank account. It shows the Users intention of the payment date for an invoice. Format: YYYYMMDD
TOTAL_AMOUNT_DUE	M	N	12	2	The total amount due for this invoice. This will be a negative value if the net value of the invoice is due to the User. The first character is signed – if it it a payment to the User.
TOTAL_AMOUNT_PAID	M	N	12	2	The total value of the settlement made to the Network Operator with respect to an invoice.

* 51

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

$RT_R07_REMITTANCE_ADVICE_ITEM$

RECORD/FIELD NAME	<u>OP</u>	T DON	<u>l LNC</u>	G DEC	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: R07
INVOICE_ITEM_REF_NUMBER	M	N	3	0	The invoice item reference number used by Invoicing '95. This relates one to one with the charge type code.
CHARGE_TYPE_CODE	M	T	3	0	A code to identify the type of charge.
TOTAL_AMOUNT_DUE_FOR_CHARGE	M	N	12	2	Holds the sum of the invoice line amount plus the VAT applied to that line amount.
AMOUNT_PAID	M	N	12	2	The total amount paid against this item to date for a charge type including VAT.
PAYMENT_REASON_DESCRIPTION	O	Т	200	0	This contains the reason for partial payment or non-payment of this invoice item. To include details of invoice number, invoice item number and charge item number that is being queried.

* 233

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

$RT_V01_VAT_TOTAL$

RECORD/FIELD NAME	OP	<u>Γ DOM</u>	LNC	<u>DEC</u>	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: V01
VAT_CODE	M	T	3	0	A code identifing the type of VAT being used.
VAT_PERCENTAGE	M	N	4	2	The percentage used to calculate the VAT amount .
TOTAL_VAT_AMOUNT	M	N	12	2	The total amount of the VAT due per VAT code for the Invoice. Unit pounds. The first character is signed – if it is a payment to the User.
	* 22				

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7

TR_Z99_STANDARD_TRAILER

. <u>RECORD/FIELD NAME</u>	OPT DOM LNG DEC	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M T 3 0	A code identifying the type of information that this record contains. VALUE: Z99
RECORD_COUNT	M N 10 0	The number of detail records contained within the file. This should not include the standard header and standard trailer but should include any file specific trailers if specified for this file.
	*13	
	** <i>2367</i> .	Deleted: 1518
		Deleted: 55
		Deleted: 47

Deleted: 2

Deleted: Live

Deleted: 23.02.2007

Deleted: 7