Failure to Supply Gas – Supporting Information file. (.FSI)

Contains 7 different record types:

Level	RECORD NAME	Occurences	OPT
1	HD_A00_STANDARD_HEADER	Upto 1	M
2	RT_K28_DNO_FSG_ INVOICE_DETAIL	Upto 5	M
3	RT_K29_DNO_FSG_SUPPORTING_DOC _SUMMARY_DIRECT_CONNECTS	Upto 30000	O
4	RT_K30_DNO_FSG_LDZ_PAID_ DIRECT_FOR_DIRECT_CONNECTS	Upto 30000	0
5	RT_K31_DNO_FSG_SUPPORTING_ DOC_SUMMARY_CSEPS	Upto 30000	O
6	RT_K32_DNO_FSG_LDZ_PAID_ DIRECT_FOR_CSEPS	Upto 30000	О
7	TR_Z99_STANDARD_TRAILER	Upto 1	M

DNO FSG - Supporting Information file.

HD_A00_STANDARD_HEADER

RECORD/FIELD NAME (Occurs max of 1)	<u>OP</u>	<u>Г DОМ</u>	LNC	<u>DEC</u>	DESCRIPTION
TRANSACTION_TYPE	M	Т	3	0	A code identifying the type of information that this record contains.VALUE: A00
ORGANISATION_ID	M	N	10	0	A reference which uniquely identifies Customer/ Organisation.
FILE_TYPE	M	Т	3	0	An application specific code used to identify the structure and the usage of the file.VALUE: FSI
CREATION_DATE	M	D	8	0	The date on which the file was generated. Date format YYYYMMDD.
CREATION_TIME	M	M	6	0	The time at which the file was generated (within the CREATION DATE). Time format HHMMSS
GENERATION_NUMBER	M	N	6	0	A sequence number which represents an issue of a file from the organisation (indicated by the organisation id), and, of the file type (indicated by the file type) e.g. The first Nominations file from an organisation will have the number 1, the second number, number 2 etc. Each file sent to organisation within one file type must have consecutive numbers.

36

Issued Date: 15/05/09 Proposed Implementation Date: 15/08/09

DNO FSG INVOICE DETAIL

RT_K28_FSG_INVOICE_DETAIL_RECORD

RECORD/FIELD NAME (Occurs max of 5 times)	<u>OPT</u>	<u>DON</u>	<u> LNG</u>	<u>SDEC</u>	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: K28
ORGANISATION_ID	M	N	10	0	A reference which uniquely identifies Customer/ Organisation.
NWO_SHORT_CODE	M	T	3	0	A unique three character reference used to identify the Network Operator.
INV_NUMBER	M	N	6	0	Holds the unique number by which an invoice is known.
ADHOC_REF_NUMBER	M	Т	10	0	A unique Adhoc reference assigned to each Ad hoc invoice issued.
ITP_CODE	M	T	3	0	A three character unique identifier showing the invoice type. VALUE: ADI
CTP_CODE	M	T	3	0	Identifies the charge type. VALUE: 810
INV_AMOUNT_DUE (VAT	M	N	12	2	Holds sum of invoice amount due for all invoice items on the invoice. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 9999999999999999999999999999999999
INV_ISSUE_DATE	M	D	8	0	Date on which processed. YYYYMMDD.

----58

 $OPT - \underline{\mathbf{O}} ptional, \underline{\mathbf{M}} and atory, \ DOM - \underline{\mathbf{T}} ext, \underline{\mathbf{N}} umeric, \underline{\mathbf{D}} ate, \underline{\mathbf{M}} Time, DEC - No. \ of \ decimal \ places$

Page 3 of 12 .FSI Version 1.1 For Representation

Issued Date: 15/05/09

DNO FSG DETAILED RECORDS

RT_K29_DNO FSG SUPPORTING DETAILED RECORD_DIRECT_CONNECTS

RECORD/FIELD NAME (Occurs max of 30000 times)	<u>OP</u>	T <u>DOM</u>	<u>LNG</u>	<u>DEC</u>	<u>DESCRIPTION</u>				
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains.VALUE: K29				
NWO_SHORT_CODE	M	T	3	0	A unique three character reference used to identify the Network Operator.				
NWO_NAME	M	T	50	0	Network Operator Name.				
INV_NUMBER	M	N	6	0	Holds the unique number by which an invoice is known.				
MPO_REFERENCE	M	N	10	0	Meter Point Reference Number.				
BUILDING_NUMBER	O	N	4	0	Building number.				
BUILDING_NAME	О	T	50	0	Building Name.				
PRINCIPAL_STREET	O	Т	35	0	A combination THOROUGHFARE NAME and THOROUGHFARE DESCRIPTOR.				
POST_TOWN	O	T	35	0	The post town in which the street lies.				
COUNTY	О	T	35	0	The County within which the street lies.				
POSTCODE_OUTCODE	M	T	4	0	Standard PAF outcode.				
POSTCODE_INCODE	M	T	4	0	Standard PAF incode.				
TIME_OFF	M	N	4	0	Time (24hour) gas supply off (HHMM)				
TIME_ON	M	N	4	0	Time (24hour) gas supply on (HHMM)				
GAS_OFF_DAY	M	N	8	0	Calendar date gas supply off (YYYYMMDD)				
GAS_ON_DAY	M	N	8	0	Calendar date gas supply on (YYYYMMDD)				
FSG_CODE	M	T	3	0	Reason code for the Failure to				
$OPT - \underline{\mathbf{O}} ptional, \underline{\mathbf{M}} and atory, \ DOM - \underline{\mathbf{T}} ext, \underline{\mathbf{N}} umeric, \underline{\mathbf{D}} ate, \underline{\mathbf{M}} Time, DEC - No. \ of \ decimal \ places$									

Page 4 of 12

.FSI Version 1.1 For Representation

Issued Date: 15/05/09

Supply Gas.

					** *
INV_ISSUE_DATE	M	D	8	0	Date on which processed. YYYYMMDD.
SHIPPER_SHORT_CODE	M	T	3	0	A three digit code for each shipper.
MARKET_SECTOR_CODE	M	T	1	0	A code that specifies that the site is used for Domestic or Industrial and Commercial purposes. Allowable values 'D' or 'I'.
COMPENSATION_TOTAL	M	N	12	2	Holds the sum of Compensation due for the loss of gas. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 9999999999999999999999999999999999
ADDITIONAL_LIABILITY_PAYMENT	O	N	12	2	Holds sum of Liability payment for late paid compensation. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 9999999999999999999999999999999999
GRAND_TOTAL	M	N	12	2	Holds sum of COMPENSATION_VALUE + ADDITIONAL_LIABILITY_VA LUE. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 9999999999999999999999999999999999

314

Page 5 of 12 .FSI Version 1.1 For Representation
Issued Date: 15/05/09

DNO FSG Detailed Record LDZ Paid Directly Connected

$\begin{array}{c} RT_K30_DNO_FSG_LDZ_PAID_DIRECT_DETAILED_RECORD_FOR_\\ DIRECT_CONNECTS \end{array}$

RECORD/FIELD NAME (Occurs max of 30000 times)	<u>OP</u>	T DOM	<u> LNC</u>	G DEC	DESCRIPTION
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains.VALUE: K30
NWO_SHORT_CODE	M	T	3	0	A unique three character reference used to identify the Network Operator.
NWO_NAME	M	T	50	0	Network Operator Name.
INV_NUMBER	M	N	6	0	Holds the unique number by which an invoice is known.
MPO_REFERENCE.	M	N	10	0	Meter Point Reference Number.
BUILDING_NUMBER	О	N	4	0	Building number.
BUILDING_NAME	О	T	50	0	Building Name.
PRINCIPAL_STREET	O	T	35	0	A combination THOROUGHFARE NAME and THOROUGHFARE DESCRIPTOR.
POST_TOWN	О	T	35	0	The post town in which the street lies.
COUNTY	О	T	35	0	The County within which the street lies.
POSTCODE_OUTCODE	M	Т	4	0	Standard PAF outcode.
POSTCODE_INCODE	M	T	4	0	Standard PAF incode.
TIME_OFF	M	N	4	0	Time (24hour) gas supply off (HHMM)
TIME_ON	M	N	4	0	Time (24hour) gas supply on (HHMM)
GAS_OFF_DAY	M	N	8	0	Calendar date gas supply off (YYYYMMDD)
GAS_ON_DAY	M	N	8	0	Calendar date gas supply on (YYYYMMDD)
FSG_CODE	M	T	3	0	Reason code for the Failure to Supply Gas.
OPT - $\underline{\mathbf{O}}$ ptional, $\underline{\mathbf{M}}$ andatory, DOM - $\underline{\mathbf{T}}$ ext	, <u>N</u> ur	neric,	<u>D</u> ate	, <u>M</u> Time	, DEC – No. of decimal places

Page 6 of 12 .FSI Version 1.1 For Representation Issued Date: 15/05/09

INV_ISSUE_DATE	M	D	8	0	Date on which processed. YYYYMMDD.
SHIPPER_SHORT_CODE	M	T	3	0	A three digit code for each shipper.
MARKET_SECTOR_CODE	M	T	1	0	A code that specifies that the site is used for Domestic or Industrial and Commercial purposes. Allowable values 'D' or 'I'.
COMPENSATION_TOTAL	M	N	12	2	Holds the sum of Compensation due for the loss of gas. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 9999999999999999999999999999999999
ADDITIONAL_LIABILITY_PAYMENT	O	N	12	2	Holds sum of Liability payment for late paid compensation. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 9999999999999999999999999999999999
GRAND_TOTAL	M	N	12	2	Holds sum of COMPENSATION_VALUE + ADDITIONAL_LIABILITY_VA LUE. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 9999999999999999999999999999999999
PAID_DIRECT	M	T	1	0	LDZ paid direct to end user. This record is for information only. Allowable values – 'Y' to denote direct payment.
				-	

315

.FSI Version 1.1 For Representation Issued Date: 15/05/09 Proposed Implementation Date: 15/08/09

DNO FSG Detailed Records CSEP's

RT_K31_DNO FSG SUPPORTING DETAILED RECORD_CSEPs

RECORD/FIELD NAME (Occurs max of 30000 times)	<u>OP</u>	<u>rdom</u>	<u>1 LNC</u>	<u>G DEC</u>	DESCRIPTION
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains.VALUE: K31
NWO_SHORT_CODE	M	T	3	0	A unique three character reference used to identify the Network Operator.
NWO_NAME	M	T	50	0	Network Operator Name.
INV_NUMBER	M	N	6	0	Holds the unique number by which an invoice is known.
LOGICAL _ METER _NUMBER	M	T	10	0	The logical meter number (LMN) of the associated MPRN.
MPO_REFERENCE.	M	N	10	0	Meter Point Reference Number.
BUILDING_NUMBER	О	N	4	0	Building number.
BUILDING_NAME	О	T	50	0	Building Name.
PRINCIPAL_STREET	О	T	35	0	A combination THOROUGHFARE NAME and THOROUGHFARE DESCRIPTOR.
POST_TOWN	О	T	35	0	The post town in which the street lies.
COUNTY	О	T	35	0	The County within which the street lies.
POSTCODE_OUTCODE	M	T	4	0	Standard PAF outcode.
POSTCODE_INCODE	M	T	4	0	Standard PAF incode.
TIME_OFF	M	N	4	0	Time (24hour) gas supply off (HHMM)
TIME_ON	M	N	4	0	Time (24hour) gas supply on (HHMM)
GAS_OFF_DAY	M	N	8	0	Calendar date gas supply off (YYYYMMDD)
GAS_ON_DAY	M	N	8	0	Calendar date gas supply on (YYYYMMDD)
OPT - $\underline{\mathbf{O}}$ ptional, $\underline{\mathbf{M}}$ andatory, DOM - $\underline{\mathbf{T}}$ ext,	, <u>N</u> uı	neric,	<u>D</u> ate	, <u>M</u> Time	

Page 8 of 12

.FSI Version 1.1 For Representation Issued Date: 15/05/09 Proposed Implementation Date: 15/08/09

FSG_CODE	M	T	3	0	Reason code for the Failure to Supply Gas. Prefix with 'C' as this is part of a CSEP configuration.
INV_ISSUE_DATE	M	D	8	0	Date on which processed. YYYYMMDD.
SHIPPER_SHORT_CODE	M	T	3	0	A three digit code for each shipper.
MARKET_SECTOR_CODE	M	T	1	0	A code that specifies that the site is used for Domestic or Industrial and Commercial purposes. Allowable values 'D' or 'I'.
COMPENSATION_TOTAL	M	N	12	2	Holds the sum of Compensation due for the loss of gas. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 9999999999999999999999999999999999
ADDITIONAL_LIABILITY_PAYMENT	Ο	N	12	2	Holds sum of Liability payment for late paid compensation. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 9999999999999999999999999999999999
GRAND_TOTAL	M	N	12	2	Holds sum of COMPENSATION_TOTAL + ADDITIONAL_LIABILITY_PA YMENT. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 9999999999999999999999999999999999

 $OPT - \underline{\mathbf{O}} ptional, \underline{\mathbf{M}} and atory, \ DOM - \underline{\mathbf{T}} ext, \underline{\mathbf{N}} umeric, \underline{\mathbf{D}} ate, \underline{\mathbf{M}} Time, DEC - No. \ of \ decimal \ places$

324

.FSI Version 1.1 For Representation Issued Date: 15/05/09 Proposed Implementation Date: 15/08/09 Page 9 of 12

DNO FSG Detailed Record LDZ CSEP's

$RT_K32_DNO_FSG_LDZ_PAID_DIRECT_DETAILED$ _RECORD_FOR_CSEPS

RECORD/FIELD NAME (Occurs max of 30000 times)	<u>OP</u>	T DON	<u> LNC</u>	G DEC	DESCRIPTION
TRANSACTION_TYPE	M	Т	3	0	A code identifying the type of information that this record contains.VALUE: K32
NWO_SHORT_CODE	M	Т	3	0	A unique three character reference used to identify the Network Operator.
NWO_NAME	M	T	50	0	Network Operator Name.
INV_NUMBER	M	N	6	0	Holds the unique number by which an invoice is known.
LOGICAL _ METER _NUMBER	M	T	10	0	The logical meter number (LMN) of the associated MPRN.
MPO_REFERENCE.	M	N	10	0	Meter Point Reference Number.
BUILDING_NUMBER	О	N	4	0	Building number.
BUILDING_NAME	О	T	50	0	Building Name.
PRINCIPAL_STREET	О	T	35	0	A combination THOROUGHFARE NAME and THOROUGHFARE DESCRIPTOR.
POST_TOWN	О	T	35	0	The post town in which the street lies.
COUNTY	О	T	35	0	The County within which the street lies.
POSTCODE_OUTCODE	M	T	4	0	Standard PAF outcode.
POSTCODE_INCODE	M	T	4	0	Standard PAF incode.
TIME_OFF	M	N	4	0	Time (24hour) gas supply off (HHMM)
TIME_ON	M	N	4	0	Time (24hour) gas supply on (HHMM)
GAS_OFF_DAY	M	N	8	0	Calendar date gas supply off (YYYYMMDD)
GAS_ON_DAY	M	N	8	0	Calendar date gas supply on
OPT - $\underline{\mathbf{O}}$ ptional, $\underline{\mathbf{M}}$ andatory, DOM - $\underline{\mathbf{T}}$ ext	, <u>N</u> uı	meric,	D ate	, <u>M</u> Time	, DEC – No. of decimal places

Page 10 of 12

.FSI Version 1.1 For Representation Issued Date: 15/05/09

(YYYYMMDD)

FSG_CODE	M	T	3	0	Reason code for the Failure to Supply Gas. Prefix with 'C' as this is part of a CSEP configuration.
INV_ISSUE_DATE	M	D	8	0	Date on which processed. YYYYMMDD.
SHIPPER_SHORT_CODE	M	T	3	0	A three digit code for each shipper.
MARKET_SECTOR_CODE	M	T	1	0	A code that specifies that the site is used for Domestic or Industrial and Commercial purposes. Allowable values 'D' or 'I'.
COMPENSATION_TOTAL	M	N	12	2	Holds the sum of Compensation due for the loss of gas. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 99999999999.99 Unit – Pounds.
ADDITIONAL_LIABILITY_PAYMENT	O	N	12	2	Holds sum of Liability payment for late paid compensation. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 999999999999999999999999999999999999
GRAND_TOTAL	M	N	12	2	Holds sum of COMPENSATION_TOTAL + ADDITIONAL_LIABILITY_PA YMENT. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetory values 0 to 9999999999999999999999999999999999
PAID_DIRECT	M	Т	1	0	LDZ paid direct to end user. This record is for information only. Allowable values – 'Y' to denote direct payment.

325

 $OPT - \underline{\mathbf{O}} ptional, \underline{\mathbf{M}} and atory, \ DOM - \underline{\mathbf{T}} ext, \underline{\mathbf{N}} umeric, \underline{\mathbf{D}} ate, \underline{\mathbf{M}} Time, DEC - No. \ of \ decimal \ places$

.FSI Version 1.1 For Representation Issued Date: 15/05/09 Proposed Implementation Date: 15/08/09 Page 11 of 12

TR_Z99_STANDARD_TRAILER

RECORD/FIELD NAME (Occurs max of 1 times)		<u>OP</u>	TDO!	M LNO	G DEC	<u>DESCRIPTION</u>
TRANSACTION_TYPE		M	Т	3	0	A code identifying the type of information that this record contains. VALUE: Z99
RECORD_COUNT		M	N	10	0	The number of detail records contained within the file. This should not include the standard header and standard trailer but should include any file specific trailers if specified for this file.
				13		
	Grand Total	1		1385		