

Modification 514

Legal text for Modification 514

Amend Transition Document Part IIC as follows:

Delete paragraph 1.7.11 and renumber paragraphs 1.7.12 and 1.7.13.

Insert new paragraphs 1.7.13 and 1.7.14 to read as follows:

- 1.7.13 Where on the Day preceding the Project Nexus Implementation Date a Supply Meter Point is classified as a DM Supply Meter Point with Transporter Daily Read Equipment installed pursuant to the Registered User's election pursuant to the Code:
- (a) the Supply Point for that Supply Meter Point shall be classified a Class 1 Supply Point with effect from the Project Nexus Implementation Date notwithstanding the Class 1 Requirement does not apply;
 - (b) the Registered User shall re-classify (in accordance with TPD Section G1.11.1) the Supply Point as a Class 2, 3 or 4 Supply Point with effect from a date falling no later than the relevant date (and prior to such re-classification TPD Section G1.11.2 shall not apply);
 - (c) in the event the Supply Point is not re-classified in accordance with paragraph (b) the Supply Point will be re-classified by the relevant Transporter as a Class 4 Supply Point in accordance with a schedule for reclassification to be determined by the Transporter, and in any event within one calendar month of the relevant date; and
 - (d) any subsequent re-classification of the Supply Point shall be in accordance with the requirements of TPD Section G1.11.
- 1.7.14 For the purposes of paragraph 1.7.13 the "**relevant date**" is the date falling six (6) months after the Project Nexus Implementation Date.

Text commentary

The proposed legal text reflects the solution proposed in Modification 514 to extend the Daily Metered 'voluntary' service for six months following the implementation date for Project Nexus.

The legal text proposes that for those Supply Points classified as a DM Supply Meter Point on the day before the Nexus Implementation Date, pursuant to an election by the Registered User, will be classified as Class 1 Supply Points for a maximum of 6 months following the implementation date for Project Nexus despite not meeting the conditions for classification as a Class 1 Supply Point in TPD Section G (being the Class 1 Requirement).

Paragraphs 1.7.13(b) and (c) provide that the Registered User must reclassify the Supply Point within 6 months of the Nexus implementation date, and if at the end of the 6 month period, it has not reclassified the Supply Point, the Transporter will reclassify the Supply Point as a Class 4 Supply Point within a month of the end of the 6 month period. The Transporter shall determine a schedule for the reclassification of the Supply Point at its sole discretion.

Paragraph (d) provides that the rules for classification in TPD Section G1.11 shall apply to any further reclassification following any reclassification under paragraphs (b) or (c).

Where a User is, or following a Supply Point Confirmation (including a Reconfirmation) a User becomes, the Registered User of a Supply Meter Point in relation to which the Supply Meter is Daily Read (including pursuant to a request

under paragraph 1.5.9), but the Daily Read Requirement does not apply: where the Annual Quantity exceeds 73,200 kWh (2,500 therms) the User may elect in accordance with paragraph 1.5.7 that the Supply Meter Point shall be classified as a DM Supply Meter Point with Transporter Daily Read Equipment installed