

## Representation - Draft Modification Report 0583S Requiring an Opening Meter Reading at same User Confirmation

Responses invited by: **5pm 11 August 2016**

To: [enquiries@gasgovernance.co.uk](mailto:enquiries@gasgovernance.co.uk)

<b>Representative:</b>	Andrew Margan
<b>Organisation:</b>	British Gas Trading Ltd
<b>Date of Representation:</b>	11 August 2016
<b>Support or oppose implementation?</b>	Support
<b>Relevant Objective:</b>	c) Positive d) Positive

**Reason for support/opposition: Please summarise (in one paragraph) the key reason(s)**

This modification gives the Transporters the vires to generate an opening read, where a read is not available. As an open read is required to enable the UKLink replacement system to function correctly, we support this change.

**Self-Governance Statement: Please provide your views on the self-governance statement.**

As the volume of supply points that don't have a read are fairly small, this change should not have a material impact to parties or consumers and therefore we support self governance.

**Implementation: What lead-time do you wish to see prior to implementation and why?**

N/A

**Impacts and Costs: What analysis, development and ongoing costs would you face?**

N/A

**Legal Text: Are you satisfied that the legal text will deliver the intent of the Solution?**

No issues identified

**Are there any errors or omissions in this Modification Report that you think should be taken into account? Include details of any impacts/costs to your organisation that are directly related to this.**

None identified

**Please provide below any additional analysis or information to support your representation**

None identified