### SRL: Summary Report by Location Id to Shipper and DNs

Contains 3 record types

Level	Record Name	Occurrences	Optionality
1	HD_A00_STANDARD_HEADER	1	M
1	RT_Q07_SUMMARY_REPORT_LOC_ID	1	M
1	TR_Z99_STANDARD_TRAILER	1	M

#### Note 1

 $OPT - \underline{O}ptional, \underline{M}andatory, \ DOM - Domain i.e. \ \underline{T}ext, \underline{N}umeric, \underline{D}ate, \underline{M}Timestamp,$ 

DEC - Number of decimal places

Deleted: 1

Deleted: 0 Directed

Deleted: 13.07

Deleted: 3 Deleted: 2

Page 1 of 5

Version <u>3 For Representation</u> Issued: <u>14.12 2007</u> Implementation Date: <u>29.03 2008</u>

.SRL

©2007 xoserve

# HD\_A00\_STANDARD\_HEADER

RECORD/FIELD NAME	<u>OPT</u>	<u>DOM</u>	LNG	DEC	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	Т	3	0	A code identifying the type of information that this record contains. VALUE: A00
ORGANISATION_ID	M	N	10	0	A reference that uniquely identifies a User/organisation.
FILE_TYPE	M	Т	3	0	An application specific code used to identify the structure and the usage of the file.  VALUE: SRL
CREATION_DATE	M	D	8	0	The date on which the file was generated.Format: YYYYMMDD
CREATION_TIME	M	M	6	0	The time at which the file was generated (within the CREATION DATE) Format: HHMMSS.
GENERATION_NUMBER	M	N	6	0	This field is used to uniquely identify the file.
			*36		

Deleted: 1

Deleted: 0 Directed

Deleted: 13.07

Deleted: 3 Deleted: 2

Page 2 of 5

Version <u>3 For Representation</u> Issued: <u>14.12,2007</u> Implementation Date: <u>29.03,2008</u>

### RT\_Q07\_SUMMARY\_REPORT\_LOC\_ID

RECORD/FIELD NAME	<u>OPT</u>	<u>DOM</u>	<u>LNG</u>	<u>DEC</u>	<u>DESCRIPTION</u>
RECORD_TYPE	М	Т	3	0	A code identifying the type of information that this record contains. VALUE: Q07
LOCATION_IDENTITY	М	Т	9	0	This field identifies the location id for which the interruption requirement us specified. It should be in the format of NWOnnnnnn, where NWO is the 3 character Network Operator Short Code and nnnnnn is 6 digit unique number.
LDZ	M	Т	4	0	This field identifies the LDZ to which the supply point is associated.
CONTRACT_START_DATE	М	D	8	0	This field identifies the start date of contract required for that particular location in the format of YYYYMMDD
CONTRACT_END_DATE	М	D	8	0	This field identifies the end date of contract required for that particular location in the format of YYYYMMDD
NUM_OFFRD_VALID_CNTRT	M	N	5	0	This field identifies the number of valid contracts offered.
NUM_AWRD_CNTRT	M	N	5	0	This field identifies the number of valid contracts awarded.
OFFRD_INTRPL_CAP	M	N	12	0	This field identifies the total number offered interruptible capacity. Sum of all the tranche capacities for relevant valid contract bids
ALLCTD_INTRPLT_CAP	M	N	12	0	This field identifies the total number allocated interruptible capacity. Sum of all the tranche capacities for relevant awarded contracts
TOT_UNSCCFL_BIDS	M	N	5	0	This field identifies the total number of unsuccessful bids for that location (NUM_OFFRD_VALID_CNTRT - NUM_AWRD_CNTRT)
OFFRD _HIGHEST_PRICE	M	N	7,	<u>\$</u>	This field identifies the offered highest price for a particular bid within that location. The price will be specified per unit i.e OVERALL INTERRUPTION interruption price specified in p/kWh/day.
OFFRD _LOWEST_PRICE	М	N Page 3	7,	_ <u>5</u> _	This field identifies the offered lowest price for a particular bid within that location. The price will be specified per unit i.e OVERALL INTERRUPTION interruption price specified in p/kWh/day.

.SRL

Page 3 of 5

Version <u>3.For Representation</u>, Issued: <u>14.12,2007</u> Implementation Date: 29.03,2008

Deleted: 12

Deleted: 2

Deleted: which means the bid price / interruptible days \* capacity

Deleted: tranche price

Deleted: 12

Deleted: 2

**Deleted:** which means the bid price / interruptible days \* capacity

Deleted: tranche price

Deleted: 1

Deleted: 0 Directed

Deleted: 13.07 Deleted: 3

Deleted: 2

©2007 xoserve

AWRD_HIGHEST_PRICE	M	N	7	<u> 5</u> .	This field identifies the awarded	Deleted: 12
					highest price for a particular bid within that location. The price will be	Deleted: 2
					specified per unit i.e OVERALL	
					INTERRUPTION interruption price	
<u> </u>					specified in p/kWh/day	Deleted: tranche price
AWRD_LOWEST_PRICE	M	N	<u>7,                                     </u>	<u>5</u>	This field identifies the awarded	Deleted: 12
					lowest price for a particular bid within that location. The price will be	Deleted: 2
					specified per unit i.e. OVERALL	Deleted: tranche price
					INTERRUPTION interruption price	
					specified in p/kWh/day.	
			* <u>99</u>			Deleted: 119

Deleted: 1

Deleted: 0 Directed

Deleted: 13.07

Deleted: 3

//// Deleted: 2

Page 4 of 5

# RT\_Z99\_STANDARD\_TRAILER

RECORD/FIELD NAME	<u>OPT</u>	<u>DOM</u>	LNG	DEC	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	Т	3	0	A code identifying the type of information that this record contains. VALUE: Z99
RECORD_COUNT	М	N	10	0	The number of detail records contained within the file. This should not include the standard header and standard trailer but should include any file specific trailers if specified for this file
			*13		
			148		

Deleted: 6

Deleted: 1

Deleted: 0 Directed

Deleted: 13.07

Deleted: 3 Deleted: 2

.SRL

Page 5 of 5

Version <u>3 For Representation</u> Issued: <u>14.12,2007</u> Implementation Date: <u>29.03,2008</u>

©2007 xoserve