

Failure to Supply Gas – Supporting Information file.**(.FSI)**

Contains 7 different record types:

Level	RECORD NAME	Occurences	OPT
1	HD_A00_STANDARD_HEADER	Upto 1	M
2	RT_K28_DNO_FSG_INVOICE_DETAIL	Upto 5	M
3	RT_K29_DNO_FSG_SUPPORTING_DOC_SUMMARY_DIRECT_CONNECTS	Upto 30000	O
4	RT_K30_DNO_FSG_LDZ_PAID_DIRECT_FOR_DIRECT_CONNECTS	Upto 30000	O
5	RT_K31_DNO_FSG_SUPPORTING_DOC_SUMMARY_CSEPS	Upto 30000	O
6	RT_K32_DNO_FSG_LDZ_PAID_DIRECT_FOR_CSEPS	Upto 30000	O
7	TR_Z99_STANDARD_TRAILER	Upto 1	M

OPT - Optional, Mandatory, DOM - Text, Numeric, Date, MTime, DEC – No. of decimal places

DNO FSG – Supporting Information file.

HD_A00_STANDARD_HEADER

<u>RECORD/FIELD NAME</u> (Occurs max of 1)	<u>OPT</u>	<u>DOM</u>	<u>LNG</u>	<u>DEC</u>	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: A00
ORGANISATION_ID	M	N	10	0	A reference which uniquely identifies Customer/ Organisation.
FILE_TYPE	M	T	3	0	An application specific code used to identify the structure and the usage of the file. VALUE: FSI
CREATION_DATE	M	D	8	0	The date on which the file was generated. Date format YYYYMMDD.
CREATION_TIME	M	M	6	0	The time at which the file was generated (within the CREATION DATE). Time format HHMMSS
GENERATION_NUMBER	M	N	6	0	A sequence number which represents an issue of a file from the organisation (indicated by the organisation id), and, of the file type (indicated by the file type) e.g. The first Nominations file from an organisation will have the number 1, the second number, number 2 etc. Each file sent to organisation within one file type must have consecutive numbers.

DNO FSG INVOICE DETAIL

RT_K28_FSG_INVOICE_DETAIL_RECORD

<u>RECORD/FIELD NAME</u> (Occurs max of 5 times)	<u>OPT</u>	<u>DOM</u>	<u>LNG</u>	<u>DEC</u>	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: K28
ORGANISATION_ID	M	N	10	0	A reference which uniquely identifies Customer/ Organisation.
NWO_SHORT_CODE	M	T	3	0	A unique three character reference used to identify the Network Operator.
INV_NUMBER	M	N	6	0	Holds the unique number by which an invoice is known.
ADHOC_REF_NUMBER	M	T	10	0	A unique Adhoc reference assigned to each Ad hoc invoice issued.
ITP_CODE	M	T	3	0	A three character unique identifier showing the invoice type. VALUE: ADI
CTP_CODE	M	T	3	0	Identifies the charge type. VALUE: 810
INV_AMOUNT_DUE	M	N	12	2	Holds sum of invoice amount due for all invoice items on the invoice. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES: Monetary values 0 to 9999.99 Unit – Pounds. (VAT exclusive).
INV_ISSUE_DATE	M	D	8	0	Date on which processed. YYYYMMDD.

58

OPT - Optional, Mandatory, DOM - Text, Numeric, Date, MTime, DEC – No. of decimal places

DNO FSG DETAILED RECORDS

RT_K29_DNO FSG SUPPORTING DETAILED RECORD_DIRECT_CONNECTS

<u>RECORD/FIELD NAME</u> (Occurs max of 30000 times)	<u>OPT</u>	<u>DOM</u>	<u>LNG</u>	<u>DEC</u>	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains.VALUE: K29
NWO_SHORT_CODE	M	T	3	0	A unique three character reference used to identify the Network Operator.
NWO_NAME	M	T	50	0	Network Operator Name.
INV_NUMBER	M	N	6	0	Holds the unique number by which an invoice is known.
MPO_REFERENCE	M	N	10	0	Meter Point Reference Number.
BUILDING_NUMBER	O	T	20	0	Building number.
BUILDING_NAME	O	T	50	0	Building Name.
PRINCIPAL_STREET	O	T	35	0	A combination THOROUGHFARE NAME and THOROUGHFARE DESCRIPTOR.
POST_TOWN	O	T	35	0	The post town in which the street lies.
COUNTY	O	T	35	0	The County within which the street lies.
POSTCODE_OUTCODE	M	T	4	0	Standard PAF outcode.
POSTCODE_INCODE	M	T	4	0	Standard PAF incode.
TIME_OFF	M	N	4	0	Time (24hour) gas supply off (HHMM)
TIME_ON	M	N	4	0	Time (24hour) gas supply on (HHMM)
GAS_OFF_DAY	M	N	8	0	Calendar date gas supply off (YYYYMMDD)
GAS_ON_DAY	M	N	8	0	Calendar date gas supply on (YYYYMMDD)
FSG_CODE	M	T	3	0	Reason code for the Failure to

OPT - Optional, Mandatory, DOM - Text, Numeric, Date, MTime, DEC – No. of decimal places

					Supply Gas.
INV_ISSUE_DATE	M	D	8	0	Date on which processed. YYYYMMDD.
SHIPPER_SHORT_CODE	M	T	3	0	A three digit code for each shipper.
MARKET_SECTOR_CODE	M	T	1	0	A code that specifies that the site is used for Domestic or Industrial and Commercial purposes. Allowable values 'D' or 'I'.
COMPENSATION_TOTAL	M	N	12	2	Holds the sum of Compensation due for the loss of gas. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetary values 0 to 9999.99 Unit – Pounds.
ADDITIONAL_LIABILITY_PAYMENT	O	N	12	2	Holds sum of Liability payment for late paid compensation. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetary values 0 to 99.99 Unit - Pounds
GRAND_TOTAL	M	N	12	2	Holds sum of COMPENSATION_VALUE + ADDITIONAL_LIABILITY_VA LUE. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetary values 0 to 9999.99 Unit - Pounds .

330

OPT - Optional, Mandatory, DOM - Text, Numeric, Date, MTime, DEC – No. of decimal places

DNO FSG Detailed Record LDZ Paid Directly Connected

RT_K30_DNO_FSG_LDZ_PAID_DIRECT_DETAILED_RECORD_FOR_DIRECT_CONNECTS

<u>RECORD/FIELD NAME</u> (Occurs max of 30000 times)	<u>OPT</u>	<u>DOM</u>	<u>LNG</u>	<u>DEC</u>	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: K30
NWO_SHORT_CODE	M	T	3	0	A unique three character reference used to identify the Network Operator.
NWO_NAME	M	T	50	0	Network Operator Name.
INV_NUMBER	O	N	6	0	Holds the unique number by which an invoice is known.
MPO_REFERENCE.	M	N	10	0	Meter Point Reference Number.
BUILDING_NUMBER	O	T	20	0	Building number.
BUILDING_NAME	O	T	50	0	Building Name.
PRINCIPAL_STREET	O	T	35	0	A combination THOROUGHFARE NAME and THOROUGHFARE DESCRIPTOR.
POST_TOWN	O	T	35	0	The post town in which the street lies.
COUNTY	O	T	35	0	The County within which the street lies.
POSTCODE_OUTCODE	M	T	4	0	Standard PAF outcode.
POSTCODE_INCODE	M	T	4	0	Standard PAF incode.
TIME_OFF	M	N	4	0	Time (24hour) gas supply off (HHMM)
TIME_ON	M	N	4	0	Time (24hour) gas supply on (HHMM)
GAS_OFF_DAY	M	N	8	0	Calendar date gas supply off (YYYYMMDD)
GAS_ON_DAY	M	N	8	0	Calendar date gas supply on (YYYYMMDD)
FSG_CODE	M	T	3	0	Reason code for the Failure to Supply Gas.

OPT - Optional, Mandatory, DOM - Text, Numeric, Date, MTime, DEC – No. of decimal places

INV_ISSUE_DATE	M	D	8	0	Date on which processed. YYYYMMDD.
SHIPPER_SHORT_CODE	M	T	3	0	A three digit code for each shipper.
MARKET_SECTOR_CODE	M	T	1	0	A code that specifies that the site is used for Domestic or Industrial and Commercial purposes. Allowable values 'D' or 'I'.
COMPENSATION_TOTAL	M	N	12	2	Holds the sum of Compensation due for the loss of gas. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetary values 0 to 9999.99 Unit – Pounds.
ADDITIONAL_LIABILITY_PAYMENT	O	N	12	2	Holds sum of Liability payment for late paid compensation. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetary values 0 to 99.99 Unit - Pounds
GRAND_TOTAL	M	N	12	2	Holds sum of COMPENSATION_VALUE + ADDITIONAL_LIABILITY_VA LUE. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetary values 0 to 9999.99 Unit - Pounds .
PAID_DIRECT	M	T	1	0	LDZ paid direct to end user. This record is for information only. Allowable values – 'Y' to denote direct payment.

331

OPT - Optional, Mandatory, DOM - Text, Numeric, Date, MTime, DEC – No. of decimal places

DNO FSG Detailed Records CSEP's

RT_K31_DNO FSG SUPPORTING DETAILED RECORD_CSEPs

<u>RECORD/FIELD NAME</u> (Occurs max of 30000 times)	<u>OPT</u>	<u>DOM</u>	<u>LNG</u>	<u>DEC</u>	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains.VALUE: K31
NWO_SHORT_CODE	M	T	3	0	A unique three character reference used to identify the Network Operator.
NWO_NAME	M	T	50	0	Network Operator Name.
INV_NUMBER	M	N	6	0	Holds the unique number by which an invoice is known.
LOGICAL _ METER _ NUMBER	M	T	10	0	The logical meter number (LMN) of the associated MPRN.
MPO_REFERENCE.	M	N	10	0	Meter Point Reference Number.
BUILDING_NUMBER	O	T	20	0	Building number.
BUILDING_NAME	O	T	50	0	Building Name.
PRINCIPAL_STREET	O	T	35	0	A combination THOROUGHFARE NAME and THOROUGHFARE DESCRIPTOR.
POST_TOWN	O	T	35	0	The post town in which the street lies.
COUNTY	O	T	35	0	The County within which the street lies.
POSTCODE_OUTCODE	M	T	4	0	Standard PAF outcode.
POSTCODE_INCODE	M	T	4	0	Standard PAF incode.
TIME_OFF	M	N	4	0	Time (24hour) gas supply off (HHMM)
TIME_ON	M	N	4	0	Time (24hour) gas supply on (HHMM)
GAS_OFF_DAY	M	N	8	0	Calendar date gas supply off (YYYYMMDD)
GAS_ON_DAY	M	N	8	0	Calendar date gas supply on (YYYYMMDD)

OPT - Optional, Mandatory, DOM - Text, Numeric, Date, MTime, DEC – No. of decimal places

FSG_CODE	M T	3 0	Reason code for the Failure to Supply Gas. Prefix with 'C' as this is part of a CSEP configuration.
INV_ISSUE_DATE	M D	8 0	Date on which processed. YYYYMMDD.
SHIPPER_SHORT_CODE	M T	3 0	A three digit code for each shipper.
MARKET_SECTOR_CODE	M T	1 0	A code that specifies that the site is used for Domestic or Industrial and Commercial purposes. Allowable values 'D' or 'I'.
COMPENSATION_TOTAL	M N	12 2	Holds the sum of Compensation due for the loss of gas. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetary values 0 to 9999.99 Unit – Pounds.
ADDITIONAL_LIABILITY_PAYMENT	O N	12 2	Holds sum of Liability payment for late paid compensation. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetary values 0 to 99.99 Unit - Pounds
GRAND_TOTAL	M N	12 2	Holds sum of COMPENSATION_TOTAL + ADDITIONAL_LIABILITY_PA YMENT. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES:Monetary values 0 to 9999.99 Unit - Pounds

340

OPT - Optional, Mandatory, DOM - Text, Numeric, Date, MTime, DEC – No. of decimal places

DNO FSG Detailed Record LDZ CSEP's

RT_K32_DNO_FSG_LDZ_PAID_DIRECT_DETAILED _RECORD_FOR_CSEPS

<u>RECORD/FIELD NAME</u> (Occurs max of 30000 times)	<u>OPT</u>	<u>DOM</u>	<u>LNG</u>	<u>DEC</u>	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains.VALUE: K32
NWO_SHORT_CODE	M	T	3	0	A unique three character reference used to identify the Network Operator.
NWO_NAME	M	T	50	0	Network Operator Name.
INV_NUMBER	O	N	6	0	Holds the unique number by which an invoice is known.
LOGICAL _ METER _NUMBER	M	T	10	0	The logical meter number (LMN) of the associated MPRN.
MPO_REFERENCE.	M	N	10	0	Meter Point Reference Number.
BUILDING_NUMBER	O	T	20	0	Building number.
BUILDING_NAME	O	T	50	0	Building Name.
PRINCIPAL_STREET	O	T	35	0	A combination THOROUGHFARE NAME and THOROUGHFARE DESCRIPTOR.
POST_TOWN	O	T	35	0	The post town in which the street lies.
COUNTY	O	T	35	0	The County within which the street lies.
POSTCODE_OUTCODE	M	T	4	0	Standard PAF outcode.
POSTCODE_INCODE	M	T	4	0	Standard PAF incode.
TIME_OFF	M	N	4	0	Time (24hour) gas supply off (HHMM)
TIME_ON	M	N	4	0	Time (24hour) gas supply on (HHMM)
GAS_OFF_DAY	M	N	8	0	Calendar date gas supply off (YYYYMMDD)
GAS_ON_DAY	M	N	8	0	Calendar date gas supply on

OPT - Optional, Mandatory, DOM - Text, Numeric, Date, MTime, DEC – No. of decimal places

					(YYYYMMDD)
FSG_CODE	M	T	3	0	Reason code for the Failure to Supply Gas. Prefix with 'C' as this is part of a CSEP configuration.
INV_ISSUE_DATE	M	D	8	0	Date on which processed. YYYYMMDD.
SHIPPER_SHORT_CODE	M	T	3	0	A three digit code for each shipper.
MARKET_SECTOR_CODE	M	T	1	0	A code that specifies that the site is used for Domestic or Industrial and Commercial purposes. Allowable values 'D' or 'I'.
COMPENSATION_TOTAL	M	N	12	2	Holds the sum of Compensation due for the loss of gas. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES: Monetary values 0 to 9999.99 Unit – Pounds.
ADDITIONAL_LIABILITY_PAYMENT	O	N	12	2	Holds sum of Liability payment for late paid compensation. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES: Monetary values 0 to 99.99 Unit - Pounds
GRAND_TOTAL	M	N	12	2	Holds sum of COMPENSATION_TOTAL + ADDITIONAL_LIABILITY_PA YMENT. The first character would be prefixed with a negative '-' if it is a payment to the user. PERMITTED VALUES: Monetary values 0 to 9999.99 Unit - Pounds
PAID_DIRECT	M	T	1	0	LDZ paid direct to end user. This record is for information only. Allowable values – 'Y' to denote direct payment.

341

OPT - Optional, Mandatory, DOM - Text, Numeric, Date, MTime, DEC – No. of decimal places

TR_Z99_STANDARD_TRAILER

<u>RECORD/FIELD NAME</u> (Occurs max of 1 times)	<u>OPT</u>	<u>DOM</u>	<u>LNG</u>	<u>DEC</u>	<u>DESCRIPTION</u>
TRANSACTION_TYPE	M	T	3	0	A code identifying the type of information that this record contains. VALUE: Z99
RECORD_COUNT	M	N	10	0	The number of detail records contained within the file. This should not include the standard header and standard trailer but should include any file specific trailers if specified for this file.

			13		

Grand Total				1449	

OPT - Optional, Mandatory, DOM - Text, Numeric, Date, MTime, DEC – No. of decimal places