

Business Requirements Document - Ofgem Switching Programme Sustaining Change to Xoserve Systems

Author:	Xoserve
Version:	0.2
Date:	19/01/2018

Deleted: 1
Deleted: 06/12/2017

Table of Contents:

1. Background and Context
2. Topic Areas
3. Business Requirements per Topic Area
4. Non Functional Requirements
5. Appendices
6. Defined Terms and Glossary
7. Document Control

DRAFT

1. Background and Context

1.1 Introduction to the Ofgem Switching Process

This section provides a high level overview of the Ofgem Switching Programme with regards to its impacts upon the gas industry, UK Link, Shipper, GT and iGT systems. The purpose of this section is to set the scene for the modification 0630 Review Group and help the group understand its scope.

The Ofgem Switching Programme aims to implement a suite of systems designed to deliver faster (next day) more reliable switching. A new system the Central Registration System (CSS) will provide the switching functionality for gas and electricity switches. Where possible, gas and electricity switching processes will be harmonised.


For gas, Suppliers, not Shippers, will initiate switch requests on the CSS. CSS will provide outputs to UK Link and Shippers to manage Shipper registration to the Supply Point. UK Link will still hold a Supply Point Register for GTs and iGTs. The Supplier's Shipper will still be registered to the Supply Point for the purpose of gas settlement and other activities.

Gas Transporters (GTs and iGTs) will retain responsibility for the Supply Meter Point lifecycle - the creation and eventual end of the service pipe in the ground. Supply Meter Points will be created on UK Link and will be sent to the CSS to enable the registration processes and switching activities to occur.

The name of the thing that is being switched in the CSS (as to be defined in the new Retail Energy Code) is the Registrable Measurement Point (RMP) – for comparison purposes the name of the thing switched between Shippers in the UNC is the Supply Meter Point or Supply Point. The reference number of a RMP is the Supply Meter Point Reference Number (MPRN). The MPRN is used as the unique identifier for relevant UK Link transactions. For transactions on the CSS the unique identifier of a RMP is the MPRN. The same reference number is being used to ensure UK Link and the CSS records can be correctly synchronised, and to allow transactions in CSS to be reflected in transactions in UK Link.

When a Supplier submits a registration, switch, or withdrawal transaction on the CSS, the transaction will include the Supplier's Shipper. As the transaction progresses on CSS, notifications are provided to the relevant Shippers and UK Link. When the transaction results in a Supplier registration activity to a RMP the transaction will result in the corresponding Shipper registration activity at the Supply Point in UK Link. This will ensure the registration activities are co-ordinated across the two systems.

The following diagram sets out the Ofgem Switching Programme in three levels. The first is the core CSS, the second is the changes required to be made in UK Link to enable the CSS to work, the third are consequential changes as a result of the CSS which are required to sustain gas and UK Link operations. The fourth box, the Market Intelligence Service (MIS) is shown as supporting all three levels. The MIS is not being delivered as part of the Ofgem Switching Programme, it is being developed under a joint gas and electricity working group.



1.2 Ofgem Switching Programme ‘Core’ Changes

Ofgem Switching Programme Core Changes will be required to deliver changes as a result of the programme and the introduction of the CSS. These are substantial changes to deliver the functional requirements of the programme, including changes to Xoserve systems, for example, file flows from Xoserve to the CSS. These changes will be managed through the Ofgem Switching Process through a project team within Xoserve. These changes will not be further explored within this document however may be referred to. The changes will be covered within the document [Ofgem Switching Programme Core Changes]

1.3 Ofgem Switching Programme Consequential Changes to Xoserve Systems

Ofgem Switching programme Consequential Changes will be required to deliver changes as a result of the programme and the introduction of the CSS. These are substantial changes that are as a result of the programme which impact on Xoserve systems and processes, for example, within the Ofgem Switching process it is likely the objection process will be decommissioned therefore there will be file flows decommissioned and processes requiring amendment. These changes will be managed through the Ofgem Switching Process through a project team within Xoserve. These changes will not be further explored within this document however may be referred to. The changes will be covered within the document [Ofgem Switching Programme Consequential Changes]

1.4 Ofgem Switching Programme Sustaining change to Xoserve and Industry Participant Systems

The area of work for the 0630 Review Group is at level three. This document will go on to record each topic area, requirements, solution options etc. to enable the industry to select the ways forward. Owing to the changing nature of the Ofgem Switching Process this document is designed to evolve throughout the iterations and additional changes that may arise through the programme.

1.5 Related Documents

Additional information and background to the Ofgem Switching Programme can be found on the Ofgem website by using the following link:

XXXX

1.6 Scope

In Scope:

- 1. Sustaining changes required as a result of Ofgem Switching programme
- 2. Changes required for UNC parties
- 3. Consideration of cross code impacts

Out of Scope:


- 1. Core changes from the Ofgem Switching Programme
- 2. Consequential changes as a result of the Ofgem Switching Programme e.g. moving from business day to calendar day operations for switch events
- 3. Supply Points connected directly to the NTS are outside of the scope of the CSS however may be impacted by the UNC changes as a result of modifications raised by this review group.

Comment [RH1]: Explicit statement – what is out of scope, this is confusing

Deleted: .

Deleted: <#> .


Formatted: List Paragraph, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.5" + Indent at: 0.75"



1.7 Xoserve Impacted Processes:

Below is a draft heat map which represents the areas of Xoserve that are impacted by the Ofgem Switching Programme. This is provided for Users to understand the scope and impact of the change. Currently where a change is identified this includes core changes, consequential changes and changes proposed through 0630R.

Xoserve Value Chain v3.0



2.0 Topic Areas

Topic No	Title	Impact	0630 Review Group Consideration	Impacted Parties	UNC section	Date identified	Actions Required for 0630R	Do nothing option
3.2	Transportation Charges	How Shipper Users may obtain details of relevant transportation charges. The CSS switch event does not envisage the use of the Supply Point Nomination process.	Potential to explore whether this is still required and an alternative method to complete this process.	Shippers, DNS		02/11/17	Confirm requirements	Formatted Table Deleted: 1
3.3	Opening Meter Read	How and when the incoming Shipper User is provided with the latest recorded Meter Information onto UK Link in order to validate the Opening Meter Reading before submission. <u>This is applicable for Class 2, 3 and 4 Opening Meter Reads.</u>	Currently certain file flows will not be issued at a change of supplier event for example the TRF which contains this information.	Shippers		02/11/17	Consideration of options to share this information	Deleted: 2
3.4	Gemini Updates	The timing of the transfer of information between UK Link and Gemini. A switch could occur as late as D-1 <u>Calendar Days</u> at 17:00 however the transfer of switching information from UK Link to Gemini currently takes place at D-2 <u>Business Days</u> .	The timeliness of the transfer and information to be submitted to Gemini	Shippers, NTS		02/11/17	Consideration of options i.e. there a way to flow this information prior to a switch	
3.5	Change of Supplier required information	How Shipper Users can obtain and process UK Link data items currently submitted to the CDSP at a change of Shipper User event. For example – Supply Point Class, Daily Capacity (SOQ), Hourly Capacity (SHQ), Meter Reading Frequency. <u>Taking</u>	None of the mandatory data items are currently present in CSS flows.	Shippers		02/11/17	Consideration of options i.e. a 'Shell record' or a default set of values	No Deleted: 4

		<u>consideration of timings of flows.</u>						
<u>3.6</u>	Supplier / Shipper Relationship Table	There is a requirement for a Shipper and Supplier (and possibly Transporter) relationship table to be maintained that will facilitate the appointing and de-appointing of Shipper Users.	It is likely that the table will be administered within UK Link.	Shippers	02/11/17	To consider how the table will work and be managed	No	Deleted: 5
<u>3.7</u>	Capacity Referral	How to manage a Capacity Referral as part of a switch.	This is a normal flow from Shipper to Transporter currently not in the remit of CSS; This cannot be part of the switch event.	Shippers, DNs	02/11/17	Consideration of the changes to the process required outside of CSS		Deleted: 6
<u>3.8</u>	Supplier or Shipper Change	The management of an event where the Supplier changes Shipper User. In this scenario the customer does not switch and the Supplier remains the same, but the Supplier updates the CSS with their new Shipper User details. Alternatively, consideration needs to be given to the scenario where the Shipper stays the same but the Supplier switches.	Initiated through the CSS but impacts on UK Link, both scenarios are dealt with as a switch by the CSS.	Shippers	02/11/17	Consideration of options to share this information		Deleted: 7
<u>3.9</u>	Map Identity	The recording of the MAP identity against the Supply Meter point.	This is not considered as part of the switch with the CSS however needs to be shared and provided to UK Link.	Shippers	02/11/17	Consideration of options to share this information		Deleted: 8
<u>3.10</u>	Emergency Contact Details	The recording of Emergency Contact details. On large supply points Emergency contact details are	Not considered within the CSS, UK Link needs to record the emergency contact	Shippers, DNs	02/11/17	Consideration of options to share this information		Deleted: 9

		mandatory.	details and pass them on to the relevant Network.					
<u>3.11</u>	CSS Switch Cancellations	CSS Switch cancellations. The ability to cancel a switch event.	If information has been shared with UK Link how will this be retracted. <u>Can be cancelled up to our CO status at D-2 (referred to as secured status within CSS), similar to a withdrawal.</u>	Shippers, DNs		02/11/17	Consideration of options how to reverse a switch	Deleted: 10
<u>3.12</u>	Vulnerable Customers	Vulnerable Customers <u>being registered on UK Link and notified to Networks.</u>	Not considered within the CSS, UK Link needs to record details for vulnerable customers and pass them on to the relevant Network.	Shippers, DNs		02/11/17	Consideration of options to share this information	Deleted: 11
<u>3.13</u>	<u>Market sector code decommissioning</u>	<u>Networks and Shippers will need to be sent the Market Sector Code which will now be dealt with by the CSS.</u>	<u>To be dealt with in the CSS, cannot be updated via UK Link. Updates will be sent from the CSS to UK Link, UK Link will need to retain the data item.</u>	Shippers, DNs		<u>15/12/17</u>		
<u>3.14</u>	<u>Delayed synchronisations</u>	<u>The management of an event whereby a Switch has occurred within CSS and UK Link has not been notified. There are no principles of retrospective confirmation on UK Link.</u>	<u>If a confirmation or registration on CSS is achieved but the flows are not updated within UK Link (process or system failure) how this can be resolved</u>	Shippers, DNs, iGTs		<u>15/12/17</u>		
<u>3.15</u>	<u>DES Data</u>	<u>New data items that may be relevant to DES will need including i.e. CSS Switch Status.</u>	<u>Consideration of new data items and where they should be stored or visible on DES. What data is expected to be held within DES</u>	Shippers, DNs, iGTs		<u>15/12/17</u>		

*Any relevant cross code impacts should be considered throughout 0630R including, for example, Smart Energy Code (SEC) the Supply Point Administration Agreement (SPAA) and the iGT UNC.

DRAFT

3.0 Business Requirements per Topic Area

3.1 Example template – one per topic area

Title	XXXX		
Issue description	Description of the issue		
Impacted Parties	<input type="checkbox"/> Shipper Users <input type="checkbox"/> DNs <input type="checkbox"/> iGTs <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process			
UNC References	Where applicable		
Business Process Model Diagram	Embedded process model		
Requirements Description	Requirements of the change		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
1			
2			
3			
4			
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input type="checkbox"/> Implementation upon the CSS implementation date <input type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	Dependencies on this change		
Implementation Risks	Any associated risks		
Design Constraints	Any associated constraints		
Design Assumptions	All assumptions		
Testing Considerations			
Training Considerations			
Cost implications			

Deleted: Indicative implementation timeframe eg.. at the implementation of CSS, within a Release, outside a release

3.2 Transportation Charges

Title	Transportation Charges		
Issue description	During a Supply Point Nomination or a Supply Point Enquiry the Shipper will receive notification of the transportation charges applicable for the Supply Meter Point which they are enquiring about. Owing to the nature of the pace that a Supply Meter Point will switch, Supply Point Nomination or Supply Point Enquiry is no longer a part of the switch process as outlined by the CSS. It is proposed the workgroup explore whether this process is still required. If so a solution needs to be agreed to allow this process to continue outside of the change of Supplier.		
Impacted Parties	<input checked="" type="checkbox"/> Shipper Users <input checked="" type="checkbox"/> DNs <input checked="" type="checkbox"/> IGTs <input checked="" type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process	Shippers will submit an S48 (SMP_NOMINATION_REQ) record request to the CDSP which requests the transportation charges. A response record, the S64 (OFFER_DETAILS) is provided to the Shipper which details the transportation charges alongside other data items. Alternatively for a Supply Point Enquiry the S47 (SUPPLY_POINT_ENQUIRY_REQ) record will be sent to the CDSP and S59 (ACCEPT_SMP_ENQUIRY) record issued in response. The Supplier and Shipper liaise with regards to this information and a contract is established with the customer. The switch event is then initiated by the Shipper with the CDSP.		
UNC References	TPDG.1.16, TPDG.2.1		
Business Process Model Diagram	 125262- 2.07 Manage Contract Nor		
Requirements Description	<ul style="list-style-type: none"> For Shipper Users to be able to access transportation charges 		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
1	Transportation charges to be published	Transportation charges will be visible –this could have commercial implications	<ul style="list-style-type: none"> Where to publish the transportation charges, whether these need to be secure
2	Assessment across the industry that the nominations enquiry process is still applicable	No nomination enquiry process if removed	<ul style="list-style-type: none"> Implications of removing the nomination enquiry process
3	An API solution could be developed to allow the sharing of the transportation charges	Shippers will be able to obtain transportation charges however a new API service will need to be developed	<ul style="list-style-type: none"> Implications of the new service
4	Do nothing but allow the process to continue outside	No impacts to current processes	<ul style="list-style-type: none"> Timing issue as the switch event will occur

	<u>of the CSS event</u>		<u>and the window to provide an opening read may not suit the timeframes.</u>
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input checked="" type="checkbox"/> Implementation upon the CSS implementation date <input checked="" type="checkbox"/> Implementation prior to the CSS implementation date May be implemented independently of the CSS.		
Development Dependencies	None identified		
Implementation Risks	None identified		
Design Constraints	Should the information be required to be confidential access will need to be granted to specific Users		
Design Assumptions	<ul style="list-style-type: none"> • It is assumed the transportation charges are still required • It is assumed the information needs to remain commercially confidential • It is assumed no system changes to implement this change however some records may be decommissioned based on the solution option 		
Testing Considerations	None identified		
Training Considerations	None identified		
Cost implications	None identified		

Process Timeline:

DRAFT

3.3 Opening Meter Read

Title	Opening Meter Read
Issue description	<p><u>UNC differentiates between the Classes and the requirements of the Opening Meter Read performance. The requirements are different based on the different Classes.</u></p> <p><u>Class 1 Supply Meter Points:</u> Responsibility for obtaining Class 1 Opening Reads resides with the Transporter. The UNC reference 5.13.4: <i>(a) where the Supply Meter Point is or (following the Supply Point Confirmation) will be in Class 1 or Class 2, 16:00 hours on the 5th Day after the Supply Point Registration Date;</i></p> <p><u>Class 2 Supply Meter Points:</u> Responsibility for obtaining Class 2 Opening Reads resides with Shipper Users. The UNC reference 5.13.4: <i>(a) where the Supply Meter Point is or (following the Supply Point Confirmation) will be in Class 1 or Class 2, 16:00 hours on the 5th Day after the Supply Point Registration Date;</i></p> <p><u>Class 3 Supply Meter Points:</u> Responsibility for obtaining Class 3 Opening Reads resides with Shipper Users. The UNC reference 5.13.4: <i>(b) except as provided in paragraph (a), 16:00 hours on the 10th Business Day after the Supply Point Registration Date.</i></p> <p><u>Class 4 Supply Meter Points:</u> Responsibility for obtaining Class 4 Opening Reads resides with Shipper Users. The UNC reference 5.13.4: <i>(b) except as provided in paragraph (a), 16:00 hours on the 10th Business Day after the Supply Point Registration Date.</i></p> <p>During a Switch Event for Class 2, 3 and 4 the incoming Shipper is obliged under UNC to provide an opening read to the CDSP. The incoming Shipper needs to validate the opening read they have obtained, whether it is an actual or an estimate, based on the last read and the last reading date on UK Link. This is not considered within the CSS therefore an alternate means of obtaining this read needs to be considered.</p>
Impacted Parties	<p><input checked="" type="checkbox"/> Shipper Users</p> <p><input type="checkbox"/> DNs</p> <p><input type="checkbox"/> iGTs</p> <p><input type="checkbox"/> NTS</p> <p><input type="checkbox"/> Other - Please specify</p>
Current Process	<p>During a change of Supplier the latest meter reading and the read date is provided to the Incoming Shipper within the S15 (TRANSFER_OF_OWNERSHIP) record. The Shipper uses this read to validate the opening read before submitting the read to the CDSP. This is provided within the TRF (Supply Meter Point Ownership Notification File) at D-2.</p>

Deleted: Shippers

UNC References		TPDM. 5.13	
Business Process Model Diagram			
Requirements Description		<ul style="list-style-type: none"> There is a requirement for the incoming Shipper to receive the last read and read date on UK Link to validate the opening read before submission 	
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
1	A process is established whereby Shippers send flows between each other of the last read and read date	No impact on core system All based on relationships between Shippers and having a means to communicate	<ul style="list-style-type: none"> How to communicate between Shipper organisations Timeliness of information provided
2	This information is requested outside of the switch event within a new record and UNC timeframes extended	New records, system impacts on Xserve and Shippers Change to UNC	<ul style="list-style-type: none"> Content of new record Timeliness of the information
Implementation timescales		<input type="checkbox"/> Can be implemented after the CSS implementation date <input checked="" type="checkbox"/> Implementation upon the CSS implementation date <input checked="" type="checkbox"/> Implementation prior to the CSS implementation date	
Development Dependencies		None identified	
Implementation Risks		None identified	
Design Constraints			
Design Assumptions		<ul style="list-style-type: none"> It is assumed the last read are still required as soon as possible after a switch to allow the opening read to be submitted within the specified time (<u>as set out by UNC</u>) 	
Testing Considerations		None identified	
Training Considerations		None identified	
Cost implications		System developments	

Deleted: 15 days

Process Timeline:

3.4 Gemini Updates

Title	Gemini Updates		
Issue description	<p>Updates to Gemini currently occur at D-2 Business Days. With next day, and calendar day operations, the Gemini updates on current timescales i.e. D-2 Business Days will not include Shipper portfolio changes as a result of switch events that occur after D-2 Business Days. Therefore gas nominations and allocations will not be based upon the live Shipper portfolio.</p>		
Impacted Parties	<input checked="" type="checkbox"/> Shipper Users <input type="checkbox"/> DNs <input type="checkbox"/> iGTs <input checked="" type="checkbox"/> NTS (as owners of the Gemini system) <input type="checkbox"/> Other - Please specify		
Current Process			
UNC References	<i>Where applicable</i>		
Business Process Model Diagram	<i>Embedded process model</i>		
Requirements Description	<ul style="list-style-type: none"> For Gemini to be updated with SOQ and SHQ values prior to a switch occurring 		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
1	Up front activity prior to a switch event whereby the Shipper sends the notifications to UK Link prior to the switch	No impact on core systems All based on relationships between Shippers and having a means to communicate	<ul style="list-style-type: none"> The Shipper and Supplier will need to communicate to ensure the relevant file flows are submitted prior to the switch
2	Do nothing	Flows to Gemini will be after the switch event	<ul style="list-style-type: none"> Allocations in Gemini will be inaccurate
3	Default values to be sent to Gemini	Default values may be inaccurate however reduces requirement for additional communications and upfront activity	<ul style="list-style-type: none"> Inaccurate values in Gemini, incorrect allocations
4	Increase frequency of updates to Gemini		
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input checked="" type="checkbox"/> Implementation upon the CSS implementation date <input checked="" type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	Any system impacts on Gemini need to be taken into account with the Gemini change schedule for example resource, testing environments.		
Implementation Risks	Failure to implement a solution risks allocations in Gemini		
Design Constraints	<i>Any associated constraints</i>		
Design Assumptions	<i>All assumptions</i>		
Testing Considerations			

Training	
Considerations	
Cost implications	
Process Timeline:	

DRAFT

3.5 Change of Supplier required information

Title	Change of Supplier required information		
Issue description	At a Change of Supplier event mandatory information is submitted to the CDSP in the file formats. This currently includes the Supply Meter Point Class, System Offtake Quantity (SOQ) and Supply Hourly Quantity (SHQ), the meter read frequency. These data items are required to complete a change of supplier event and have impacts if not provided, for example where the SHQ and SOQ are not provided there may be impacts on demand estimation allocation within Gemini, meter read class will drive the meter read frequency and therefore impact on Rolling AQ, submission of meter reads and must reads. Several of these data items are billing attributes and therefore this has impacts on downstream processes and invoicing.		
Impacted Parties	<input checked="" type="checkbox"/> Shipper Users <input type="checkbox"/> DNs <input type="checkbox"/> iGTs <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process	LSP: Within the nomination files these data items are sent to Xoserve. SSP: Within the S42 (SSP_CONFIRMATION) record the data items are submitted including market sector code, Supplier Organisation Id, Supply Meter Point Class, meter read batch frequency.		
UNC References	Where applicable		
Business Process	Embedded process model		
Model Diagram			
Requirements Description	Requirements of the change		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
1	Introduction of a 'Shell record' that contains the information required for UK Link for submission to UK Link prior to gate closure on the switch event date	This creates a new record for submission from Shippers to UK Link therefore impacts both Shipper systems and UK Link	<ul style="list-style-type: none"> Timing – this will need to be submitted [x] hours prior to gate closure Information needs to be available to the incoming Shipper
2	Amend the data items to not be mandatory	Required mandatory data items will not be provided	<ul style="list-style-type: none"> Required data will not be available and will impact on downstream processes
3	Default to the data items from the previous Shipper	For consideration as a solution option and also a default position where a 'shell record' is not submitted	<ul style="list-style-type: none">
4	Default to Class 4 and default values SOQ, SHQ and MRF for all Supply Meter points	For consideration as a solution option and also a default position where a 'shell record' is not submitted	<ul style="list-style-type: none"> Default values for the SOQ and SHQ

Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input type="checkbox"/> Implementation upon the CSS implementation date <input type="checkbox"/> Implementation prior to the CSS implementation date
Development Dependencies	<i>Dependencies on this change</i>
Implementation Risks	<i>Any associated risks</i>
Design Constraints	<i>Any associated constraints</i>
Design Assumptions	<i>All assumptions</i>
Testing Considerations	
Training Considerations	
Cost implications	

Process Timeline:

DRAFT

3.6 Supplier / Shipper Relationship Table

Title	Supplier / Shipper Relationship Table		
Issue description	There is a requirement for a Shipper and Supplier (and possibly Transporter) relationship table to be maintained that will facilitate the appointing and de-appointing of Shipper Users. The table needs to take into account which Supplier can ship through which Shipper to ensure the accurate arrangements are maintained. This table will be maintained within UK Link and will require validations to be completed against it. Additionally a process needs to be established to allow for management of the table and ease to change the relationships as and when required.		
Impacted Parties	<input checked="" type="checkbox"/> Shipper Users <input type="checkbox"/> DNs <input type="checkbox"/> iGTs <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process	N/A		
UNC References	<i>Where applicable</i>		
Business Process Model Diagram	<i>Embedded process model</i>		
Requirements Description	<ul style="list-style-type: none"> A new requirement - table to be developed to be maintained and managed in UK link to reflect the Shipper and Supplier relationships 		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
1	The table will be stored within UK Link	New file flows	
2			
3			
4			
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input checked="" type="checkbox"/> Implementation upon the CSS implementation date <input checked="" type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	<i>Dependencies on this change</i>		
Implementation Risks	<i>Any associated risks</i>		
Design Constraints	<i>Any associated constraints</i>		
Design Assumptions	<i>All assumptions</i>		
Testing Considerations			
Training Considerations			
Cost implications			

Process Timeline:

3.7 Capacity Referral

Title	Capacity Referral		
Issue description	Capacity referrals are required upon a confirmation whereby the Distribution Networks and iGTs need to assess whether the system is capable of supplying the proposed SOQ and SHQ for the Supply Meter Point. The timelines in which capacity referrals are completed does not align to faster switching. The capacity referral will need to be completed prior to the switch request to the CSS.		
Impacted Parties	<input checked="" type="checkbox"/> Shipper Users <input checked="" type="checkbox"/> DNs <input checked="" type="checkbox"/> iGTs <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process	Where a referral notice is given the Distribution Networks and iGTs currently have an obligation to respond within 12 business days to not less than 97% of the referred nomination requests per calendar month.		
UNC References	TPDG4.1		
Business Process Model Diagram	<i>Embedded process model</i>		
Requirements Description	<ul style="list-style-type: none"> To ensure a process is set up to allow for capacity referrals prior to a switch 		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
1	Completion of the capacity referral prior to the switch request		
2			
3			
4			
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input checked="" type="checkbox"/> Implementation upon the CSS implementation date <input checked="" type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	<i>Dependencies on this change</i>		
Implementation Risks	<i>Any associated risks</i>		
Design Constraints	<i>Any associated constraints</i>		
Design Assumptions	<i>All assumptions</i>		
Testing Considerations			
Training Considerations			
Cost implications			

- Formatted: Font:Not Bold
- Formatted: Font:Not Bold
- Formatted: Font:Not Bold
- Formatted: Font:Not Bold

3.8 Supplier or Shipper Change

Formatted: Font:Bold

Formatted: Font:Not Bold

Title	<u>Supplier or Shipper Change</u>		
Issue description	<p>The management of an event where the Supplier changes Shipper needs to be considered. In this scenario the customer does not switch and the Supplier remains the same, but the Supplier updates the CSS with their new Shipper details.</p> <p>Alternatively, consideration needs to be given to the scenario where the Shipper stays the same but the Supplier switches.</p> <p>These scenarios are classified as a switch within the CSS. The details will need to be updated within UK Link</p>		
Impacted Parties	<input checked="" type="checkbox"/> Shipper Users <input type="checkbox"/> DNs <input type="checkbox"/> iGTs <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process			
UNC References	<i>Where applicable</i>		
Business Process Model Diagram	<i>Embedded process model</i>		
Requirements Description	<i>Requirements of the change</i>		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
<u>1</u>			
<u>2</u>			
<u>3</u>			
<u>4</u>			
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input type="checkbox"/> Implementation upon the CSS implementation date <input type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	<i>Dependencies on this change</i>		
Implementation Risks	<i>Any associated risks</i>		
Design Constraints	<i>Any associated constraints</i>		
Design Assumptions	<i>All assumptions</i>		
Testing Considerations			
Training Considerations			
Cost implications			

3.9 Map Identity

Title	Map Identity		
Issue description	The recording of the MAP identity against the Supply Meter point. There is a CSS requirement for UK Link to provide the MAP ID to a RMP to the CSS. Therefore UK Link is required to hold the MAP ID for the Supply Meter Point.		
Impacted Parties	<input checked="" type="checkbox"/> Shipper Users <input type="checkbox"/> DNs <input type="checkbox"/> iGTs <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process	The MAP ID is currently not stored within UK Link therefore this is a new requirement.		
UNC References	N/A		
Business Process Model Diagram	<i>Embedded process model</i>		
Requirements Description	<ul style="list-style-type: none"> New requirement to store MAP ID on UK Link 		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
1	New file flow to submit this data item.	Change to UK Link, new file flow, impacts on all Shipper systems.	
2	Amendment to a record to allow the submission of this data item.	New data items, amendment to a record, impacts on all Shipper systems.	
3			
4			
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input type="checkbox"/> Implementation upon the CSS implementation date <input checked="" type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	The CSS requires MAP ID information from the commencement of the design, build, implement phase currently set as commencing mid 2019		
Implementation Risks	<i>Any associated risks</i>		
Design Constraints	<i>Any associated constraints</i>		
Design Assumptions	<i>All assumptions</i>		
Testing Considerations			
Training Considerations			
Cost implications			

Formatted: Font:Not Italic

Formatted: Font:Not Italic

Formatted: Font:Not Italic

Formatted: Font:Not Italic

Formatted: List Paragraph, Bulleted + Level: 1 + Aligned at: 0" + Indent at: 0.25"

Formatted: Font:(Default) Calibri, Font color: Black

Formatted: Font:Not Bold

Formatted: Font:Not Italic

3.10 Emergency Contact Details

Title	Emergency Contact Details		
Issue description	On large supply points Emergency contact details are mandatory however this is not considered within CSS therefore the details need to be updated outside of the switch. Emergency contact details are submitted by a Shipper and notified to the Distribution Networks and iGTs.		
Impacted Parties	<input checked="" type="checkbox"/> Shipper Users <input checked="" type="checkbox"/> DNs <input checked="" type="checkbox"/> iGTs <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process	Upon submission of the S38 (LSP CONFIRMATION) record a Shipper will indicate that a site is manned 24 hours for the purposes of an emergency. The details can be updated through the S66 (CONTACT DETAILS) record.		
UNC References	Where applicable		
Business Process Model Diagram	Embedded process model		
Requirements Description	<ul style="list-style-type: none"> To ensure emergency contact details are submitted to UK Link 		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
1	Retain current process and complete the activity outside of a switch	Minimal impacts as current process is retained	Needs to be taken into consideration within the timeframes
2	Include emergency contact details within the 'shell record' if introduced	One record can be introduced to support mandatory data items being submitted to UK Link for a switch	New file flow
3			
4			
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input type="checkbox"/> Implementation upon the CSS implementation date <input type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	Dependencies on this change		
Implementation Risks	Any associated risks		
Design Constraints	Any associated constraints		
Design Assumptions	All assumptions		
Testing Considerations			
Training Considerations			
Cost implications			

Formatted: Font:Bold

Formatted: Font:Not Bold

Formatted: Font:Not Italic

Formatted: Font:Not Italic

Formatted: List Paragraph, Bulleted + Level: 1 + Aligned at: 0" + Indent at: 0.25"

Formatted: Font:Not Bold

Formatted: List Paragraph, Left, Bulleted + Level: 1 + Aligned at: 0" + Indent at: 0.25"

Formatted: Font:Not Bold

Formatted: Font:Not Bold

Formatted: List Paragraph, Left, Bulleted + Level: 1 + Aligned at: 0" + Indent at: 0.25"

Formatted: Font:Not Bold

Formatted: Font:Not Bold

Formatted: Font:Not Bold

Formatted: Font:Not Bold

3.11 CSS Switch Cancellations

Formatted: Font:Bold

Title	CSS Switch Cancellations		
Issue description	Consideration for the ability to cancel a switch event. If information has been shared with UK Link and a switch is cancelled the information will need to be retracted. Switches can be cancelled up until 17:00 on the day prior to the switch becoming effective. Consideration needs to be given to any matters that may arise from the short notice of a cancellation event.		
Impacted Parties	<input checked="" type="checkbox"/> Shipper Users <input checked="" type="checkbox"/> DNs <input checked="" type="checkbox"/> iGTs <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process	^		
UNC References	<i>Where applicable</i>		
Business Process	<i>Embedded process model</i>		
Model Diagram			
Requirements Description	<i>Requirements of the change</i>		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
1			
2			
3			
4			
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input type="checkbox"/> Implementation upon the CSS implementation date <input type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	<i>Dependencies on this change</i>		
Implementation Risks	<i>Any associated risks</i>		
Design Constraints	<i>Any associated constraints</i>		
Design Assumptions	<i>All assumptions</i>		
Testing Considerations			
Training Considerations			
Cost implications			

Formatted: Font:Not Bold

Formatted: Font:Not Italic

3.12 Vulnerable Customers

Title	<u>Vulnerable Customers</u>		
Issue description	Details for vulnerable customers are mandatory however this is not considered within CSS therefore the details need to be updated outside of the switch. Vulnerable customer details are submitted by a Supplier through their Shipper and notified to the Distribution Networks and iGTs.		
Impacted Parties	<input checked="" type="checkbox"/> Shipper Users <input checked="" type="checkbox"/> DNs <input checked="" type="checkbox"/> iGTs (TBC) <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process	Vulnerable customer need codes are submitted within the S83 (END CONSUMER) record and the S84 (PRIORTY SERVICES) record. These are then notified to the Distribution Networks and iGTs.		
UNC References	<i>Where applicable</i>		
Business Process Model Diagram	<i>Embedded process model</i>		
Requirements Description	<ul style="list-style-type: none"> To ensure vulnerable customer details are submitted to UK Link 		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
1	Retain current process and complete the activity outside of a switch	Minimal impacts as current process is retained	Needs to be taken into consideration within the timeframes
2	Include vulnerable customer details within the 'shell record' if introduced	One record can be introduced to support mandatory data items being submitted to UK Link for a switch	New file flow
3			
4			
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input checked="" type="checkbox"/> Implementation upon the CSS implementation date <input checked="" type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	<i>Dependencies on this change</i>		
Implementation Risks	<i>Any associated risks</i>		
Design Constraints	<i>Any associated constraints</i>		
Design Assumptions	<i>All assumptions</i>		
Testing Considerations			
Training Considerations			
Cost implications			

Formatted: Font:Bold

Formatted: Font:Not Bold
Formatted: Font:(Default) +Theme Body (Calibri), Not Italic, Font color: Auto

Formatted: Font:Not Italic

Formatted: Font:(Default) Calibri, Font color: Black
Formatted: List Paragraph, Bulleted + Level: 1 + Aligned at: 0" + Indent at: 0.25"
Formatted: Font:(Default) Calibri, Font color: Black

3.13 Market sector code decommissioning

Formatted: Font:Bold

Title	<u>Market sector code decommissioning</u>		
Issue description	<u>Distribution Networks and Shippers will need to be sent the Market Sector Code which will now be dealt with by the CSS. The Supplier will provide the market sector code to the CSS and this information will flow to UK Link. A mechanism for notifying the Distribution Networks, iGTs and Shippers needs to be established so the data can be sent.</u>		
Impacted Parties	<input checked="" type="checkbox"/> Shipper Users <input checked="" type="checkbox"/> DNs <input checked="" type="checkbox"/> iGTs <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process			
UNC References	<u>Where applicable</u>		
Business Process Model Diagram	<u>Embedded process model</u>		
Requirements Description	<u>Requirements of the change</u>		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
<u>1</u>			
<u>2</u>			
<u>3</u>			
<u>4</u>			
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input checked="" type="checkbox"/> Implementation upon the CSS implementation date <input checked="" type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	<u>Dependencies on this change</u>		
Implementation Risks	<u>Any associated risks</u>		
Design Constraints	<u>Any associated constraints</u>		
Design Assumptions	<u>All assumptions</u>		
Testing Considerations			
Training Considerations			
Cost implications			

Formatted: Font:Not Bold

3.14 Delayed synchronisations

Formatted: Font:Bold

Title	<u>Delayed synchronisations</u>		
Issue description	<u>Description of the issue</u>		
Impacted Parties	<input type="checkbox"/> Shipper Users <input type="checkbox"/> DNSs <input type="checkbox"/> IGTs <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process			
UNC References	<u>Where applicable</u>		
Business Process Model Diagram	<u>Embedded process model</u>		
Requirements Description	<u>Requirements of the change</u>		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
<u>1</u>			
<u>2</u>			
<u>3</u>			
<u>4</u>			
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input type="checkbox"/> Implementation upon the CSS implementation date <input type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	<u>Dependencies on this change</u>		
Implementation Risks	<u>Any associated risks</u>		
Design Constraints	<u>Any associated constraints</u>		
Design Assumptions	<u>All assumptions</u>		
Testing Considerations			
Training Considerations			
Cost implications			

Formatted: Font:Not Bold

3.15 DES Data

Formatted: Font:Bold

Formatted: Font:Not Bold

Title	<u>DES Data</u>		
Issue description	<u>Description of the issue</u>		
Impacted Parties	<input type="checkbox"/> Shipper Users <input type="checkbox"/> DNSs <input type="checkbox"/> IGTs <input type="checkbox"/> NTS <input type="checkbox"/> Other - Please specify		
Current Process			
UNC References	<u>Where applicable</u>		
Business Process Model Diagram	<u>Embedded process model</u>		
Requirements Description	<u>Requirements of the change</u>		
Solution options			
No	Description	Impacts (including UNC reference)	Considerations
<u>1</u>			
<u>2</u>			
<u>3</u>			
<u>4</u>			
Implementation timescales	<input type="checkbox"/> Can be implemented after the CSS implementation date <input type="checkbox"/> Implementation upon the CSS implementation date <input type="checkbox"/> Implementation prior to the CSS implementation date		
Development Dependencies	<u>Dependencies on this change</u>		
Implementation Risks	<u>Any associated risks</u>		
Design Constraints	<u>Any associated constraints</u>		
Design Assumptions	<u>All assumptions</u>		
Testing Considerations			
Training Considerations			
Cost implications			

4.0 Non –Functional Business Requirements

[To be inserted]

DRAFT

5.0 Appendices

[To be inserted]

DRAFT

6. Defined Terms and Glossary

Term / Acronym	Definition
SHQ	Supply Hourly Quantity
SOQ	System Offtake Quantity (daily offtake)
Switch Event	Upon first registration A change of Supplier / Shipper as set out by the CSS

DRAFT

7. Document Control

7.1 Version History

Version	Status	Date	Author (s)	Summary of Changes
0.1	Initial Draft	06/12/17	Xoserve	OSP Sustaining Change to Xoserve Systems BRD creation
<u>0.2</u>	<u>Draft</u>	<u>19/01/18</u>	<u>Xoserve</u>	<u>Updates following meeting on 15th December.</u>

DRAFT