

MODIFICATION 0116V

LEGAL TEXT

TPD SECTION M – SUPPLY POINT METERING

Amend paragraph 4 to read as follows:

4.2.1 Where a Supply Meter is Daily Read:

- (a) the Transporter will obtain (and the User authorises the Transporter to obtain) by means of the Daily Read Equipment (where it is operational) a Meter Reading ~~for the start and for the end of each Day;~~
 - (i) for the start and for the end of each Day;
 - (ii) in respect of an NTS Supply Point Component, for 22:00 hours on a Day;
- (b) the Transporter may so obtain Meter Readings at other times within the Day.

4.2.3 In respect of a Daily Read Supply Meter:

- (a) **"Daily Meter Readings"** for a Day are Meter Readings obtained by the Transporter in accordance with paragraph (a) ~~for the start and the end of the Day;~~
 - (i) for the start and the end of the Day;
 - (ii) in respect of an NTS Supply Point Component, 22:00 hours on a Day;
- (b) subject to paragraphs (c) and 4.8 **"Valid Meter Readings"** for a Day are Daily Meter Readings which have been subject to and not rejected by validation in accordance with paragraph 1.5, and are provided to the relevant User in the format and by the means specified in the UK Link Manual;
- (c) the Daily Meter Reading for the start of a Day will not be a Valid Meter Reading if it differs from the Valid Meter Reading for the end of the preceding Day; and
- (d) the User will pay appropriate charges in accordance with the Transporter's Metering Charges Statement in respect of such Daily Meter Readings obtained by the Transporter.

4.3 Metered Volumes and Metered Quantities calculation

Subject to paragraph 4.4, the Transporter will calculate for each Daily Read Supply Meter each Day:

- (a) the Metered Volumes, by reference to the Valid Meter Readings for the Day obtained in accordance with paragraph 4.2.1 (a) ~~and (b)~~ or by reference to the Meter Readings for the Day obtained in accordance with paragraph 4.2.4; and
- (b) the Metered Quantities, by reference to the Metered Volumes.

....

4.4.6 Paragraphs 4.4.2(b), 4.4.3 and 4.4.4 shall not apply where the Day is a Failed Daily Read Day by reason of the failure to obtain a Meter Reading at 22:00 hours for a NTS Supply Point Component by the Exit Close-Out Date.

4.7.4 Where upon a DM Check Read the Metered Quantity differs from the sum (the "**previous metered quantity**") of the Metered Quantities determined [by reference to Valid Meter Readings obtained in accordance with paragraph 4.2.1\(a\)\(i\) and](#) in accordance with the foregoing provisions of this paragraph 4 (including paragraph 4.4) for each Day of the period referred to in paragraph 4.7.3 by more than 100,000 kWh (3,413 *therms*), the Transporter will determine and notify to the Registered User:

- (a) the amount of such difference; and
- (b) for each Day in such period, a part (the "**DM Check Reconciliation Volume**", which shall be positive where the previous metered quantity exceeds the Metered Quantity in respect of the DM Check Read, and otherwise negative) of the amount determined under paragraph (a), in accordance with paragraph 4.7.5.

....

4.8.3 Where a User gives daily Read Error:

....

- (c) notwithstanding the Daily Read Error Notice and the Transporter's notice under paragraph (b), except as provided in paragraph 4.8.8 the volume determined by reference to the Daily Meter Readings shall be used to determine the User's UDQO, [and in the case of an NTS Exit Point the quantity offtaken by the User between 06:00 hours and 22:00 hours](#), for the purposes of the Code;

....

[5.1.5 Nothing in this paragraph 5 shall apply in respect of Meter Readings obtained at 22:00 hours for NTS Supply Point Components](#)