

Development Workgroup Report
Facilitating the use of AMR in the Daily Metered Elective Regime
Modification Reference Number 0224

Version 0.4

This Development Work Group Report has been prepared by Group Members and follows the format required by the UNC Modification Rules.

The Workgroup considers that the Proposal is sufficiently developed and should now proceed to the Consultation Phase. [The Workgroup does not recommend that the Panel requests the preparation of legal text for this Modification Proposal.]

1 The Modification Proposal

This modification proposal seeks to facilitate the use of AMR equipment in the business market for gas. Under this modification proposal Users may elect, on a voluntary basis, to use their own AMR equipment to supply daily meter readings to the relevant Transporter for use in balancing and settlement.

The proposal fits with the government objective to roll-out AMR to the business market above 732MWh and allows for the information provided by AMR devices to be optimised by use in settlement.

The draft supply licence obligation states:

On or from 6 April 2009, where a licensee installs or arranges the installation of a gas meter to any premises which have an annual consumption of over 732,000 kWh, the meter must either on its own or with an ancillary device –

- a) store measured gas consumption data for multiple time periods; and
- b) provide remote access to such data by the licensee.

As from 1 January 2014, the licensee must not supply gas to any premises which have an annual consumption of over 732,000 kWh other than through such a meter. In response to a request from a customer, timely access to the data from the meter must be given to the customer supplied through that meter, or to the customer's nominated agent.

Current take-up of voluntary DM (DMSP) service

Currently, Large Supply Meter Points who are currently Non-Daily Metered (NDM) can nominate to be Daily Metered. Such a nomination under the UNC requires that a meter point is subject to Daily Metered service provision by the appointed Daily Metered Service Provider (DMSP) i.e. the local Distribution Network Owner. This

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

process entails installation of the DMSP datalogger equipment and associated installation and rental charges to the user. DMSP charges for datalogger equipment and daily read provision are approximately £800 per year and this has been cited by some as being a barrier to participation.

To date, numbers utilising the voluntary service have been low, as illustrated by the table below:

NDM Band	Meter count (total)	Voluntary DM	% Voluntary DM
Bands 2-4	413,004	42	0.01%
Bands 5-8	23,870	1,301	5.45%
Total	436,874	1,343	0.3%

Source: xoserve

Draft Business Rules and Business Requirements

This modification proposes to use the established Daily Metered systems and processes to achieve a tactical solution ahead of any changes to UK-Link systems that may be delivered by Project Nexus.

The following draft business rules form the basis of this proposal and outline the relevant processes involved.

The document provides draft requirements (indicated by R###) against the business rules developed in the development workgroup for UNC Modification 224. Where references are made to User Pays Services and charges these are intended for illustration and not intended to infer how charges are determined and any split between transactional and fixed charges.

1. Rollout

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

Implementation of this proposal will be phased as follows:

1.1 Phase 1 (12 months duration) – Phase 1 will commence on the date of implementation and end on the date of commencement of Phase 2. Meter points within the specified MPAQ range and that are within Supply Points where the SPAQ is greater than 5,860,000 kWh will be able to be nominated as DM Elective during this phase.

- R001 Validation to be performed on the nominated site to ensure it is eligible to be nominated as a DME as part of the roll-out phase, if not, the nomination should be rejected. (Also applicable for phase 2).
- R002 If a DME site AQ drops below the phase threshold (outside of band) during the roll-out phase the site will remain as DME. (Also applicable for phase 2).
- R003 If a DME site AQ drops below phase threshold (outside of band) during the roll-out phase and is re-nominated as NDM, the site cannot be re-nominated as DME until the new EUC band is included as part of a roll out phase. (Also applicable for phase 2).

1.2 Phase 2 (6 months duration) – Phase 2 will commence on the date of implementation plus 12 months or, if later, when a satisfactory checkpoint assessment has been completed by the Transporter Agency and will end on the date of commencement of Phase 3. Meter points within the specified MPAQ range and that are within Supply Points where the SPAQ is greater than 2,196,000 kWh will be able to be nominated as DM Elective during this phase.

1.3 Phase 3 (open ended) – Phase will commence on the date of implementation plus 18 months or, if later, when a satisfactory checkpoint assessment has been completed by the Transporter Agency and will be enduring. Meter points within the specified MPAQ range and that are part of Supply Points where the SPAQ is greater than 732,000 kWh will be able to be nominated as DM Elective subject to a prescribed limit on the number of DM Elective meter points. This limit will initially be set at 25,000 but may be varied and will be subject to the appropriate Uniform Network Code governance as specified within the Modification Proposal.

- R004 A ceiling level maximum to be introduced to Sites and Meters, initially 25,000 DME meter points.
- R005 Once the ceiling level maximum has been reached any future site nominations should be rejected back to the Shipper.
- R006 Following a site being un-elected as DME and the uptake being reduced below the ceiling level maximum, subsequent meter point nominations as DME will be accepted.

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

- R007 There is no requirement for the Transporter Agency to report that the DME uptake has reduced beneath the ceiling level maximum other than in the monthly published report.
- R008 The ceiling level maximum should be parameterised and should remain flexible so that this value can be increased or decreased dependant upon system performance.

1.4 Starting in the month following the commencement of Phase 3, the Transporter Agency will report to Shippers on a monthly basis the number of DM Elective meter points and the prescribed limit.

- R009 Monthly report to be developed and published detailing the prescribed limit and current uptake of DME meter points.

2. Eligibility for DM Elective DME

2.1 Participation as DME will be voluntary and limited to Large Supply Points who's Annual Quantity is greater than 732,000 kWh. The timings of eligibility for participation as DME will be subject to the rollout programme as defined above (1.1 to 1.4). Supply Points who are Daily Metered Mandatory (DMM) will not be included in these arrangements.

- R0010 DM Elective market shall not include DM Mandatory sites where the Supply Point AQ is in excess of 58.6 GWh and the Meter Point AQ is greater than 2,196,000 kWh or is less than the defined MPAQ value limit of DME eligibility defined in R0011.

- R0011 At initial roll out DM Elective meter points must have a Meter Point AQ greater than 732,000 kWh. This value will be subject to review and should be parameterised.

2.2 During the rollout period incoming Shippers may need to check the eligibility of new meter points on their portfolio to assess whether they can be nominated as DM Elective.

- R0012 DM Elective market shall not include Interruptible supply points.

- R0013 DM Elective market shall not include Unique Sites.

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

- R0014 Where a Shipper elects a DM Mandatory site as DM Elective this nomination must be rejected.
- R0015 Eligible Prime and Sub meter points may elect to become DM Elective, where a meter point elects to become DM and is part of Prime and Sub metering arrangement, it is not required that all meter points within such configuration become DM (Elective or Mandatory/Voluntary).
- R0016 Impact of Rolling AQ – It is assumed that the DM meter points shall only be recalculated on an annual basis as currently. Sites that are nominated as DM Elective shall be subject to the DM market AQ review criteria. Where a DME site breaches the DM Mandatory threshold this shall need to be reconfirmed by the relevant Shipper as DM Mandatory.
- R0017 The DM Elective service will only include Supply Points directly connected to Large Transporters' Distribution Networks.

2.3 EUC band information can be checked by incoming Shippers via an enquiry file submission to the Transporter Agency.

- R0018 EUC band information for NDM sites can be checked by incoming Shippers via the existing enquiry submission file to the Transporter Agency; there should be minimal changes to the existing file format. Note: The response file S69 record contains a new GNT code of 'DME' which will be provided on the enquiry file to the enquiring Shipper where existing meter point is DM Elective.
- R0019 MPAQ information can be checked by incoming Shippers via the existing enquiry file submission to the Transporter Agency; there should be minimal changes to the existing file format. Note: The response file S75 record contains a new GNT code of 'DME' which will be provided on the enquiry file to the enquiring Shipper where existing meter point is DM Elective.

3. Registration as DM Elective DME

3.1 Existing NDM meter points will remain as NDM meter points unless actively nominated and confirmed by the Shipper as DM Elective. Once nominated and confirmed as DM Elective, meter points will remain DM Elective unless actively

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

nominated and confirmed otherwise.

R0020 A new report shall be required to notify the DMSP where a meter point has transferred from DM Mandatory/Voluntary to DM Elective and visa versa.

3.2 Nomination of a DME meter point will be notified to the Transporter Agency using existing SPA processes (NOM File).

R0021 The Shippers must be able to nominate a site as DME using the existing SPA processes (Nomination file).

R0022 DM Elective meter points must have a clearly defined start date when these supply meter points have become DM Elective.

3.3 Meterpoint classification of DME will be recorded by the Transporter Agency on the supply point register following nomination by the Shipper.

R0023 DM Elective meter points must be identifiable within the system from DM Mandatory/Voluntary and NDM sites.

3.4 Shippers will nominate DME meterpoints in line with the current Daily Metered process with regards to DM SOQ and SHQ.

R0024 Where a DM Elective site is nominated, the Shipper must – as with DM Mandatory meter points – define the SOQ and SHQ values.

3.5 The Transporter Agency will populate the BSSOQ following the first winter as a DME; this is in line with the current process for DM supply points in G5.2.3b.

R0025 The BSSOQ to be automatically populated following the first winter as a DME, this is in line with the current process for DM supply points in G5.2.3b.

R0025a Where a BSSOQ already exists for such meter points, the existing BSOQ value shall be utilised.

3.6 The Transporter Agency will apply DM validation rules to SOQ information provided by Shippers under 3.4 above.

R0026 The existing referral validations and rules must be adhered to – for example, where one or both of these values is increased, a referral is initiated.

3.7 Nomination of a DME meter point will not be referred to the relevant Transporter

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

on grounds of SOQ, unless the nominated DM SOQ is greater than the previous NDM SOQ.

R0027 Where the nominated DM SOQ is greater than the previous NDM SOQ the nomination of a DME meter point should be referred to the Transporter.

R0028 Where the nominated DM SOQ is less than or equal to the previous NDM SOQ this will not be referred.

3.8 Nomination as a DME meter point will be taken as confirmation that equipment capable of providing daily reads is present at the meter point.

R0029 Existing DM functionality requires a 'Kick Off Date' to be set for a nominated DM meter point, from this date daily reads are expected and an incentive charge will be incurred if the required percentage to supply reads is not achieved. This date will be set to correspond with the DM Elective Confirmation Effective Date.

3.9 The Transporter Agency will not be required to keep or maintain records of assets relating to equipment capable of providing daily reads at DME meter points.

R0030 Where a meter point is nominated as DM Mandatory/Voluntary existing functionality will reject the nomination unless Daily Metering Equipment is recorded at site. Where a meter point is nominated as DM Elective this condition is not required and the validation is to be circumvented.

R0031 If requirement R0030 cannot be facilitated then Transporter Agency will be required to manually input asset and datalogger information on behalf of the Shipper, this will be managed as a User Pays Service.

4. Read Provision

4.1 Shippers will provide daily readings to the Transporter Agency using a defined format.

R0032 Daily DM Elective Reading files will be submitted to Transporter Agency via secure I'X connection using the standard 5.8.3 format.

R0033 Following successful submission of the Daily DM Elective file the Shipper will be provided with an IX delivery receipt.

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

- R0034 A deadline time for receipt of the reading file from Shippers must be available to be provided to Shippers. This deadline should take account of any processing that needs to be undertaken prior to presentation at the application (e.g. I'X gateway and Batch Router, file level checking). The batch must not be initiated prior to this time.
- R0035 The batch process needs to be run on working and non working days. Note: delivery receipting of files should be consistent with other Shipper files.
- R0036 Where a file is received after the initiation of that day's batch processing run, this shall be held and processed within the batch run on the following day.
- R0037 It is expected that a maximum of [10] files could be processed per Shipper in a given day, but that these will only be processed in a single batch run.
- 4.2 Shipper submitted reads will be accepted as actual readings by the Transporter Agency subject to the prevailing DM validation rules.
- R0038 Actual readings must be provided by Shippers. These actual readings do not need to be differentiated from readings obtained by DMSPs.
- R0039 Standard file level validation shall be applied to files – e.g. ERR and FRJ validations. Failures shall be passed to Shippers.
- R0040 Validation will be applied by Transporter Agency in line with the UNC Validation Rules – excluding UNC Validation 4.3, which is described in R0042 below.
- R0041 The validation will apply sense checks, such as (but not limited to) to ensure that the Shipper providing the reading is the RSU, and that the reading has the correct number of digits.
- R0042 Zero consumptions submitted by the Shippers (where the Start and End Reads match) will not be subject to validation and will be accepted based on Shippers completing validation prior to submission and deeming that the zero consumption is valid.

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

R0043 Zero reads submitted by the Shippers (where the index of the reading is 0) will be accepted subject to UNC validation rules.

R0044 Where a DM Elective reading has not been received from the RSU, this reading shall be rejected.

4.3 Where the Shipper provided read is not accepted the Transporter Agency will inform the Shipper on the day the unacceptable read is processed.

R0045 Where a reading fails validation, this shall be rejected to the Shipper on D (where D is the processing date).

R0046 A response file shall be generated to provide accepted and rejected readings on D.

4.4 Where the Shipper does not provide a valid read for Day (D) the Transporter Agency will provide and load an estimated read:

i) The estimated read will be provided to the Shipper by the Transporter Agency on the day it is produced.

ii) The estimated read service will follow the existing DM read estimation process; D-7 or where no D-7 is available then AQ/365.

iii) The estimated read service will be subject to an incentive charge where agreed meter read performance targets are not achieved. (similar to TPD M 5.5).

iv) The incentive charge performance targets shall be as follows:

Phase 1 of rollout = 90%

Phase 2 of rollout = 95%

Phase 3 of rollout = 97.5%

R0047 Where a reading is not provided by the Shipper an estimate (following the existing DM read estimation process) must be generated by Transporter Agency.

R0048 System generated estimated readings shall need to be communicated back to the Shipper on D (where D is the processing date); this will be via the newly developed MDE file.

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

- R0049 Where an actual reading is provided, but fails validation, an estimate (following the existing DM read estimation process) shall be generated on D (where D is the processing date).
- R0050 Where the Transporter Agency needs to communicate readings to Shippers the MDE file will be used. Existing batch file processes provide actuals, estimated, better and prorated readings to Shippers – the MDE will be used to provide DM Elective.
- R0051 Where an estimate is generated this estimated reading will be included in the incentive charge calculation. This information must be available for generation of any transactional charge associated with provision of this estimate.
- R0052 Read provision failure charges will be applicable where the Shipper has failed to provide reads in line with the incentive charge performance targets for their portfolios reads for the previous calendar month.
- R0052a The failure rate must be a parameterised value so that this may be changed between calendar months where the failure rate is required to be increased or decreased,
- R0053 Failure charges are to be calculated on a monthly basis using the formula:

$(\text{Total Actual Reads Required} - \text{Total Actuals Provided}) * \text{Failure Charge Rate}$

Example

Shipper DME Portfolio Total = 100 meter points

Read Provision Rate = [97.5%] (phase 3 of rollout)

Max Actual Reads = 3100 (Shipper Portfolio Total * Number of Days in Month)

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

Total Actuals Required = 3022 (Max Actual Reads * [0.975]) – Shipper Transfer Reads Generated (0)

Total Actuals Provided (on D) = 3000

Failure Charge Rate = £2

Failure Charge = (3022 – 3000) * 2 = £44

R0053a The failure charge rate must be a parameterised value so that this can be changed between calendar months where the failure charge is required to be increased or decreased.

R0054 There is no requirement for a continuing fail charge, only the flat rate charge detailed above will be applicable.

R0055 There is no requirement for a read failure exclusion process; all reads not provided below the failure rate percentage will be subject to charge.

R0056 Where an estimate reading is loaded these readings shall be subject to the automatic proration logic on receipt of the next Actual read loaded, as currently. The automated proration of estimates will not impact read performance and will not be subject to charge.

4.5 Actual reads may be submitted by the Shipper up to D+5 to replace any estimate as per current DM rules.

R0057 Where an Estimate reading is loaded, this may be replaced via a Shipper submitted file up to D+5 by an Actual reading.

R0058 Where an estimate reading is loaded, is subsequently replaced with an Actual reading, this Estimated reading shall remain included within the read performance requirements.

4.6 Once an actual read has been accepted by the Transporter Agency this cannot be changed subsequently, the volume can be amended via a Consumption Adjustment.

R0059 Once an actual read has been accepted by the system this cannot be changed subsequently, the volume can be amended via a Consumption Adjustment as

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

per the current DM process.

R0060 (a) Base Level Service Requirement - Shippers contact Transporter Agency with Consumption Adjustment reads up to D+5 for manual input into UK Link, these transactions will be subject to a User Pays Charge. If Shippers contact the Transporter Agency after [D+5] this should be rejected.

(b) Additional Service Requirement – The DMI file as defined within the UK Link manual to be used by the Shippers to submit online Consumption Adjustments via IX up to D+5. If a Consumption Adjustment is received after D+5 this should be rejected.

R0061 Consumption Adjustments required after the D+5 closeout window should be raised as offline Consumption Adjustments as per the current DM process and will be subject to a User Pays Charge.

4.7 The Consumption Adjustment service will be a User Pays Service and will be chargeable in accordance with the Agency Charging Statement.

R0062 Where Consumption Adjustments are undertaken after D+5 these become more complex to administer, so a differentiated User Pays Charge will be attracted.

5. Shipper Transfer

5.1 Upon Shipper Transfer the incoming Shipper of the Daily Metered Elective meter point will provide an opening (transfer) read to the Transporter Agency by [10am] on the day.

R0063 Transfer reading shall be loaded by the incoming Shipper by provision of the daily reading by the defined cut off time.

R0064 Provision of readings to the outgoing Shipper shall be the responsibility of the Transporter Agency.

R0065 Files issued to the outgoing Shipper (when the incoming Shipper has nominated the site as DM Elective) should not be amended.

R0066 Treatment of readings around transfers need to be determined to utilise existing reading files.

5.2 Where the incoming Shipper of the Daily Metered Elective meter point is unable

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

to provide an opening read on Day 1 the Transporter Agency will provide an estimated read.

R0067 Following a Shipper transfer if an opening read is not provided on Day 1 an estimate should be generated.

R0067a Where there is insufficient information for calculation of the estimated reading using the rules described in 4.4 above, the NDM approach shall be used as described in M3.8.5(a).

5.3 The initial opening read estimate provided by the Transporter Agency in 5.2 above shall not be chargeable to the Shipper – any further estimated reads will be included in the incentive charge payable by the Shipper as per 4.4(iii) above.

R0068 If an estimate is generated for the opening read on Day 1 following Shipper transfer this estimate will not impact read performance and not be included in the incentive charge calculation.

5.4 The incoming Shipper will have access to the outgoing supplier ID at point of transfer (confirmation).

5.5 The incoming Shipper should request historic consumption data from the customer.

R0069 There is no requirement for the Transporter Agency to pass historic consumption data to the incoming Shipper.

R0069a Where the site is unelected as DM Elective and becomes an NDM meter point, the opening reading will be loaded in line with DM Estimation routine on D, where D is the confirmation effective date.

R0069b Where the incoming shipper obtains a transfer reading, this may be provided without agreement with the outgoing shipper (contrary to existing M3.8.7), if this reading is replaced before Exit Close Out date.

R0069c Incoming shipper must be able to provide a replacement opening reading such that the Transporters agent is able to process this reading prior to D+5. This will utilise the existing NDM reading routines. The timing of this batch job requires that this replacement reading is provided by the business day prior to the D+5 closeout period.

R0069d Where the Exit Closeout period is passed, the incoming shipper must agree

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

the revised transfer reading with the outgoing shipper using the principals of the existing Shipper Agreed Reads process.

6. Reconciliation and Resynchronisation

6.1 When a resynchronisation has been undertaken this needs to be flagged to the Transporter Agency on the day of the resynchronisation.

R0070 When a DM Elective site transfers ownership, responsibility for Reconciliation shall follow the DM Mandatory rules – i.e. the incoming Shipper shall bear the risk. This shall be regardless of whether the site transfers from DM Elective to DM Elective; DM E to DM M/V or vice versa.

R0071 (a) Base Level Service Requirement - The resynchronisation flag is set by a representative of the Shipper (IDC or Field Engineer) calling the Transporter Agency to set via an existing UK Link screen, this service would be subject to a User Pays Charge.

(b) Additional Service Level – The DMI file as defined within the UK Link Manual to be used to flag that a site has been resynchronised.

R0072 If the Transporter Agency is tasked with setting the resynchronisation flag an audit trail for the notification provided by the Shipper shall need to be held.

6.2 Shippers will validate resynchronisation readings prior to submission to the Transporter Agency.

R0073 The Transporter Agency will complete sense checks on the resynchronisation reads provided by the Shipper.

6.3 Where Shippers identify a resynchronisation read is due, the Transporter Agency will flag the subsequent read as an estimate (E).

R0074 Where a resynchronisation has been flagged within the system the subsequent read should be a system generated estimate.

R0074a Where a resynchronisation has been flagged within the system if the subsequent read provided by the Shipper is an actual, this should be rejected.

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

R0074b If the Shipper submits resynchronisation reads prior to setting the resynchronisation flag these resynchronisation reads should be rejected.

6.4 Shippers will submit resynchronisation readings with the effective date of the reading to the Transporter Agency. Resynchronisation readings may be submitted up to D+5.

R0075 (a) Base Level Service Requirement - Shipper contacts the Transporter Agency and provides resynchronisation reads to be manually input into an existing UK Link screen, this service would be subject to a User Pays Charge.

(b) Additional Service Requirement – The DMI file as defined within the UK Link Manual to be used to allow the Shippers to submit resynchronisation reads. This would require the ability to provide the readings before resynchronisation (Site Meter, DL Meter, Uncorr, Corr and DL Corr) and the readings after resynchronisation (Site Meter, Uncorr and Corr), system to determine whether drift has occurred and determine whether Reconciliation is required.

R0076 Where Resynchronisation readings are provided by Shippers these would not need to be differentiated from Resynchronisation readings provided by DMSPs. [Note: if the concept of unbundled readings is able to be applied, this would also be relevant to be flagged as unbundled]. These readings should be used to generate On Line Reconciliation.

6.5 Rollover reconciliation is currently set to 100,000 kWh for DM Mandatory meter points. For DME meter points rollover size will be scaled to that meter point’s previous EUC band. [needs specifying]

R0077 A relationship needs to be established between MPAQ band and kWh, where the kWh for the reconciliation period is below the set value for the MPAQ band the kWh value should be rolled over to the next reconciliation.

MPAQ Band (kWh)	Roll Over Reconciliation Value (kWh)
0 – 732,000	N/A
732,001 – 2,196,000	10,000
2,196,001 – 5,860,000	20,000
5,860,001 – 14,650,000	40,000
14,650,001 – 29,300,000	60,000
29,300,001 – 58,600,000	80,000
>58,600,000	100,000

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

R0078 A relationship needs to be established between MPAQ band and kWh, where the kWh for the reconciliation period is below the set value for the MPAQ band the kWh value should be written off.

MPAQ Band (kWh)	Reconciliation Write off Value (kWh)
0 – 732,000	N/A
732,001 – 2,196,000	0
2,196,001 – 5,860,000	0
5,860,001 – 14,650,000	0
14,650,001 – 29,300,000	0
29,300,001 – 58,600,000	0
>58,600,000	0

7. Check Readings and Meter Inspection

7.1 Shippers will continue to perform check readings and meter inspections in line with their obligations. An annual check reading will be submitted (see M4.7.1).

R0079 Where Check Readings are provided by Shippers this shall need to be treated as per existing functionality, in that it closes out the period –from the previous check reading – for the purposes of reconciliation. **[Note, check readings are not visible on UKLink currently but provision of a check reading should be used to set the Check Read Date and Flag.]**

R0080 (a) Base Level Service Requirement - The check read date and flag would be set by a representative of the shipper (IDC or Field Engineer) calling the Transporter Agency to set via an existing UK Link screen, this service would be subject to a User Pays Charge.

(b) Additional Service Level Requirement - The DMI file as defined within the UK Link Manual to be used to flag that a site has had a Check Read.

7.2 Subject to the development of the appropriate provisions within the Agency Charging Statement, the Transporter Agency will make available to Shippers a report on a Non Code User Pays Service to detail check reading and inspection due dates.

R0081 Ad-Hoc report to be designed to notify Shipper of the Annual Check visit date for DM Elective sites within their portfolio.

R0082 Ad-Hoc report to be designed to notify Shippers of Meter Inspection dates for meter points within their ownership.

R0083 Meter Inspection notification will be as per existing functionality using the

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

MIN file.

8. Datalogger faults

8.1 Where the equipment used to provide daily reads is found to be faulty, the Shipper will notify the Transporter Agency on the day it becomes aware of the fault, and the Transporter Agency will record that a fault has been identified.

R0084 (a) Base Level Service Requirement - Shippers to contact the Transporter Agency on the day a fault is identified, Transporter Agency will set the flag via an existing UK Link screen; these transactions will be subject to a User Pays Charge.

(b) Additional Service Requirement - The DMI file as defined within the UK Link Manual to be used by the Shipper to flag dataloggers as faulty.

N.B Options for the above two requirements need to be considered, dependent on analysis outcome and associated cost they may be de-scoped and Shippers will be responsible for ensuring that faulty reads are not submitted.

8.2 Any reads submitted by the Shipper whilst the equipment has been recorded as faulty will be rejected by the Transporter Agency and replaced by estimates as described in 4.4.

R0085 Where a DME site has been flagged as faulty, any subsequent actual reads submitted by the Shipper should be rejected as per the current DM process up to the point where the site is un-flagged.

8.3 Replacement reads provided by the Transporter Agency under 8.2 above will be included in the incentive charge payable by the Shipper in accordance with rule 4.4 (iii).

8.4 Where a datalogger fault has been fixed the Shipper will notify the Transporter Agency on the day it becomes aware it has been fixed and undertake resynchronisation, and provide such detail to the Transporter Agency.

R0086 (a) Base Level Service Requirement - Shippers to contact the Transporter Agency on the day a fault is resolved, Transporter Agency will un-flag via an existing UK Link screen and set the datalogger resynchronisation flag; these transactions will be subject to a User Pays Charge.

(b) Additional Service Requirement - The DMI file as defined within the UK Link Manual to be used by the Shipper to un-flag dataloggers as faulty,

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

system will automatically set the datalogger resynchronisation flag.

R0087 Following resolution of a datalogger fault the Shipper must as per the current DM process complete a resynchronisation and provide the reads to the Transporter Agency.

8.5 Where a Shipper provides a zero read and the datalogger has been flagged as faulty the Transporter Agency will reject this read.

9. DME Ratchets

9.1 Ratchet charges will not be levied for a DME meter point until the meter point's initial 12 month anniversary as a Daily Metered Meter Point where:

- i) The nominated DMSOQ is equal to or higher than the previous NDMSOQ

Where 9.1i is satisfied the ratchet alert will be sent to the Shipper but no charges will be levied.

R0088 Ratchet charges should not be levied for a DME meter point until the meter point's 12 month anniversary as a DME when the nominated SOQ is equal to or greater than the previous NDMSOQ.

R0089 During the first 12 months of a site being confirmed as DME where the nominated DMSOQ is equal to or higher than the previous NDMSOQ, a ratchet alert should be sent to the Shipper but no charges levied. The SOQ should increase in line with the ratcheted SOQ.

R0090 Following the initial 12 month anniversary Ratchet charges for a DME meter point should be applied.

R0090a Soft landing is NOT required if the site is transferring from the DM regime – as they will be aware of the correct SOQ detail. This would be true of sites that were DM, even if they transferred back into being NDM for a period prior to becoming DME. A parameterised value will be held to provide this period, that where the site has been exclusively NDM in this period the soft landing shall apply.

R0090b The 'Ratchet Soft Landing Date' will be applied up to the first anniversary of the first DM(E) confirmation – regardless of whether the site nominates in and out and back in during this time.

9.2 Ratchet charges will be applied according to the current UNC provisions where

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

the nominated DMSOQ for a DME meter point is lower than the previous NDMSOQ.

10. Changes to classifications

10.1 Where a supply meter point no longer meets the criteria of a DM mandatory supply meter point the Shipper may elect to reconfirm such meter points as DME or NDM.

R0091 Where a Supply Meter Point no longer meets the criteria of a DM Mandatory Supply Meter Point the Shipper may elect to reconfirm such meter points as DM Elective or NDM. The supply meter point may also remain as DM Voluntary– i.e. DM Services provided by the Network’s DMSP.

10.2 Where such meter points (as per 10.1 above) remain to be read by the DMSP these shall be DM voluntary meter points and prevailing charges will be applied.

10.3 Where a DME supply meter point meets the criteria of a DM mandatory supply meter point the Shipper must reconfirm that meter point as DM mandatory.

R0092 Where a DM Elective Supply Meter Point meets the criteria of a DM Mandatory Supply Meter Point the Shipper MUST reconfirm as DM Mandatory.

10.4 Where a DM voluntary supply meter point is nominated as DME any future change back to DM mandatory/Voluntary will incur relevant charges from the DMSP to the Shipper.

10.5. For the purposes of “gas protected by monitor” calculations, volumes associated with DME load should be treated the same as NDM loads.

General Business Requirements

R0093 Information related to DM Elective sites cannot be visible to DMSPs via DNLink.

R0094 The reading file must be processed so that the energy may be calculated and passed to Invoicing 95 and Gemini at the same time as the existing propagation of data to these systems by the existing DM regime.

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

- R0095 The processing of the DM Elective reading file should not impact provision of the MDR file to Shippers for meter points included as part of the DM Mandatory regime.
- R0096 The 'early' (before 11.00am) MDR file that is monitored for determination of liabilities shall not be issued for DM Elective meter points.
- R0097 New invoicing mechanism required for transactional / subscription charges.
- R0098 Readings from DM Mandatory and DM Voluntary sites shall continue to be provided by DMSPs, DM Mandatory and DM Voluntary sites will still be subject to liability payments.
- R0099 Readings received from Shippers for DM Elective meter points will not be provided to Shippers in an *.MDR file. Consequently, liabilities associated with non provision of readings within the 'early' (pre 11:00am) *.MDR are not relevant.
- R00100 Transporter Agency shall maintain existing operating hours – Monday to Thursday 9am – 5pm and Friday 9am – 4:30pm. Transporter Agency shall not be required to offer a 365 day a year out of hour's service.
- R00101 There is no requirement for specific DM Elective related information such as IDC identity to be visible on IAD.
- R00102 There is no requirement for DME related information to be provided to the incoming Shipper at transfer.
- R00103 Shippers to notify Transporter Agency the day following a site visit to a Prime site (DME Prime or DME Sub) in order for the Transporter Agency to arrange a site visit for any linked NDM Prime or Sub meters to obtain coterminous reads.

Reporting Requirements

There are no reporting requirements other than those detailed below:

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

- Section 1.4 Requirement R009 – DME prescribed uptake volume.
- Section 7.2 Requirement R0081 – Provision of check read date.
- Section 7.2 Requirement R0082 – Provision of meter inspection date.

User Pays costs and charging

This modification proposal will introduce the Daily Metered Elective regime as an optional user pays based service for all eligible meter points. This will be defined as a code service and prices will be determined by the Agency Charging Statement (ACS) methodology and published in the ACS.

Allocation of costs will be 100% Shipper, 0% Transporter. Once a more accurate cost estimate has been established, charges will be fixed for the initial period and reviewed annually by the transporters via the ACS. The proposed menu of charges will comprise:

i) **Fixed charges** – These charges will reflect the system development costs incurred by the transporter agency in relation to the implementation of this modification. The charges will be applied on a one-off basis as described below:

a) Costs will be targeted at those shippers who have eligible meter points on the date of implementation.

b) Charges will be banded using the following method:

Eligible Meter points within EUC bands 6,7,8 will be subject to a cost multiplier of 2 (relative to the base cost)

Eligible Meter Points within EUC band 5 will be subject to a cost multiplier of 1.5 (relative to the base cost)

Eligible Meter Points within EUC band 4 will pay the base cost with no additional multiplier (i.e. multiplier of one).

For example:

Assume the base charge for an eligible meter point is £10, the one-off costs will be:

- For an eligible meter point within EUC Bands 6-8 inclusive $£10 * 2 = £20$
- For an eligible meter point within EUC Band 5 $£10 * 1.5 = £15$
- For an eligible meter point within EUC Band 4 $£10 * 1 = £10$

ii) **Operational Charges** – These charges will be applied monthly on a supply meter point basis for the duration of the service. These charges aim to recover the additional

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

operational costs incurred by the Transporter Agency from the DME service.

iii) **Transaction Charges** – These charges will be applied daily and billed on a monthly basis. These charges aim to reflect the costs incurred by the Transporter Agency for the provision of additional services within the UNC regime. For example: R00080(a).

iv) **Incentive Charge** – The estimated read service provided by the transporter Agency in the event that the Shipper fails to provide readings will be charged in accordance to Business Rule 4.4.

Rough Order of Magnitude costs

Review group 175 identified the following rough order of magnitude costs associated with this proposal:

Table 2 -

Rough Order of Magnitude Costs £000s					
One- Off Costs	Supply Point Number	Core System Change Costs	Offline System Replacement Costs	xoserve project delivery costs	Total Costs (One-Off)
	<25,000	£270k-£395k	£40k-£60k	£70k-£95k	£380k-£550k
Operational Costs (Annual)		Operational Costs	Operational Support	----- ---	Total Costs (Annual)
	<25,000	£135k-£348k	£20k-£30k	----- --	£155k-£378k

Formatted: Font: Not Bold

Source: Scotia Gas Networks

2 Extent to which implementation of the proposed modification would better facilitate the relevant objectives

Standard Special Condition A11.1 (a): *the coordinated, efficient and economic operation of the pipe-line system to which this licence relates;*

Increasing the range of supply points which can nominate to become Daily Metered:

- Increases the level of information available to transporters relating to

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

locational daily gas flows on their network.

- Increases the likelihood of available demand side response.
- Enables a mechanism for validation of volume cessation at DME Large Firm Supply Points in an emergency

Standard Special Condition A11.1 (b): *so far as is consistent with sub-paragraph (a), the (i) the combined pipe-line system, and/ or (ii) the pipe-line system of one or more other relevant gas transporters;*

Implementation would not be expected to better facilitate this relevant objective.

Standard Special Condition A11.1 (c): *so far as is consistent with sub-paragraphs (a) and (b), the efficient discharge of the licensee's obligations under this licence;*

Reduces the number and volumes of NDM reconciliations enabling Transporters to bill in a more timely and accurate fashion.

Standard Special Condition A11.1 (d): *so far as is consistent with sub-paragraphs (a) to (c) the securing of effective competition: (i) between relevant shippers; (ii) between relevant suppliers; and/or (iii) between DN operators (who have entered into transportation arrangements with other relevant gas transporters) and relevant shippers;*

Also, this modification proposal better facilitates Standard Special Condition A11.1d “securing of effective competition between shippers and suppliers” as it:

- Extends the range of contracts available to customers e.g. day-ahead price
- Extends the market for demand side response
- Improves the economic case for AMR rollout and increases the likelihood for early roll-out of AMR equipment over and above statutory deadlines.
- Reduces reconciliation risk for suppliers associated with the NDM regime
- Has the potential to reduce carbon emissions through better Energy Management
- Provides an industry process in which AMR can operate, there are currently no defined processes

Standard Special Condition A11.1 (e): *so far as is consistent with sub-paragraphs (a) to (d), the provision of reasonable economic incentives for relevant suppliers to secure that the domestic customer supply security standards (within the meaning of*

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

paragraph 4 of standard condition 32A (Security of Supply – Domestic Customers) of the standard conditions of Gas Suppliers’ licences) are satisfied as respects the availability of gas to their domestic customers;

Implementation would not be expected to better facilitate this relevant objective.

Standard Special Condition A11.1 (f): *so far as is consistent with sub-paragraphs (a) to (e), the promotion of efficiency in the implementation and administration of the network code and/or the uniform network code.*

Implementation would not be expected to better facilitate this relevant objective.

3 The implications of implementing the Modification Proposal on security of supply, operation of the Total System and industry fragmentation

No implications on security of supply, operation of the Total System or industry fragmentation have been identified.

4 The implications for Transporters and each Transporter of implementing the Modification Proposal, including:

a) implications for operation of the System:

xoserve are undertaking an assessment of system impacts and will report once the investigation is concluded.

b) development and capital cost and operating cost implications:

System development costs and transactional charges are to be developed in line the current User Pays methodology being developed for Proposal UNC0213.

c) extent to which it is appropriate to recover the costs, and proposal for the most appropriate way to recover the costs:

System development costs and transactional charges are to be developed in line the current User Pays methodology being developed for Proposal UNC0213.

d) Analysis of the consequences (if any) this proposal would have on price regulation:

No consequence for price regulation has been identified.

5 The consequence of implementing the Modification Proposal on the level of contractual risk of each Transporter under the Code as modified by the Modification Proposal

No such consequence is anticipated.

- 6 The high level indication of the areas of the UK Link System likely to be affected, together with the development implications and other implications for the UK Link Systems and related computer systems of each Transporter and Users**

xoserve to produce an impact assessment.

- 7 The implications of implementing the Modification Proposal for Users, including administrative and operational costs and level of contractual risk**

Administrative and operational implications (including impact upon manual processes and procedures)

No such implications have been identified.

Development and capital cost and operating cost implications

No such costs have been identified.

Consequence for the level of contractual risk of Users

No such consequence has been identified.

- 8 The implications of implementing the Modification Proposal for Terminal Operators, Consumers, Connected System Operators, Suppliers, producers and, any Non Code Party**

No such implications have been identified.

- 9 Consequences on the legislative and regulatory obligations and contractual relationships of each Transporter and each User and Non Code Party of implementing the Modification Proposal**

No such consequences have been identified.

- 10 Analysis of any advantages or disadvantages of implementation of the Modification Proposal**

Advantages

- Better facilitates competition between Shippers and Suppliers in the provision of services and information offered to customers.
- Increases the availability of locational based gas flow information to Transporters.

Disadvantages

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

- Reduces the number of supply points available for NDM demand modelling.
- Increases the cost of managing the NDM pools as NDM equipment may need to be relocated

11 Summary of representations received (to the extent that the import of those representations are not reflected elsewhere in the Workgroup Report)

No written representations have been received.

12 The extent to which the implementation is required to enable each Transporter to facilitate compliance with safety or other legislation

No such requirement has been identified.

13 Any other matter the Workgroup considers needs to be addressed

14 Programme for works required as a consequence of implementing the Modification Proposal

No programme for works has been identified.

15 Proposed implementation timetable (including timetable for any necessary information systems changes)

Implementation could be immediate on receipt of a decision.

16 Implications of implementing this Modification Proposal upon existing Code Standards of Service

No implications of implementing this Modification Proposal upon existing Code Standards of Service have been identified.

17. Workgroup recommendation regarding implementation of this Modification Proposal

0224: Facilitating the use of AMR in the Daily Metered Elective Regime

The Workgroup considers that the Proposal is sufficiently developed and should now proceed to the Consultation Phase. The Workgroup also recommends that the Panel requests the preparation of legal text for this Modification Proposal.

18. Workgroup's comments on legal text

This modification proposal contains detailed business rules on which to base changes to UNC legal text.

19. Text

Nature and Purpose of Proposal (including consequence of non implementation)

0224: Facilitating the use of AMR in the Daily Metered Elective Regime