

# 0610: Project Nexus - Miscellaneous Requirements

National Grid Gas Distribution

UK GAS DISTRIBUTION





# Why change?

- ‘Core’ Project Nexus Modifications 0432, 0434 and 0440 (directed for implementation in 2014/15) were drafted inline with the relevant Business Requirements Documents (BRDs) at the time
- In the intervening years the BRDs have been updated with a number of new/amended requirements which have been discussed and agreed at PNUNC
- Following work to identify any gaps between the updated BRDs and the ‘Core’ Project Nexus Modifications a number of incorrect references and housekeeping tidy up measures have been identified and will also be dealt with within the Modification



# Solution

- A number of changes (63+) have been identified which will require amendment of UNC which will essentially align 'Code' with the 'as built' UK Link solution.
- The Modification has been split into two sections to highlight those changes identified within the BRDs at PNUNC and those 'anomalies' identified by Xoserve/DNs during preparation of the Modification
  - Each change identified within the Modification Solution section has the corresponding BRD reference
  - Each change identified with the anomalies section outlines the section of UNC which will be amended
- Associated Legal text will be provided to the workgroup at the earliest opportunity to aid the groups full understanding of the required changes



## Recommended Steps

- The Proposer recommends that this modification should be
  - Subject to self-governance
  - Proceed to Workgroup assessment to develop the modification for a period of two months