PARR Dashboards

14th September 2020





2A.1 Estimated & Check Reads - Product Classes 1 & 2

Report measures the percentage of each shippers portfolio where estimated reads were provided. Count of each shippers portfolio where check reads were not provided

PC1		
Industry movement: ↓ 0.93% - Monthly ↑ 2.17% - Annual ch	change	
Monthly changes: ↑ 0.99% Saipan ↑ 0.85% Reykjavík	\downarrow 5.28% Brazzaville \downarrow 4.84% Valletta	

↓ 2.93% Ramallah

PC2


Industry movement: ↓ 4.81% Monthly change ↓ 15.36% Annual change

Monthly changes:


↑ 63.44% Athens
 ↑ 3.62% Rome
 ↑ 2.54% Gitega

↓ 25.00% Tiraspol
 ↓ 15.87% Papeete
 ↓ 10.23% Thimphu

2A.1 Percentage of Estimated Reads for PC1 & PC2



2A.1 Count of Check Reads not completed for PC1 and PC2



Observations:


1.24% Rome

- Slight improvement in the use of estimated reads in PC2 for July
- The number of uncompleted check reads has stabilised for both PC1 and PC2


2A.1 Estimated & Check Reads - Product Classes 1 & 2



2A.1 Estimated & Check Reads - Product Classes 1 & 2




2A.1- 12 Month comparison (Average of PC1 Estimated Reads)



2A.2 – No Meter Recorded

Report measures the percentage of each shippers portfolio where no meter recorded in the supply point register



2A.2 Percentage of No Meter recorded by Product Class

Observations:

PC1

0% for all shippers

PC3

Highest shippers:


Praia 0.39%

Roseau 0.18%

- The % of no meter recorded has increased in PC4 whilst remaining unchanged in all other product classes.

PC4

2A.3 No Meter Recorded and data flows received



■ Mar-20 ■ Apr-20 ■ May-20 ■ Jun-20 ■ Jul-20

PC3

Roseau 0.18%

Praia 0.10%

2A.4- Shipper Transfer Read Performance

Report measures the percentage of Shipper portfolio of opening meters reads provided following confirmation

Industry movement:

↑ 4.22% Monthly change
↓ 6.06% Annual change

Monthly changes:

\uparrow	49.42%	Saipan
\uparrow	27.70%	Kinshasa
\uparrow	20.07%	Riyadh

↓ 19.17% Dili
 ↓ 14.61% Lisbon
 ↓ 11.58% Doha

Observations:

 The number of transfer reads being submitted within the relevant window are still well below the requirements of the UNC

Recommendations:


- Continued industry education on obligation to provide opening meter readings following confirmation
- Continue to ask CAMs to maintain focus on this area when speaking to Shippers
- PAC will continue to monitor but will be considering focused Shipper targeting in the coming months

2A.4 Percentage of opening meter reads provided by industry total



Month

2A.4- 12 Month Comparison of Shipper Transfer Read Performance




0.00% 10.00% 20.00% 30.00% 40.00% 50.00% 60.00% 70.00% 80.00% 90.00%100.00%

Percentage Jul-19 Jul-20


2A.5- Read Performance

Report measures the percentage of Shipper portfolio submitting reads in April 2020

PC4 Monthly and Annually read measures the percentage of Shipper portfolio submitting reads in March 2020








PC1 54.84% Valletta 68.29% Washington 90.47% Papeete PC2 0.00% Praia 3.23% Athens 66.67% Washington PC3 0% Tripoli 0% Luxembourg 0% Wellington 0% Oranjestad 0% Castries 0% Philipsburg 0% Washington PC4 (Monthly) 0% Bern 0% Baghdad 0% Khartoum 0% Monaco 0% Warsaw 0% Kampala 0% Nairobi 0% Maputo PC4 (Annual) 1.47% Bratislava 33.33% Suva 57.74% Bucharest

2A.5- Read Performance (PC1)




30.00% 40.00% 50.00% 60.00% 70.00% 80.00% 90.00% 100.00%

Density

2A.5 Distribution of percentage of PC1 sites providing meter reads

Percentage

2A.5- Read Performance (PC2)





Read Performance - PC2

2A.5 Distribution of percentage of PC2 sites providing meter reads


Gemserv

2A.5- Read Performance (PC3)






2A.5- Read Performance (PC4)





Read Performance - PC4

2A.5 Distribution of percentage of PC4 Monthly sites providing meter reads



Percentage







2A.6 Meter Read Validity Monitoring


	submitte	d failed vali	e percentage dation er read validi				Product Class	Reads where logic check failed as a	MRE01030	MRE01026	MRE01027	MRE01028	MRE01029
5.00%					,		1	% of submitted readings Valletta –					
5.00% 0.00%							2	20.41% Praia - 36.00%	Thimphu – 3.62%	Gitega – 0.71%	Athens - 8.51%		Saipan – 0.73%
5.00% - 0.00% -						1000	2						
	Reads where logic check* failed as a % of submitted	3	Monaco – 55.36%	Gitega – 0.98%	Gitega – 0.45%	Saipan – 1.89%		Monaco – 26.34%					
	readings	readings- MRE01030	readings- MRE01026	readings- MRE01027	readings- MRE01028	readings- MRE01029	4	Bratislava – 96.12%	Saipan - 4.75%	Pyongyang – 13.33%	Valletta - 4.10%		Bissau – 33.33%

Report measures the percentage of Shipper portfolio in the specified AQ band without a meter reading for the specified period





PC1 - EUCO1







■ Feb-20 ■ Mar-20 ■ Apr-20 ■ May-20 ■ Jun-20 ■ Jul-20































Gemserv








■ Feb-20 ■ Mar-20 ■ Apr-20 ■ May-20 ■ Jun-20 ■ Jul-20











■ Feb-20 ■ Mar-20 ■ Apr-20 ■ May-20 ■ Jun-20 ■ Jul-20











■ Feb-20 ■ Mar-20 ■ Apr-20 ■ May-20 ■ Jun-20 ■ Jul-20


Gemserv









■ Feb-20 ■ Mar-20 ■ Apr-20 ■ May-20 ■ Jun-20 ■ Jul-20








■ Feb-20 ■ Mar-20 ■ Apr-20 ■ May-20 ■ Jun-20 ■ Jul-20





■ Feb-20 ■ Mar-20 ■ Apr-20 ■ May-20 ■ Jun-20 ■ Jul-20

■ Aug-19 ■ Sep-19 ■ Oct-19 ■ Nov-19 ■ Dec-19 ■ Jan-20


2A.8 AQ Correction by Reason Code

Report measures the count of Shipper Portfolio of MPRNs where AQ Correction process used

Changes in total number of AQ corrections used



2A.8 Count of AQ Corrections used by reason code



■ Feb-20 ■ Mar-20 ■ Apr-20 ■ May-20 ■ Jun-20 ■ Jul-20

Observations:

- The AQ corrections under "change in consumer plant" have reduced from the spike in June 2020.
- PAFA have referred this to the CAMs for investigation as the activity is focused on a smaller number of Shippers rather than across the industry
- PAC will continue to closely monitor this area

2A.9 Standard CF AQ > 732,000 kWh

Report measures the count of sites with an AQ>732,000 kWh, but having a standard correct factor


EUC04	EUC07
 ↑ 113 Monthly Change ↓ 1137 Annual Change 	 ↑ 3 Monthly Change ↑ 13 Annual Change
EUC05	EUC08
↑ 13 Monthly Change ↓ 137 Annual Change	↑ 1 Monthly Change ↑ 3 Annual Change

EUC06

↑ 3 Monthly Change \downarrow 19 Annual Change ge e

EUC09

No Monthly Change ↑ 1 Annual Change



2A.9 Count of sites above >732,000 kWh using standard CF

EUC09 EUC04 (RHS)

Observations:

- EUC04 continues to have a significantly higher number of standard correction factors incorrectly used compared to other EUC bands
- Work with the CAMs continues in the area, but PAC are aware of the implementation of UNC681s and the potential impacts on the reports
- Monitoring will continue

Gemserv

2A.10 Replaced Meter Reads

Report measures the count of meter reading replacements which results in reconciliation adjustments

EUC01	EUC05
↑ 5292 Monthly Change ↑ 9764 Annual Change	↑ 2 Monthly Cha ↑ 5 Annual Chan

EUC02

↑ 41 Monthly Change ↑ 122 Annual Change

EUC03

↑ 136 Monthly Change ↑ 196 Annual Change

EUC04

↑ 24 Monthly Change ↑ 75 Annual Change



EUC06


↑ 0 Monthly Change ↑ 6 Annual Change

EUC07

 \downarrow 1 Monthly Change ↑ 2 Annual Change

EUC08

↑ 4 Monthly Change ↑ 3 Annual Change



Month

Observations:

- Work with the CAMs has enabled the PAC to identify that in general, the spikes are due to Shipper's cleansing their portfolio.
- PAC will continue to monitor this area •

EUC09

No data recorded

Appendix – PARR report details

Sr No 🔻	Topic	Details	Split By 👻	12 Rolling Months	Format	e.g. For Nov Report	Condition Comments
	2A - Estimated & Check Reads used for Gas Allocation, andconsumption adjustments for Product Classes 1 & 2	Need to count everyday portfolio and count mprn where read has been estimated and no actual present on the same day . Check Read : For check reads we would need to check , as of reporting day how many class 1 & 2 MPRNs are present with DRE/AMR. For those MPRNs we have site visit read <=14 months and no subsequent site visit read . Those are outstanding ones per shipper.	Class	Annual	Percentage	September	M-2
2	2A - No Meter Recorded in the Supply Point Register	AQ Band wise , AQ band based on report run day . Class wise different table And AQ Band. Exclude NTS connected Sites & Telemeterd. Exiting SHPK - Topic - Confirmed No Asset Report	Class	Annual	Count & B - Percentag	Νον	M
3	No Meter Recorded in the Supply Point Register and data flows received by Xoserve	Same as above but additionally need to check if for above MPRNs any Data Flow Means - > Asset Update , C & D Store & Reads received in that month	Class	Annual	Count & B - Percentag		
4	2A - Shipper Transfer Read Performance	M-2 is considered – Open OPNT_REQ_FOLL_CON OPNT_RECEIVED_10	Class	Annual	Percentage	September	M-2
5	Read Performance	As per frequency we need to check if we hav e received the read e.g. month read site will check if we have received the read in month .Class and shipper transfer are excluded .6 Monthly read site need to consider yearly ,It is not in UNC. It will be like MUR logic M-2 , exclude sites where class changes happened in M-2 , shipper changes			Percentage	September	M-2

Appendix – PARR report details

Sr No	Topic	▼ Details	Split By 🔹	12 Rolling Months	Format	e.g. For Nov Report	Condition	Comments
	2A - Meter Read Validity Monitoring	MRE01026 :Reading breached the lower Outer tolerance. MRE01027 :Reading breached the Upper Outer tolerance. MRE01028 :Reading breached the lower Inner tolerance value and no override flag provided. MRE01029 :Reading breached the upper Inner tolerance value and no override flag provided. MRE01030 :Override tolerance passed and override flag provided We can build this from DUK_ARSR , by checking failed reads . DUK_READ = We can get how many successfull reads received based on Status =U . Failed once are with status =F	Reason Codes		Percentage	October	M-1	
	No reads received for 1,2,3 or 4 years (excludeds estimated	Per class table , per AQ Band ,Need to ignore estimates for all classed Logic is similar to existing SHPK Logic - NO_READ_2Y_3Y_B73200 Here we would need to create 4 counts No reads received for 1 , 2 , 3 , 4 years sepeartely as per layout	AQ Band	Annual	Percentage	Nov	M	
	2A - AQ Corrections 8	AQ correction by reason code : Switch Type = 50 , Switch View = 50 , Switch status = LI Reason code per table , Reason code is new field added in ISU BW - DS OUC_SWTDOC Switch Document new field added in DS - ZZ_AQ_REASON	AQ Band	Annual	count	October	M-1	
	2A - Standard Correction Factors for sites with AQ > 732, MWH	Standard correction factor by AQ Band count of meter points where replacement reads received by AQ Band , only for class	AQ Band	Annual		Nov	м	Report should only include AQ above 732000. Currently including >=732000
1	2A - Replaced Meter Reads	Count of meter points where replacement reads received by AQ Band ,Omy for class 3& 4 , Replaced meter reads are identified with DUK_READ where read reason = R , Upload Status = U , we would need to add AQ Band either in DUK_READ or consider while processing	AQ Band	Annual		October	M-1	

PAFA@Gemserv.com





