PARR Dashboards

14th December 2020





2A.1 Estimated & Check Reads - Product Classes 1 & 2

Report measures the percentage of each shippers portfolio where estimated reads were provided. Count of each shippers portfolio where check reads were not provided

Industry movement:

↑ 1.11% - Monthly change
↑ 1.94% - Annual change

Monthly changes:

↑ 9.09% Thimphu	↓ 7.83% Ramallah
1 9.68% Ankara	↓ 15.07% Valletta
↑ 38.71% Mogadishu	↓ 16.72% Washington


PC2

Industry movement:
 ↑ 7.42% Monthly change
 ↓ 8.29% Annual change


Monthly changes:

↑ 22.58% Manama	↓ 4.85% Rome
↑ 33.64% Reykjavik	↓ 10.21% Gitega
↑ 51.61% Tehran	↓ 12.29% Thimphu

2A.1 Percentage of Estimated Reads for PC1 & PC2








Observations:


- Estimated reads have declined over recent months for both PC1 and PC2, though there is a slight increase in estimated reads for both markets in October 2020.
- The number of uncompleted check reads has stabilised for both PC1 and PC2, though there has been a slight rise for those Shippers in PC1.

2A.1 Estimated & Check Reads - Product Classes 1 & 2



2A.1 Estimated & Check Reads - Product Classes 1 & 2







2A.2 – No Meter Recorded

Report measures the percentage of each shippers portfolio where no meter recorded in the supply point register



2A.2 Percentage of No Meter recorded by Product Class

Observations:

- The % of no meter recorded has seen a steady increase since September 2019 in PC4.
- The PAC, PAFA and CAMs at Xoserve are working with the relevant Shippers in this area who are driving the increase in the number of no meters recorded

2A.3 No Meter Recorded and data flows received

Report measures the percentage of each shippers portfolio where no meter recorded in the supply point register and data flows received

Roseau 0.77%

 PC1 & PC2
 0.05%

 0% for both product classes
 0.04%

 0.03%
 0.03%

 0.01%
 0.01%


 PC3
 PC4

 Highest shippers:
 Nuuk 0.04%

 Willemstad 0.21%
 Willemstad 0.21%

 Kinshasa 0.24%
 Market shippers:

2A.3 No Meter recorded by Product Class and data flows received



2A.4- Shipper Transfer Read Performance

Report measures the percentage of Shipper portfolio of opening meters reads provided following confirmation

Industry movement:

 \downarrow 0.90% Monthly change


↑ 1.19% Annual change

Observations:

- The number of transfer reads being submitted within the relevant window are still well below the requirements of the UNC


Recommendations:

- Continued industry education on obligation to provide opening meter readings following confirmation
- Continue to ask CAMs to maintain focus on this area when speaking to Shippers
- PAC will continue to monitor but will be considering focused Shipper targeting in the coming months










0.00% 10.00% 20.00% 30.00% 40.00% 50.00% 60.00% 70.00% 80.00% 90.00% 100.00%

Percentage Oct-20 Oct-20

2A.5- Read Performance

Report measures the percentage of Shipper portfolio submitting reads in October 2020

PC4 Monthly and Annually read measures the percentage of Shipper portfolio submitting reads in September 2020



Poorest performing Shippers:

2A.5 Percentage of Product Class read submissions

PC1

61.29% Mogadishu 88.61% Philipsburg 90.32% Ankara

PC2

0.00% Praia 8.05% Reykjavik 28.39% Tehran

PC3
0% Tripoli
0% Luxembourg
0% Oranjestad
0% Philipsburg
0% Washington

PC4 (Monthly)

0% Bern 0% Bratislava 0% Khartoum 0% Monaco 0% Bishek


0% Nairobi

0% Doha 0% Maputo


PC4 (Annual) 1.42% Bratislava 54.14% Prague

61.14% Bucharest

2A.5 Percentage of Product Class read submissions





2A.5- Read Performance (PC1)



Read Performance - PC1


Series1






Read Performance - PC2

Series1






Read Performance - PC3




2A.5- Read Performance (PC4)





Read Performance - PC4

2A.5 Average distribution (2020 YTD) of read performance for PC4 Monthly sites




0.00% 10.00% 20.00% 30.00% 40.00% 50.00% 60.00% 70.00% 80.00% 90.00% 100.00% Percentage





2A.6 Meter Read Validity Monitoring

Report measures the percentage of Shipper portfolio where reads submitted failed validation




2A.6 Percentage of meter read validity by Product Class - October 2020


■ PC1 ■ PC2 ■ PC3 ■ PC4

Product Class	Reads where logic check failed as a % of submitted readings	MRE01030	MRE01026	MRE01027	MRE0102 8	MRE0102 9
1	Mogadishu –22.14%					
2	Manama – 25.93%	Saipan - 2.24%	Papeete 0.42%	Rome - 1.08%		Saipan – 2.20%
3	Lisbon – 50.62%	Monaco – 5.63%	Islamabad – 1.49%	Roseau– 2.60%		Monaco – 34.51%
4	Nassau — 100%	Kampala – 3.39%	Tarawa — 2.79%	Philipsburg – 1.86%		Monaco – 50.00%


Report measures the percentage of Shipper portfolio in the specified AQ band without a meter reading for the specified period


EUC01 – EUC06 have no meters which have not been unread for a period less than one year in recent months







■ May-20 ■ Jun-20 ■ Jul-20 ■ Aug-20 ■ Sep-20 ■ Oct-20









PC2 - EUC03















PC2 - EUC08










PC3 - EUC03 5.00% 4.50% 4.00% 3.50% 3.00% 2.50% 2.00% 1.50% 1.00% 0.50% 0.00% 1 Yr 2 Yr 3 Yr 4 Yr Year ■ Nov-19 ■ Dec-19 ■ Jan-20 ■ Feb-20 ■ Mar-20 ■ Apr-20 ■ May-20 ■ Jun-20 ■ Jul-20 ■ Aug-20 ■ Sep-20 ■ Oct-20












PC3 - EUC08




9.00%


8.00%







PC4 - EUC03












PC4 - EUC06









2A.8 AQ Correction by Reason Code

Report measures the count of Shipper Portfolio of MPRNs where AQ Correction process used

Changes in total number of AQ corrections used

 Reason Code 01- Confirmed Theft ↑ 1 Monthly Change ↑ 1 Annual Change 	 Reason Code 02- Change in Consumer Plant ↑ 1170 Monthly Change ↑ 1716 Annual Change 	\$ 3000 2000 1000 0	
Reason Code 03- Commencement of New Business	Reason Code 04- Tolerance Change ↓ 11 Monthly Change	Reason Code 1 - Reason Code 2 - Reason Code 3 - Reason Code Confirmed theft Change in commencement of Tolerance cha consumer plant new business	
↑ 11 Annual Change	↑ 87 Annual Change	■ Nov-19 ■ Dec-19 ■ Jan-20 ■ Feb-20 ■ Mar-20 ■ Apr-20	
		■ May-20 ■ Jun-20 ■ Jul-20 ■ Aug-20 ■ Sep-20 ■ Oct-20	

2A.8 Count of AQ Corrections used by reason code

Observations:

- The AQ corrections under "change in consumer plant" have reduced from the spike in June 2020.
- PAFA have referred this to the CAMs for investigation as the activity is focused on a smaller number of Shippers rather than across the industry

5000

4000

PAC will continue to closely monitor this area

2A.9 Standard CF AQ > 732,000 kWh

EUC09

3 Monthly Change

4 Annual Change

Report measures the count of sites with an AQ>732,000 kWh, but having a standard correct factor



EUC04

 \downarrow **36** Monthly Change \downarrow **519** Annual Change

EUC05

EUC06


↑ 2 Monthly Change
↓ 12 Annual Change

Observations:

250

- EUC04 continues to have a significantly higher number of standard correction factors incorrectly used compared to other EUC bands
- Work with the CAMs continues in the area, but PAC are aware of the implementation of UNC681s and the potential impacts on the reports
- Monitoring will continue

2A.9 Count of sites above >732,000 kWh using standard CF



2500

2A.10 Replaced Meter Reads

Report measures the count of meter reading replacements which results in reconciliation adjustments

EUC05
↓ 7 Monthly Cha
$\downarrow {f 12}$ Annual Cha
EUC06

EUC09

No data recorded

↓ **663** Monthly Change ↓ **497** Annual Change

EUC03

 \downarrow 97 Monthly Change ↓ **79** Annual Change

EUC04

 \downarrow **3** Monthly Change \downarrow **11** Annual Change



ange

5 Monthly Change **1 2** Annual Change

EUC07

↑ 1 Monthly Change **No** Annual Change

EUC08

 \downarrow **1** Monthly Change ↓ **4** Annual Change

2A.10 Count of meter reading replaced by EUC 3000 350000 300000 2500 250000 2000 ------ EUC03 Counts 200000 1500 150000 EUC05 1000 100000 EUC06 500 50000 --------------------------------EUC07 0 0 EUC08 OCT DON'T DEC'T ISN'T FED WAT POT WAY JUNT UND ENE SED OCT D EUC01 (RHS) Month

Observations:

- Work with the CAMs has enabled the PAC to identify that in general, the spikes are due to Shipper's cleansing their portfolio.
- The number of replaced meter reads has generally been trending • downwards across all EUC bands over the last few months.

Gemserv

Appendix – PARR report details

Sr No 🔻	Topic	Details	Split By 👻	12 Rolling Months	Format	e.g. For Nov Report	Condition Comments
	2A - Estimated & Check Reads used for Gas Allocation, andconsumption adjustments for Product Classes 1 & 2	Need to count everyday portfolio and count mprn where read has been estimated and no actual present on the same day . Check Read : For check reads we would need to check , as of reporting day how many class 1 & 2 MPRNs are present with DRE/AMR. For those MPRNs we have site visit read <=14 months and no subsequent site visit read . Those are outstanding ones per shipper.	Class	Annual	Percentage	September	M-2
2	2A - No Meter Recorded in the Supply Point Register	AQ Band wise , AQ band based on report run day . Class wise different table And AQ Band. Exclude NTS connected Sites & Telemeterd. Exiting SHPK - Topic - Confirmed No Asset Report	Class	Annual	Count & B - Percentag	Νον	M
3	No Meter Recorded in the Supply Point Register and data flows received by Xoserve	Same as above but additionally need to check if for above MPRNs any Data Flow Means - > Asset Update , C & D Store & Reads received in that month	Class	Annual	Count & B - Percentag		
4	2A - Shipper Transfer Read Performance	M-2 is considered – Open OPNT_REQ_FOLL_CON OPNT_RECEIVED_10	Class	Annual	Percentage	September	M-2
5	Read Performance	As per frequency we need to check if we hav e received the read e.g. month read site will check if we have received the read in month .Class and shipper transfer are excluded .6 Monthly read site need to consider yearly ,It is not in UNC. It will be like MUR logic M-2 , exclude sites where class changes happened in M-2 , shipper changes			Percentage	September	M-2

Appendix – PARR report details

ir No 🔄	Торіс	Details	Split By 🔹	12 Rolling Months	Format	e.g. For Nov Report	Condition	Comments
	2A - Meter Read Validity Monitoring	MRE01026 :Reading breached the lower Outer tolerance. MRE01027 :Reading breached the Upper Outer tolerance. MRE01028 :Reading breached the lower Inner tolerance value and no override flag provided. MRE01029 :Reading breached the upper Inner tolerance value and no override flag provided. MRE01030 :Override tolerance passed and override flag provided We can build this from DUK_ARSR , by checking failed reads . DUK_READ = We can get how many successfull reads received based on Status =U . Failed once are with status =F	Reason Codes	:	Percentage	October	M-1	
	No reads received for 1,2,3 or 4 years (excludeds estimated	Per class table , per AQ Band ,Need to ignore estimates for all classed Logic is similar to existing SHPK Logic - NO_READ_2Y_3Y_B73200 Here we would need to create 4 counts No reads received for 1 , 2 , 3 , 4 years sepeartely as per layout	AQ Band	Annual	Percentage	Nov	M	
٤	2A - AQ Corrections	AQ correction by reason code : Switch Type = 50 , Switch View = 50 , Switch status = LI Reason code per table , Reason code is new field added in ISU BW - DS OUC_SWTDOC Switch Document new field added in DS - ZZ_AQ_REASON	AQ Band	Annual	count	October	M-1	
ç	2A - Standard Correction Factors for sites with AQ > 732, MWH	Standard correction factor by AQ Band Count of meter points where replacement reads received by AQ Band , only for class	AQ Band	Annual		Νον	м	Report should only include AQ above 732000. Currently including >=732000
10	2A - Replaced Meter Reads	Count of meter points where replacement reads received by AQ Band , Only for class 3& 4, Replaced meter reads are identified with DUK_READ where read reason = R, Upload Status = U, we would need to add AQ Band either in DUK_READ or consider while processing	AQ Band	Annual		October	M-1	

PAFA@Gemserv.com





