

**Stage 03:** Draft Modification Report

# 0355:

# Alignment of CV and Wobbe Limits at NTS System Entry Points

What stage is this document in the process?



Proposal



Workgroup Report



Draft Modification Report



Final Modification Report

Seeks to align the wobbe number and calorific value limits for certain NTS System Entry Points with the parameters that would be available to any new NTS entry connection. Changes are proposed in respect of Bacton Seal, Bacton Shell, St Fergus Total, St Fergus Mobil, Burton Point and the Hole House Farm storage facility.



The Panel recommends that the Modification is issued for consultation.



High Impact:



Medium Impact:



Low Impact:

DFOs wishing to change gas entry specifications

0355

**Draft Modification Report** 

21 March 2011

Version 2.0

Page 1 of 12

# Contents

1	SUMMARY	3	Any questions?
2	Why Change?	5	Contact: Joint Office
3	SOLUTION	5	
4	RELEVANT OBJECTIVES	6	enquiries@gasgover nance.co.uk
5	IMPACTS AND COSTS	7	<u>nance.co.ux</u>
6	Implementation	10	0121 623 2115
7	THE CASE FOR CHANGE	11	Proposer: Louise McGoldrick
8	LEGAL TEXT	11	Eduise Fredorities
9	RECOMMENDATION	12	
			louise.mcgoldrick@uk. ngrid.com

# About this document:

This document is a Draft Modification Report, which was issued for consultation responses, at the request of the Panel on 17 March 2011. The close-out date for responses is 08 April 2011. The Panel will consider the responses and agree whether or not this self-governance modification should be implemented.

O355
Draft Modification Report
21 March 2011
Version 2.0
Page 2 of 12
© 2011 all rights reserved

01926 655422

#### 1 Summary

#### Is this a Self-Governance Modification?

Yes.

The Modification Panel determined that this modification meets the self-governance criteria - implementation would be unlikely to have a material effect on either:

existing or future gas consumers; or

competition in the shipping, transportation or supply of gas conveyed through pipes or any commercial activities connected with the shipping, transportation or supply of gas conveyed through pipes; or

the operation of one or more pipe-line system(s); or

matters relating to sustainable development, safety or security of supply, or the management of market or network emergencies; or

the uniform network code governance procedures or the network code modification procedures.

#### Why Change?

National Grid NTS has sought to engage with all Delivery Facility Operators (DFOs) and Storage Facility Operators (SFOs) whose current contractual limits are inside the allowable ranges for wobbe and CV. Of the parties contacted, the DFOs at Bacton Seal, Bacton Shell, St Fergus Total, St Fergus Mobil, Burton Point and the SFO at Hole House Farm expressed a wish to change their limits accordingly.

UNC TPD Section I2.2 specifies, *inter alia*, that "Network Entry Provisions may be amended for the purposes of the Code by way of Code Modification pursuant to the Modification Rules". This modification has therefore been raised to permit changes to gas quality limits at the entry points listed above.

#### **Solution**

It is proposed that the following changes are made in relation to the gas quality parameters applicable at the relevant NTS System Entry Point as outlined in the table below:

NTS System Entry Point	Gas Quality Characteristic	Current Specification	Proposed Specification
Hole House Farm	Wobbe Lower Limit	48.14 MJ/m <sup>3</sup>	47.2 MJ/m <sup>3</sup>
Bacton Seal	Wobbe Lower Limit	48.1 MJ/m <sup>3</sup>	47.2 MJ/m <sup>3</sup>
Bacton Seal	Wobbe Upper Limit	51.4 MJ/m <sup>3</sup>	51.41MJ/m <sup>3</sup>
Bacton Shell	Wobbe Lower Limit	48.2 MJ/m <sup>3</sup>	47.2 MJ/m <sup>3</sup>
Bacton Shell	Wobbe Upper Limit	51.2 MJ/m <sup>3</sup>	51.41MJ/m <sup>3</sup>

0355		
Draft Modification Report		
21 March 2011		
Version 2.0		
Page 3 of 12		
© 2011 all rights reserved		

St Fergus Total	Wobbe Lower Limit	48.2 MJ/m <sup>3</sup>	47.2 MJ/m <sup>3</sup>
St Fergus Total	CV Upper Limit	41.9 MJ/m <sup>3</sup>	42.3 MJ/m <sup>3</sup>
St Fergus Mobil	CV Upper Limit	41.9 MJ/m <sup>3</sup>	42.3 MJ/m <sup>3</sup>
Burton Point	Wobbe Lower Limit	48.2 MJ/m <sup>3</sup>	47.2 MJ/m <sup>3</sup>
Burton Point	Wobbe Upper Limit	51.4 MJ/m <sup>3</sup>	51.41 MJ/m <sup>3</sup>

#### **Impacts & Costs**

Implementation of this facilitating modification will enable changes to be made to Network Entry Provisions. There are no implementation costs.

National Grid NTS has concluded that if the above NTS System Entry Points were to deliver gas at their proposed new limits, there would be no material change in CV shrinkage risk.

#### **Implementation**

This self-governance modification can be implemented 15 business days after a Panel decision in favour of doing so.

If this modification is implemented, in respect of those NTS System Entry Points where a Network Entry Agreement (NEA) or Storage Connection Agreement (SCA) is in force, changes to gas entry specifications could be effected by means of a side letter to those agreements. For those NTS System Entry Points where pre-Network Code legacy arrangements prevail, implementation could take effect upon NEA signature.

#### The Case for Change

The modification will facilitate changes being made to the specified gas entry quality limits.

0355

Draft Modification Report

21 March 2011

Version 2.0

Page 4 of 12

# 2 Why Change?

In recent years, three UNC Modification Proposals have been raised to facilitate the widening of certain gas quality parameters for DFOs at Teesside, St Fergus and Barrow<sup>1</sup>. These Proposals, all of which were approved by Ofgem, sought mainly to align the wobbe number and/or CV limits with those that would be available to any new NTS entry connection, consistent with the Gas Safety (Management) Regulations 1996.

Within the decision letters for Modifications 0256 and 0266, Ofgem stated, "As other NTS entry points (such as sub-terminals and specified downstream blending points) continue to align their Network Entry Agreements in line with GS(M)R limits, Ofgem looks forward to an assessment by NGG NTS of the viability of a blanket modification to equalise all gas quality conditions at the relevant locations".

Following discussions with Ofgem, National Grid NTS engaged with all DFOs and SFOs whose current contractual limits are inside the allowable ranges for wobbe and CV. Of the parties contacted, the DFOs at Bacton Seal, Bacton Shell, St Fergus Total, St Fergus Mobil, Burton Point and the SFO at Hole House Farm expressed a wish to change their limits accordingly.

National Grid NTS therefore raised this self-governance modification pursuant to section I2.2 of the UNC TPD to facilitate these changes to gas quality limits.

#### 3 Solution

The proposed solution is detailed in Section 1.

0355 Draft Modification Report

21 March 2011

Version 2.0

Page 5 of 12

<sup>1</sup> http://www.gasgovernance.co.uk/0236 http://www.gasgovernance.co.uk/0256

# 4 Relevant Objectives

Implementation will better facilitate the achievement of Relevant Objective (f) below.

Proposer's view of the benefits of 0355 against the Code Relevant Objective	S
Description of Relevant Objective	Identified impact
a) Efficient and economic operation of the pipe-line system.	None
<ul><li>b) Coordinated, efficient and economic operation of</li><li>(i) the combined pipe-line system, and/ or</li><li>(ii) the pipe-line system of one or more other relevant gas transporters.</li></ul>	None
c) Efficient discharge of the licensee's obligations.	None
<ul> <li>d) Securing of effective competition: <ol> <li>(i) between relevant shippers;</li> <li>(ii) between relevant suppliers; and/or</li> <li>(iii) between DN operators (who have entered into transportation arrangements with other relevant gas transporters) and relevant shippers.</li> </ol> </li> </ul>	None.
e) Provision of reasonable economic incentives for relevant suppliers to secure that the domestic customer supply security standards are satisfied as respects the availability of gas to their domestic customers.	None
f) Promotion of efficiency in the implementation and administration of the Code	Positive.

The Workgroup noted that this is a facilitating modification which, in the absence of any other change beyond the scope of this modification, would have no impact, either positive or negative, on relevant objectives a to e. By efficiently facilitating a range of changes to network entry provisions, as required by the UNC, implementation of this self-governance modification would be consistent with promotion of efficiency in the implementation of the Code.

Consequent implementation of revised gas quality limits would be expected to enhance effective competition between relevant shippers by allowing shippers that deliver gas into the NTS at the specified System Entry Points the potential to deliver gas of an equivalent CV and wobbe range that would currently be permitted at any new NTS System Entry Point. This would potentially increase the amount of gas made available to the GB market, thus promoting competition between shippers seeking to bring gas to market.

0355
Draft Modification Report
21 March 2011
Version 2.0
Page 6 of 12

# 5 Impacts and Costs

#### **Costs**

#### Indicative industry costs

None from implementing this self-governance modification.

National Grid NTS conducted analysis on the potential impact of aligning the CV and Wobbe Number parameters for these NTS System Entry Points on CV Shrinkage. This analysis has concluded that if these NTS System Entry Points were to deliver gas at their proposed new limits, there would be no material change in CV shrinkage risk. The analysis, and a presentation summarising the key points, is available at www.gasgovernance.co.uk/0355/030211.

#### **Impacts**

Impact on Transporters' Systems and Process		
Transporters' System/Process Potential impact		
UK Link	• None	
Operational Processes	• None	
User Pays implications	• None	

Impact on Users		
Area of Users' business	Potential impact	
Administrative and operational	<ul> <li>DFOs would be able to agree changes that would allow Shippers to deliver gas of a wider gas quality at the specified entry points.</li> </ul>	
Development, capital and operating costs	• None	
Contractual risks	• None	
Legislative, regulatory and contractual obligations and relationships	• None	

Impact on Transporters		
Area of Transporters' business	Potential impact	
System operation	• None	
Development, capital and operating costs	• None	
Recovery of costs	• None	

0355 Draft Modification Report

21 March 2011

Version 2.0

Page 7 of 12

Impact on Transporters	
Price regulation	• None
Contractual risks	• None
Legislative, regulatory and contractual obligations and relationships	NEA and SCA contractual relationships with the relevant DFOs and SFO could be amended to reflect the new limits.
Standards of service	• None

Impact on Code Administration	
Area of Code Administration	Potential impact
Modification Rules	• None
UNC Committees	• None
General administration	• None

Impact on Code		
Code section	Potential impact	
No text changes would be required to implement this Proposal.	None.	

Impact on UNC Related Documents and Other Referenced Documents		
Related Document	Potential impact	
Network Entry Agreement (TPD I1.3)	Updates to the relevant gas quality parameters would need to be reflected in the relevant NEAs via side letters. Where no NEA is in force, a new NEA containing the new limits would need to be signed by the relevant DFO.	
Network Exit Agreement (Including Connected System Exit Points) (TPD J1.5.4)	None	
Storage Connection Agreement (TPD R1.3.1)	An update to the relevant gas quality parameter would need to be reflected in the relevant SCA via a side letter.	
UK Link Manual (TPD U1.4)	None	

0355
Draft Modification Report
21 March 2011
Version 2.0
Page 8 of 12
© 2011 all rights reserved

Impact on UNC Related Documents and Other Referenced Documents	
Network Code Operations Reporting Manual (TPD V12)	None
Network Code Validation Rules (TPD V12)	None
ECQ Methodology (TPD V12)	None
Measurement Error Notification Guidelines (TPD V12)	None
Energy Balancing Credit Rules (TPD X2.1)	None
Uniform Network Code Standards of Service (Various)	None

Impact on Core Industry Documents and other documents	
Document	Potential impact
Safety Case or other document under Gas Safety (Management) Regulations	None
Gas Transporter Licence	None

Other Impacts	
Item impacted	Potential impact
Security of Supply	None
Operation of the Total System	None.
Industry fragmentation	None
Terminal operators, consumers, connected system operators, suppliers, producers and other non code parties	The relevant terminal operators / producers would be able to reach agreement to deliver gas of a slightly wider specification.

0355 Draft Modification Report 21 March 2011

Version 2.0

Page 9 of 12

# 6 Implementation

Unless an Appeal against the decision is received, this self-governance modification can be implemented 15 business days after a Panel decision in favour of doing so.

If this modification is implemented, in respect of those NTS System Entry Points where a Network Entry Agreement (NEA) or Storage Connection Agreement (SCA) is in force, changes to gas entry specifications could be effected by means of a side letter to those agreements. For those NTS System Entry Points where pre-Network Code legacy arrangements prevail, implementation could take effect upon NEA signature.

0355

Draft Modification Report

21 March 2011

Version 2.0

Page 10 of 12

# 7 The Case for Change

The Workgroup questioned whether the modification could be widened further in order to capture all potential changes to Network Entry Provisions at all entry points, including those where the DFO had not indicated an interest in making change at this time. National Grid NTS explained that they did not feel this was appropriate since they would wish to assess the potential CV shrinkage impacts with respect to any requested change to entry parameters. Widening the analysis undertaken with respect to the entry points for which changes had been identified would not be based on a realistic expectation and hence could be misleading, as well as potentially creating a wide range of possible permutations such that the analysis could be difficult and expensive to undertake.

### 8 Legal Text

This is a facilitating modification and there would be no change to the text of the UNC as a result of implementation.

0355

**Draft Modification Report** 

21 March 2011

Version 2.0

Page 11 of 12

# 9 Recommendation

All parties are invited to consider whether they wish to submit views regarding this self-governance modification. The close-out date for responses is 08 April 2011, which should be sent to <a href="mailto:enquiries@gasgovernance.co.uk">enquiries@gasgovernance.co.uk</a>. A response template which you may wish to use is at: <a href="http://www.gasgovernance.co.uk/0355">http://www.gasgovernance.co.uk/0355</a>.



#### **Consultation Ends**

On 08 April 2011

0355 Draft Modification Report

21 March 2011

Version 2.0

Page 12 of 12