Uniform Network Code – Independent Gas Transporter Arrangements Document Section D Text Mods 0440 Dentons 4/10/13 11:07

Formatted: Font:Times New Roman, 9 pt

Dentons 4/10/13 11:06 Formatted: Font:Times New Roman

# UNIFORM NETWORK CODE – INDEPENDENT GAS TRANSPORTER ARRANGEMENTS DOCUMENT

## SECTION D

### IGT CODE RULES AND DATA EXCHANGE

#### 1 General

#### 1.1 Introduction

- 1.1.1 This Section D sets out provisions for the purposes of ensuring that the DN Operators and National Grid NTS are able, in the absence of a meter at the Connected System Exit Point:
  - (a) to <u>determine and</u> allocate on a Daily basis to Users quantities of gas treated as offtaken at Connected System Exit Points<u>and</u> to carry out Offtake Reconciliations in respect of such quantities...
  - (b) to determine amounts of LDZ Capacity held by Users at Connected System Exit Points.
- 1.1.2 It is understood that DN Operators will make available to National Grid NTS (to the extent necessary for the purposes described in paragraph 1.2) the benefit of the arrangements set out in (and data obtained under) this Section D.

#### 1.2 Purpose

- 1.2.1 The Transportation Principal Document provides that, for the purposes of certain provisions ("relevant **TPD provisions**") of TPD Sections B, C, [D], E, F, G5, [G6] and certain other provisions of the Transportation Principal Document, references to <u>Supply Points and Supply Meter Points of certain</u> classes include CSEP <u>Supply Points and CSEP Supply Meter Points of</u> those classes.
- 1.2.2 The requirements in this Section D apply for the purposes of ensuring that the relevant TPD provisions are capable of operating in respect of <u>such</u> CSEP System Exit Points.
- 1.2.3 These requirements are separate from and additional to those in [Section [G]].
- 1.2.4 The requirements in this Section D apply in respect of directly-connected and indirectly-connected IGT Systems.

#### 2 Requirements for IGT Code

- 2.1 IGT Code provisions to follow TPD
- 2.1.1 Each Independent Gas Transporter shall adopt (in its IGT Code) and implement rules and processes, which are the same as those from time to time of the Transportation Principal Document<u>(including the</u> UK Link Manual as it, as respects:
  - (a) the maintenance of a Supply Point Register in respect of IGTS Supply Meter Points;

Dentons 9/10/13 17:12 Deleted: Subject to paragraph 2.2, e Dentons 4/10/13 11:06 Formatted: Font:Times New Roman Dentons 4/10/13 11:06 Formatted: Font:Times New Roman

© 2005 all rights reserved IGTADD - 1 CWCW/053191.00087/9557691.06

Page 1

1	Dentons 3/10/13 12:25
	Deleted: ,
1	Dentons 3/10/13 12:25
	Deleted: ,
	Dentons 9/10/13 17:12
J	Deleted: and [/] <sup>1</sup>
	Dentons 4/10/13 11:06
	Formatted: Font: Times New Roman

1	Dentons 23/9/13 15:50
	Deleted: [
Υ	Dentons 3/10/13 07:10
	Deleted: System Exit Points
Υ	Dentons 3/10/13 07:10
	Deleted: System Exit Points
1	Dentons 23/9/13 15:50
(	Deleted: /

- Uniform Network Code Independent Gas Transporter Arrangements Document Section D Text Mods 0440 the identification of an IGTS User as responsible for each IGTS Supply Meter Point\_at all
- (c) the classification of each IGTS Supply Meter Point or IGTS Supply Point (as the case may be) as:

times at which gas can be offtaken from that IGTS Supply Meter Point;

- (i) a Class 1, 2, 3 or 4 Supply Meter Point;
- (ii) a Larger or Smaller Supply Point or Larger or Smaller Supply Meter Point;
- (iii) a DM or NDM Supply Point;
- (iv) a DMC or DMA Supply Point;
- (v) [Firm or Interruptible]; $\frac{2}{4}$
- (d) the allocation of IGTS Supply Meter Points to End User Categories;
- (e) requirements for the obtaining of Meter Readings from IGTS Supply Meters, by reference to the Class of the IGTS Supply Meter Point, including requirements as to the installation, operation and maintenance of Supply Meter Installations, the data to comprise or accompany a Meter Reading, the frequency of cyclic Meter Reads and the circumstances in which other Meter Reads are required, the validation of Meter Readings, the estimation of Meter Readings, or Metered Volumes and the maintenance of Meter Information]; and
- (f) the determination of the Annual Quantity of a Supply Meter Point and Supply Point,

(as if, in each case, each IGTS Supply Meter Point were a Supply Meter Point on the relevant DNO System and in the relevant Exit Zone).

2.1.2 Any question as to what provisions of the Transportation Principal Document are to be replicated in the IGT Code pursuant to paragraph 2.1.1 shall be determined by the DN Operator unless the Authority shall upon application by any Independent Gas Transporter give Condition A11(18) Disapproval

#### 2.2 Modifications

(b)

The Transporters and the Independent Gas Transporters shall comply with the provisions in [IGTAD Section G5.1] to ensure the coordination of modifications of the Code and the IGT Codes as respects the matters referred to in paragraph 2.1.1 above.

#### 3 Data exchange

- 3.1 Data provision by Independent Gas Transporter
- 3.1.1 The Independent Gas Transporter shall provide to the DN Operator:

<sup>2</sup> See IGTAD A2.1.2(e) and TPD Section A 4.6.2(d). If the IGT does not track this, presumably the DN Operator does this independently in the CSEP Supply Point Register?

© 2005 all rights reserved IGTADD - 2 CWCW/053191.00087/9557691.06

Page 2

Dentons 4/10/13 11:06 Formatted: Font:Times New Roman

Dentons 3/10/13 07:11
Deleted: i
Dentons 3/10/13 07:11
Deleted: s
Dentons 9/10/13 17:36
Deleted: [what else?]
Dentons 4/10/13 11:06
Formatted: Font:Times New Roman
Dentons 3/10/13 13:00
Deleted: [what else?]; <sup>3</sup> 。
Dentons 23/9/13 15:52
<b>Deleted:</b> Where the classification referred to in paragraph 2.1.2(c) is determined by reference to Annual Quantity, the Independent Gas Transporter shall use the Annual Quantity (applicable at the relevant time) calculated by the DN Operator and provided to the Independent Gas Transporter under paragraph 3.2.
Dentons 9/10/13 17:41
Formatted: Indent: Left: 1.27 cm, No bullets or numbering
Dentons 9/10/13 18:23
Formatted: Font:(Default) Times New
Dentons 9/10/13 18:23
Formatted: Font:Times New Roman
Dentons 9/10/13 18:23
Formatted: Font:(Default) Times New
Dentons 9/10/13 17:41
<b>Deleted:</b> [The table in Annex D-1 below sets out those provisions of the Transportation Principal Document which are referred to in paragraph 2.1.1.] [Or separate document – governance?]
Dentons 3/10/13 13:11
<b>Deleted:</b> <#>Exceptions
Dentons 4/10/13 11:06
Formatted: Font: Times New Roman

Dentons 4/10/13 11:07 Formatted: Font:Times New Roman, 9 pt

Uniform Network Code – Independent Gas Transporter Arrangements Document Section D Text Mods 0440

- (a) the standing information, and any change in such information, specified in paragraph 3.1.2, and
- (b) the meter reading information specified in paragraph 3.1.3

in the timescales and with the frequency and otherwise as necessary to enable the DN Operator to give effect to the relevant TPD provisions.

- 3.1.2 The standing information is:
  - (a) the identity of each IGTS Supply Meter Point and IGTS Supply Point;
  - (b) the classification (as provided in paragraph 2.1.1(c)) of each IGTS Supply Meter Point and IGTS Supply Point;
  - (c) the identity of the IGTS Registered User for each IGTS Supply Point;
  - (d) the End User Category to which each IGTS Supply Meter Point belongs;
  - (e) the Annual Quantity of each IGTS Supply Meter Point:
  - (f) the Batch Period of each Class 3 IGTS Supply Meter;
  - (g) the Meter Read Frequency of each Class 4 IGTS Supply Meter;
  - (h) the Supply Point Registration Date or other effective date in respect of any change in any of the foregoing;
  - (i) [*what else?*].
- 3.1.3 The meter reading information is:
  - (a) the Meter Reading and associated data and Read Date for each Meter Read in respect of an IGTS Supply Meter;
  - (b) the type (cyclic or otherwise) of each such Meter Read;
  - (c) information concerning any determination (by a meter examiner or otherwise) of meter error, or estimation of a meter reading or consumption<sub>π</sub>
  - (d) [what else?].
- 3.1.4 The requirements of paragraph 3.1.3 are subject to Section Fin respect of Class 1 and Class 2 IGTS Supply Meter Points\_
- 3.1.5 The notification (under paragraph 3.1.2(c)) that a User is IGTS Registered User in respect of an IGTS Supply Meter Point shall operate as notice by that User to the DN Operator for the purposes of TPD Section J6.3.1.

Dentons 4/10/13 11:06 Formatted: Font:Times New Roman

Dentons	23/9/13 15:52
Deleted:	[
Dentons	23/9/13 15:52
Deleted:	]
Dentons	23/9/13 15:53
Deleted:	[

Y	Dentons 17/8/13 08:17
	Deleted: /]

© 2005 all rights reserved IGTADD - 3 CWCW/053191.00087/9557691.06

Page 3

Uniform Network Code – Independent Gas Transporter Arrangements Document Section D Text Mods 0440

### 3.2 Data provision by DN Operator

3.2.1 The DN Operator shall provide to the Independent Gas Transporter the information specified in paragraph 3.2.2, in the timescales and with the frequency and otherwise as necessary to enable the Independent Gas Transporter to comply with its obligations under paragraph 2 and 3.1.

#### 3.2.2 The information is:

- (a) the definitions of End User Categories;
- (b) where an IGTS User nominates an IGTS Supply Point, details of Supply Point Capacity (in relation to a NDM CSEP Supply Point) and Supply Point Transportation Charges in respect of the CSEP Supply Point;
- (c) [what else].

## 3.3 Transporters' Agency

- 3.3.1 Each DN Operator and each Independent Gas Transporter shall appoint the Transporters' Agency as its agent to provide and receive the information specified in paragraphs 3.1.2, 3.1.3 and 3.2.2 (and shall not provide such information other than by the Transporters' Agency).
- 3.3.2 The Parties acknowledge and agree that:
  - the services of the Transporters' Agency provided respectively to Independent Gas Transporters and to DN Operators pursuant to the arrangements referred to in Section [G] include the provision of the information specified in paragraphs 3.1 and 3.2 respectively;
  - (b) by virtue of such services, each\_Independent Gas Transporter and DN Operator will (provided it complies with the requirements in paragraph 2 and the arrangements referred to in Section [G], and subject to paragraph (c)) comply with the requirements of paragraph 3.1\_and 3.2;
  - (c) it is the responsibility of the Independent Gas Transporter to enforce the IGT Code in relation to IGTS Users; and paragraph (b) will not apply in relation to an Independent Gas Transporter to the extent that the failure of a IGTS User to comply with the IGT Code results in any failure of the Independent Gas Transporter to provide information in accordance with paragraph 3.1.

#### Dentons 23/9/13 15:53

Dentons 4/10/13 11:07

**Deleted:** the Annual Quantity for each IGTS Supply Meter Point;

Formatted: Font: Times New Roman, 9 pt

Dentons 9/10/13 18:18 Formatted: Indent: Left: 2.54 cm, No bullets or numbering

Dentons 3/10/13 07:14	
Deleted: to be	
Dentons 3/10/13 07:14	
<b>Deleted:</b> made available by the DN Operators pursuant to	
Dentons 3/10/13 07:14	
Deleted: .2	
Dentons 3/10/13 07:15	
Deleted: the	
Dentons 3/10/13 07:15	
Deleted: 1	
	_

Page 4