

Stage 01: Proposal

0409:

Removing the restriction on the Users' application quantity for Annual NTS Exit (Flat) Capacity

What stage is this document in the process?



Proposal



Workgroup Report



Draft Modification Report



Final Modification

This modification seeks to remove a UNC provision which may restrict Users from placing applications for discretionary NTS Exit (Flat) Capacity during the Annual Application Window.



The Proposer recommends that this modification should be subject to the self-governance process and that it should proceed to Workgroup for assessment.



High Impact:

N/A



Medium Impact:

N/A



Low Impact:

Shipper Users, DN Users and National Grid NTS

0409

Modification

02 December 2011

Version 1.0

Page 1 of 15

## Contents

- Summary
- Why Change?
- 3 Solution
- Relevant Objectives
- **Impacts and Costs** 5
- Implementation
- 7 The Case for Change
- Legal Text
- Recommendation

Any questions?

5 Contact:

**Joint Office** 6



9

14

15

12 0121 623 2115

Proposer: 13

**Sarah Lloyd** 

sarah.lloyd@uk.n grid.com



# About this document:

This document is a modification, which will be presented by the Proposer to the Panel on 15<sup>th</sup> December 2011. The Panel will consider the Proposer's recommendation, and agree whether this modification should proceed to consultation or be referred to a Workgroup for assessment.



### Transporter: **National Grid NTS**





Xoserve: **Insert name** 



commercial.enquiries

@xoserve.com



0409

Modification

02 December 2011

Version 1.0

Page 2 of 15

# 1 Summary

### Is this a Self-Governance Modification

National Grid NTS believe that this modification should be subject to Self-Governance since implementation would be:

- (i) unlikely to have a material effect on
  - (a) existing or future gas consumers; and competition in the shipping, transportation or supply of gas conveyed through
  - (b) pipes or any commercial activities connected with the shipping, transportation or supply of gas conveyed through pipes; and
  - (c) the operation of one or more pipe-line system(s); and
  - matters relating to sustainable development, safety or security of supply, or the management of April 2011 (v8.2) 176 market or network emergencies; and
  - (e) the uniform network code governance procedures or the network code modification procedures; and
- (ii) Implementation of this modification is unlikely to discriminate between different classes of parties to the uniform network code / relevant gas transporters, gas shippers or DN operators.



# Discretionary Annual NTS Exit (Flat) Capacity

Discretionary Annual NTS Exit (Flat) Capacity is defined as the amount of Annual NTS Exit (Flat) Capacity which National Grid NTS may decide to release for in its absolute discretion in addition to the Baseline NTS Exit (Flat) Capacity.

## Why Change?

Modification 0290, implemented by the Authority on 20 July 2010, enabled the release of additional Annual NTS Exit (Flat) Capacity at the discretion of National Grid NTS. Following the implementation of Modification 0290 a provision in Annex B-1 of UNC TPD Section B was noted which restricts the quantity of Annual NTS Exit (Flat) Capacity that Users can individually place applications for which subsequently may limit the quantity of discretionary Annual NTS Exit (Flat) Capacity released to the market.

### **Solution**

The proposed solution is to amend UNC TPD Section B Annex B-1 to remove paragraph, 3.1 (f) (ii).

### **Impacts & Costs**

There would be no systems implications resulting from the proposed change. Therefore this Modification is not a User Pays Modification.

### **Implementation**

Since this Modification could have an impact on the Annual Application Window it would be desirable for an implementation date prior to 01 July 2012. As a Self-Governance Modification, implementation could be 16 business days after a Modification Panel decision to implement.

0409

Modification

02 December 2011

Version 1.0

Page 3 of 15

# **The Case for Change**

National Grid NTS believe that this change is necessary to remove a provision in the code which may prevent Users from individually applying for Additional Annual NTS Exit (Flat) Capacity that could be released at National Grid NTS' discretion, as introduced through the implementation of Modification 0290.

### **Recommendations**

The proposer invites the UNC Modification Panel to recommend that this Modification proceeds to a Workgroup for assessment.

0409

Modification

02 December 2011

Version 1.0

Page 4 of 15

# 2 Why Change?

Modification 0290, implemented by the Authority on 20 July 2010, enabled the release of additional Annual NTS Exit (Flat) Capacity at the discretion of National Grid NTS. Following the implementation of Modification 0290 a provision in Annex B-1 of UNC TPD Section B was noted which restricts the quantity of Annual NTS Exit (Flat) Capacity that Users can individually place applications for which subsequently may limit the quantity of discretionary Annual NTS Exit (Flat) Capacity released to the market. Under the aforementioned provision it is only possible for National Grid NTS to release discretionary Annual NTS Exit (Flat) Capacity where two or more Users place requests that individually are less than the Remaining Available quantity, but when considered in aggregate they total a quantity greater than the Remaining Available quantity. The effect of the restriction discussed is particularly noticeable for single User NTS Exit Points where it would prevent the User from placing a request for an amount greater than the Remaining Available quantity and therefore prevent any discretionary release at that NTS Exit Point. It is also particularly noticeable for NTS Exit Points where Remaining Available NTS Exit (Flat) Capacity is 0kWh, meaning that no User will be able to place a request for any quantity of Annual NTS Exit (Flat) Capacity. National Grid NTS wish for it to be noted that this restriction was not recognised in the development of and was not the intention of Modification 0290. For the purposes of the Annual Application Window for Annual NTS Exit (Flat) Capacity starting 1st July 2011, National Grid NTS, after discussion with the authority, did not seek to enforce the aforementioned restriction, hence Users were individually able to apply for Annual NTS Exit (Flat) Capacity in excess of the Remaining Available NTS Exit (Flat) Capacity at a location and National Grid NTS was able to consider releasing additional capacity in respect of such applications at its discretion, as intended by Modification 0290.



## UNC TPD B3.1.6(b)(ii)

Remaining Available NTS Exit (Flat) Capacity is defined in the UNC as the amount of capacity (if any) by which the Baseline NTS Exit (Flat) Capacity for the Gas Year exceeds the aggregate amount of NTS Exit (Flat) Capacity registered at that time, as held by Users in relation to that Gas Year or Day

0409

Modification

02 December 2011

Version 1.0

Page 5 of 15

# 3 Solution

The proposed solution is to amend UNC TPD Section B Annex B-1 to remove paragraph, 3.1 (f) (ii). This would allow Users to individually be able to apply for Annual NTS Exit (Flat) Capacity in excess of the Remaining Available NTS Exit (Flat) Capacity at a location.

0409

Modification

02 December 2011

Version 1.0

Page 6 of 15

# 4 Relevant Objectives

Implementation is expected to better facilitate the achievement of **Relevant**Objectives a. d and f.

Objectives a, d and f.			
Pro	Proposer's view of the benefits against the Code Relevant Objectives		
De	Description of Relevant Objective Identified impact		
a)	Efficient and economic operation of the pipe-line system.	Yes	
b)	Coordinated, efficient and economic operation of  (i) the combined pipe-line system, and/ or  (ii) the pipe-line system of one or more other relevant gas transporters.	No	
c)	Efficient discharge of the licensee's obligations.	No	
d)	Securing of effective competition:  (i) between relevant shippers;  (ii) between relevant suppliers; and/or  (iii) between DN operators (who have entered into transportation arrangements with other relevant gas transporters) and relevant shippers.	Yes	
e)	Provision of reasonable economic incentives for relevant suppliers to secure that the domestic customer supply security standards are satisfied as respects the availability of gas to their domestic customers.	No	
f)	Promotion of efficiency in the implementation and administration of the Code	Yes	
g)	compliance with the Regulation and any relevant legally binding decisions of the European Commission and/or the Agency for the Co-operation of Energy Regulators	No	

# Achievement of relevant objective (a) "Efficient and economic operation of the pipe-line system"

Implementation of Modification 0290 enabled National Grid NTS to release additional Annual NTS Exit (Flat) Capacity, where it is available, to the market in response to industry demand. This was considered to promote a more efficient use of existing NTS Exit (Flat) Capacity. This Modification further facilitates this by removing the restriction on Users which would prevent a User from individually being able to apply for Annual NTS Exit (Flat) Capacity in excess of the Remaining Available NTS Exit (Flat) Capacity at a location.

# Achievement of relevant objective (d) "Securing of effective competition between relevant shippers, suppliers and DN operators"

We recognise and agree with the views presented by the Authority in their decision letter relating to Modification 0290, and since this Modification further facilitates the same goals we now consider that this Modification has the potential to better facilitate competition between shippers. If Users were restricted when placing applications for

0409

Modification

02 December 2011

Version 1.0

Page 7 of 15

Annual NTS Exit (Flat) Capacity this would have the potential to inhibit the ability of Shippers to meet customer demand. By allowing National Grid NTS to release additional Annual NTS Exit (Flat) Capacity in response to individual User demand we believe that the Modification has the potential to provide shippers with greater commercial flexibility.

# Achievement of relevant objective (f) "Promotion of efficiency in the implementation and administration of the Code"

This Modification will further facilitate the promotion of efficiency in the implementation and administration of the Code as it fully reflects the intention of Modification 0290. This change would also clarify UNC, thereby promoting efficiency in administration of the code.

0409

Modification

02 December 2011

Version 1.0

Page 8 of 15

# 5 Impacts and Costs

# **Consideration of Wider Industry Impacts**

National Grid NTS believes there are no significant impacts of this Modification.

### **Costs**

Indicative industry costs – User Pays	Indicative i	industry	costs - I	User	<b>Pavs</b>
---------------------------------------	--------------	----------	-----------	------	-------------

Classification of the proposal as User Pays or not and justification for classification

Not User Pays

Identification of Users, proposed split of the recovery between Gas Transporters and Users for User Pays costs and justification

N/A

Proposed charge(s) for application of Users Pays charges to Shippers

N/A

Proposed charge for inclusion in ACS – to be completed upon receipt of cost estimate from Xoserve

N/A

**Impacts** 

Impact on Transporters' Systems and Process	
Transporters' System/Process Potential impact	
UK Link	• None
Operational Processes	• None
User Pays implications	• None

Impact on Users		
Area of Users' business	Potential impact	
Administrative and operational	<ul> <li>Users will individually be able to apply for a quantity of NTS Exit (Flat)</li> <li>Capacity above the level of Remaining Available NTS Exit (Flat) Capacity.</li> </ul>	
Development, capital and operating costs	• None	
Contractual risks	• None	

0409

Modification

02 December 2011

Version 1.0

Page 9 of 15

Impact on Users	
Legislative, regulatory and contractual	• None
obligations and relationships	

Impact on Transporters		
Area of Transporters' business	Potential impact	
System operation	• None	
Development, capital and operating costs	• None	
Recovery of costs	• None	
Price regulation	• None	
Contractual risks	• None	
Legislative, regulatory and contractual obligations and relationships	• None	
Standards of service	• None	

Impact on Code Administration		
Area of Code Administration	Potential impact	
Modification Rules	• None	
UNC Committees	• None	
General administration	• None	

Impact on Code	
Code section	Potential impact
UNC TPD Section B Annex B-1 3.1(f)(ii)	Removal of paragraph

Impact on UNC Related Documents and Other Referenced Documents		
Related Document	Potential impact	
Network Entry Agreement (TPD I1.3)	• None	
Network Exit Agreement (Including Connected System Exit Points) (TPD J1.5.4)	• None	
Storage Connection Agreement (TPD R1.3.1)	• None	
UK Link Manual (TPD U1.4)	• None	



# Where can I find details of the UNC Standards of Service?

In the Revised FMR for Transco's Network Code Modification 0565 Transco Proposal for Revision of Network Code Standards of Service at the following location:

www.gasgovernance.c
o.uk/sites/default/files
/0565.zip

0409

Modification

02 December 2011

Version 1.0

Page 10 of 15

Impact on UNC Related Documents and Other Referenced Documents	
Network Code Operations Reporting Manual (TPD V12)	• None
Network Code Validation Rules (TPD V12)	• None
ECQ Methodology (TPD V12)	• None
Measurement Error Notification Guidelines (TPD V12)	• None
Energy Balancing Credit Rules (TPD X2.1)	• None
Uniform Network Code Standards of Service (Various)	• None

Impact on Core Industry Documents and other documents		
Document	Potential impact	
Safety Case or other document under Gas Safety (Management) Regulations	• None	
Gas Transporter Licence	• None	

Other Impacts		
Item impacted	Potential impact	
Security of Supply	• None	
Operation of the Total System	• None	
Industry fragmentation	• None	
Terminal operators, consumers, connected system operators, suppliers, producers and other non code parties	• None	

0409

Modification

02 December 2011

Version 1.0

Page 11 of 15

# **6** Implementation

Since this Modification could have an impact on the Annual Application Window it would be desirable for implementation to take place prior to 01 July 2012. As a self-governance Modification, implementation could be 16 business days after a Modification Panel decision to implement.

0409

Modification

02 December 2011

Version 1.0

Page 12 of 15

# 7 The Case for Change

In addition to that identified the above, the Proposer has identified the following:

### **Advantages**

The quantity of Annual NTS Exit (Flat) Capacity which Users can apply for when placing requests in the Annual Application Window will not be restricted. This means that Users will be able to apply for Additional Discretionary NTS Exit (Flat) Capacity as intended by Modification 0290.

### **Disadvantages**

Removal of the aforementioned UNC provision could result in Users applying for large quantities in order to gain a higher pro-rated quantity of available Annual NTS Exit (Flat) Capacity made available at an NTS offtake(s). National Grid NTS believe that, although possible, such behaviour is unlikely and no evidence of such behaviour was noted in the July 2011 Annual Application Window, we will however continue to monitor the situation as appropriate.

0409

Modification

02 December 2011

Version 1.0

Page 13 of 15

# 8 Legal Text

### **Suggested Text**

#### **TPD Section B Annex B-1**

Amend paragraph 3.1 to read as follows:

- 3 Capacity bids, capacity offers and capacity applications
- 3.1 When submitting a capacity bid, a capacity offer or a capacity application a User shall specify:
  - (a) the identity of the User;
  - (b) whether the User is making a capacity bid, capacity offer or a capacity application;
  - (c) the class of NTS Exit Capacity subject to the bid, offer or a capacity application;
  - (d) the NTS Exit Point in respect of which the bid or offer is made;
  - (e) in the case of:
    - (i) an annual capacity application, the Gas Year or Gas Years,
    - (ii) a daily capacity bid or capacity offer, the Day in respect of which the bid, offer or capacity application is made;
  - (f) the amount ÷
    - (i) (being not less than the minimum eligible amount) of NTS Exit (Flat) Capacity subject to the capacity bid, capacity offer or capacity application;
    - (ii) in the case of a capacity application, being not greater than the Remaining Available NTS Exit Flat Capacity);
  - (g) the minimum amount (being not less than the minimum eligible amount) of NTS Exit (Flat) Capacity the User is willing to be allocated;
  - (h) in the case of a capacity bid, the amount ("bid price") in pence/kWh/Day, which shall not be less than the applicable reserve price, which the User is willing to pay by way of NTS Exit (Flat) Capacity Charges in respect of the NTS Exit (Flat) Capacity applied for;
  - in the case of a capacity offer, the amount ("offer price") in pence/kWh/Day, which the User wishes to be paid in respect of the surrender of Daily NTS Exit (Flat) Capacity (which amount may be negative);
  - (j) in the case of a capacity bid or capacity offer for Daily NTS Exit (Flat) Capacity, whether it is a fixed or reducing bid or offer.

0409

Modification

02 December 2011

Version 1.0

Page 14 of 15

# 9 Recommendation

The Proposer invites the Panel to:

• Determine that Modification 0409 progress to Workgroup for assessment.

0409

Modification

02 December 2011

Version 1.0

Page 15 of 15