

respect > commitment > teamwork

PN UNC 7th August 2012 Transfer Read

1

Transfer Read Principles

- These principles are a clarification of those detailed in the Settlement BRD;
 - Incoming Shippers responsibility to load the transfer read
 - Xoserve will generate an estimated read if not submitted within the transfer read window
 - Shipper can replace the estimated read within the transfer read window
 - SAR process to continue for challenges outside the window
 - 'Cyclic' (normal) reads will not be accepted until the transfer read has loaded (applies to Products 3 & 4 only)
 - The prevailing Product type estimation methodology will be applied (e.g. Product 2 to 4: D-7 estimate)
 - Where there is a transfer to or from Product 1, 2 or 3 a transfer read must be submitted by GFD+5.



Obtaining & Submission of the Transfer Read

		Supply Point Transfer From			
		Product 1	Product 2	Product 3	Product 4
Supply Point Transfer To	Product 1	DMSP provides	DMSP provides	DMSP provides	DMSP provides
	Product 2	Read obtained on D & loaded by GFD+5	Read obtained on D & loaded by GFD+5	Read obtained on D & loaded by GFD+5	Read obtained on D & loaded by GFD+5
	Product 3	Read obtained on D & loaded by GFD+5	Read obtained on D & loaded by GFD+5	Read obtained on D & loaded by D+10	Read obtained on D & loaded by D+10
	Product 4	Read obtained on D & loaded by GFD+5	Read obtained on D & loaded by GFD+5	Read obtained on D & loaded by D+10	Read obtained between D-5 & D+5 & submitted by D+10

