



# **RAASP Options**

**Distribution Workgroup**

**21/08/17**

# Option 1 – Timestamp Asset data - financial adjustment via CMS


---

- Asset data corrected via automated process (i.e. file submission)
- Applicable to current Asset only
- Data will be ‘timestamped’ - notifying date change was applied to system
- Data will be presented with correct Effective Dates to relevant organisations
  - e.g. future file flows, Data Enquiry etc.
- Start & End Reads to be provided by Shipper
- Continue to utilise CMS for Consumption Adjustments

## Alternate – Option 1b – Consumption Adjustment via file submission

- Shipper provides Metered Volume as part of file submission for whole period
- Xoserve process Consumption Adjustment
- Financial Adjustments based on volume provided

# Diagram of Option 1



## Option 2 – Unravel data to agreed date

---

- Asset data corrected via automated process (i.e. file submission)
- Replace current Asset details only
- Rather than 'Timestamp' Asset details, create a new Asset record within SAP – archiving previous Asset records
- New Asset record will be presented with correct Effective Dates to relevant organisations
  - e.g. future file flows, Data Enquiry etc.
- Shipper provides Metered Volume as part of file submission
- Work to an agreed backstop date other than Code Cut Off Date
  - e.g. 1<sup>st</sup> June 2017 / within current Shippers Ownership

### Alternate – Option 2b –Xoserve re-calculate charges

- Xoserve utilise reads provided by Shipper to re-calculate Metered Volume

# Diagram of Option 2

Actual Meter Effective Date

Current Meter Effective Date

Retrospective Update  
Asset details supplied

01/07/17

01/08/17

21/08/17

Previous Asset  
Archived

New Asset  
record created

- Process Retro Update
- Create New Record Asset Record

Data Enquiry  
displays  
Effective  
Date

File Formats  
display New  
Asset record  
Data

**Consumption Adjustment**

- Start & End Reads Supplied
  - Metered Volume Supplied within file submission
  - Consumption Adjustment performed
- Alternate (Option 2b)**
- Xoserve calculate Metered Volume

## Option 3 – Initial Design

---

- Initial Design – as per Retrospective Updates BRD
- 68 scenarios developed during Retrospective Updates workshops
- Scenarios to be assessed to ensure these are still relevant

## Option 4 – Business As Usual

---

- Continue to facilitate Consumption Adjustments to correct Metered Volume
- Continue to utilise RGMA flows to correct Asset data prospectively

# Questions for consideration

---

- Should Retrospective Updates apply to;
  - Class types
  - Meter configuration types (e.g. Datalogger, Corrector)
  - Unique Sites
- Period retrospective amendment applies;
  - Treatment of Small Supply Points spanning pre-Nexus
  - Treatment of iGT Supply Points spanning pre-Nexus
- Other principles;
  - Rules regarding multiple Retro Updates – Limited to one for the relevant period



# Indicative Development Timeline

Activity	Priority	Workgroup 1				Workgroup 2				Workgroup 3				Workgroup 4				Workgroup 5				Mod Panel			
		21/08	28/08	04/09	11/09	18/09	25/09	02/10	09/10	16/10	23/10	30/10	06/11	13/11	20/11	27/11	04/12	11/12	18/12	25/12	01/01	08/01	15/01	22/01	
<b>Deliverable 1</b>	HIGH																								
<i>Options Developed</i>																									
<i>Options Confirmed</i>																									
<b>Deliverable 2</b>	HIGH																								
<i>Options Impact Assessed</i>																									
<i>Impact Assessment Provided</i>																									
<b>Deliverable 3</b>	HIGH																								
<i>Consultation Period</i>																									
<i>Consultation Responses Reviewed</i>																									
<b>Deliverable 4</b>	MED																								
<i>Requirements Finalised for Solution</i>																									
<i>Finalised Workgroup Report</i>																									
<b>Deliverable 5</b>	MED																								
<i>Workgroup Report Issued to Mod Panel</i>																									
<i>Panel Decision</i>																									

- Impact Assessment on proposed options has been initiated
- Potential to provide Impact Assessment earlier if WG decide on finalised options
- Workshops to be planned to step through scenarios once final option confirmed