Representation - Draft Modification Report UNC 0652	
Introduction of winter read/consumption reports and associated obligations	
Responses invited by: 5pm on 14 March 2019	
To: enquiries@gasgovernance.co.uk	
Representative:	Mark Bellman
Organisation:	ScottishPower
Date of Representation:	11 th March 2019
Support or oppose implementation?	Support/Oppose/Qualified Support/Comments * delete as appropriate
Relevant Objective:	d) Positive/Negative/None * delete as appropriate

Reason for support/opposition: Please summarise (in one paragraph) the key reason(s)

Error in the profiling of consumption is a contributor to Unidentified Gas. This proposal will reduce UIG by better winter profiling for EUC03-09 sites.

Implementation: What lead-time do you wish to see prior to implementation and why?

ASAP.

The sooner this is implemented the more time shippers have to ensure they can comply and improve winter profiling.

Impacts and Costs: What analysis, development and ongoing costs would you face?

None.

For those sites that are targeted by this Mod there should be no additional costs other than those required to comply with the existing UNC obligation (where those meters are >293 MWh) or the existing CDSP process for all other meters.

Legal Text: Are you satisfied that the legal text will deliver the intent of the Solution?

Yes (finally!)

Modification Panel Members have requested that the following questions are addressed: *Remove Section if no questions*

Q1: Please provide clear views and supporting evidence on the self-governance status of this modification focusing, in particular, on whether this proposal is likely to have a material impact upon competition in the shipping, transportation or supply of gas.

Are there any errors or omissions in this Modification Report that you think should be taken into account? Include details of any impacts/costs to your organisation that are directly related to this.

No

_

Please provide below any additional analysis or information to support your representation