

Draft Modification Report	At what stage is this document in the process?
<h1 style="color: #008080;">UNC 0621J:</h1> <h2 style="color: #008000;">Amendments to Gas Transmission Charging Regime</h2>	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="border: 1px solid #008000; padding: 2px; display: flex; align-items: center; gap: 5px;"> 01 Modification </div> <div style="border: 1px solid #008000; padding: 2px; display: flex; align-items: center; gap: 5px;"> 02 Workgroup Report </div> <div style="border: 1px solid #800080; padding: 2px; display: flex; align-items: center; gap: 5px;"> 03 Draft Modification Report </div> <div style="border: 1px solid #FFA500; padding: 2px; display: flex; align-items: center; gap: 5px;"> 04 Final Modification Report </div> </div>
<p>Purpose of Modification:</p> <p>The purpose of this modification proposal is to amend the Gas Transmission Charging regime in order to better meet the relevant charging objectives and customer/stakeholder provided objectives for Gas Transmission Transportation charges and to deliver compliance with relevant EU codes (notably the EU Tariff Code).</p> <p>This modification proposes a Reference Price Methodology (RPM) that calculates capacity prices using a Postage Stamp methodology.</p>	
	<p>This Draft Modification Report is issued for consultation responses at the request of the Panel. All parties are invited to consider whether they wish to submit views regarding this modification.</p> <p>PLEASE NOTE THIS FORMS PART OF A SUITE OF DOCUMENTS:</p> <p>Part I is the overarching Workgroup Report containing all the key material relating to Modification 0621 and the ten Alternative Modifications (0621A, 0621B, 0621C, 0621D, 0621E, 0621F, 0621H, 0621J, 0621K and 0621L).</p> <p>Part II provides an individual Workgroup Report for each Modification containing all the information specific to that Modification. (THIS DOCUMENT is Part II pertaining to Modification 0621J)</p> <p>The close-out date for responses is 22 June 2018, which should be sent to enquiries@gasgovernance.co.uk. A response template, which should be used, is at www.gasgovernance.co.uk/0621.</p> <p>The Panel will consider the responses and agree whether or not this modification should be made.</p>
	<p>High Impact:</p> <p>All parties that pay NTS Transportation Charges and / or have a connection to the NTS, and National Grid NTS</p>
	<p>Medium Impact:</p> <p>N/A</p>
	<p>Low Impact:</p> <p>N/A</p>

Contents		 Any questions?
1	Summary	3
2	Governance	3
3	Why Change?	4
4	Code Specific Matters	11
5	Solution	14
6	Analysis	25
7	Relevant Objectives	25
8	Legal Text	32
Timetable		
The Proposer recommends the following timetable:		
Initial consideration by Workgroup	20 March 2018	 07989 493580
Workgroup Report presented to Panel	17 May 2018	Transporter: National Grid
Draft Modification Report issued for consultation	18 May 2018	
Consultation Close-out for representations	22 June 2018	
Final Modification Report available for Panel	02 July 2018	Systems Provider: Xoserve
Modification Panel decision	19 July 2018	 commercial.enquiries@xoserve.com

1 Summary

What

This modification proposes to introduce a new Gas Transmission Charging regime that produces stable and predictable transportation charging and is compliant with the forthcoming EU Tariff Code (Regulation 2017/460).

Why

The Transportation Charging Methodology currently in place for the calculation of Gas Transmission charges, and the methodology to recover Transmission Owner (TO) and System Operator (SO) revenue through Entry and Exit charges, have been in place for a number of years. Whilst there have been some changes in the last ten years, the basic approach to calculating Entry and Exit Capacity charges and the approach to revenue recovery has not substantially changed.

A critique of the current Long Run Marginal Cost (LRMC) methodology has identified that it is too volatile, unpredictable and does not provide stability of charges for Users.

How

This modification proposes to introduce changes to the charging framework by way of making changes to Uniform Network Code Transportation Document (UNC TPD) TPD Section Y. It will also be necessary to make changes to the Transition Document and update other sections of the UNC TPD (Sections B, E and G) and EID Section B).

TAR NC describes Capacity Weighted Distance but does not require it to be implemented only to serve as a counterfactual. This modification proposes to move from a Reference Price Methodology (RPM) that calculates the capacity prices using the LRMC method to one that is based on a Postage Stamp methodology. Neither CWD nor Postage Stamp are cost reflective as both, by design, are set to recover National Grid's historical costs rather than setting forward looking charges that aim to signal the marginal cost of providing capacity at different network locations. The Proposer believes that a new Reference Price Methodology which allocates and recovers National Grid's costs on a uniform basis is fair, proportionate and non-distortive when compared to the Capacity Weighted Distance methodology which also includes distance as a cost driver. The principles underpinning this approach to recovering allowed revenue are consistent with those set out under the Ofgem Targeted Electricity Charging Review (electricity TCR).

The Entry (Exit) Target Revenue will be divided by the sum of the Entry (Exit) Point FCC to produce a single Entry (Exit) Reference Price. Basing the RPM only on Forecasted Contracted Capacity and Target Revenue under a Postage Stamp methodology allocates network costs uniformly based on a single cost driver, capacity, which corresponds to the degree of network utilised at each entry and exit point. This is more appropriate for a mature transmission system where shippers independently book entry capacity and exit capacity and in which notional distances or contract paths required under the Capacity Weighted Distance methodology no longer exist¹.

¹ ***Except for Specified Entry Point and Specified Exit Points on Optional Commodity Charge***

2 Governance

Justification for Authority Direction

This modification proposal is recommended to be sent to the Authority for direction as it is likely to have a material effect on commercial activities relating to the shipping, transportation and supply of gas because, if implemented, it is likely to have a material impact on the allocation of charges across NTS Network Users.

Requested Next Steps

This modification should:

- be assessed by a Workgroup.

3 Why Change?

Drivers

3.1. The methodology which is currently in place for the calculation of Gas Transmission Transportation charges, and the methodology to recover TO and SO revenue through Entry and Exit charges, has been in place for a number of years. Capacity charges are set on a locational basis based upon forward looking Long Run Marginal Costs. Whilst there have been some changes in the last ten years, the basic approach to calculating NTS Entry and Exit Capacity charges and the approach to revenue recovery arrangements have not substantially changed. What has been seen is change in the patterns of capacity booking behaviours, and the impact on the charges as a result due to the interactivity inherent within the methodology that were not anticipated. Additional regulatory drivers for changes to the charging framework are:

3.1.1. The EU Tariff Code²;

3.1.2. Ofgem's Gas Transmission Charging Review³

3.2. As a result of changing behaviours, such as increased uptake in short term zero-priced capacity, there is an increase in reliance on commodity charges to recover TO revenue. Zero priced capacity has arguably resulted in overbooking of capacity, surplus to User's requirements. The high TO commodity charges, driven largely by the zero-priced capacity can also result in unstable and unpredictable charges. Other charges, such as the NTS Optional Commodity charge (also referred to as "Shorthaul"), have also seen a significant increase in its use which has impacted on other charges in a way that was not originally envisaged.

² <http://www.gasgovernance.co.uk/sites/default/files/EU%20Tariff%20Code%20-%20final%20clean.pdf>

³ <https://www.ofgem.gov.uk/gas/transmission-networks/gas-transmission-charging-review>

Mapping Revenues

- 3.3. Within the collection of revenue there are some changes to the terminology used to assign the revenue for the purposes of ultimately calculating charges. These changes are required by the EU Tariff Code. This relates to mapping TO Revenue and SO Revenue to Transmission Services Revenue and Non-Transmission Services Revenue. This does not affect the actual allowed revenue National Grid will be required to recover through the charges.
- 3.4. There are a number of targeted charges in the current methodology and it is necessary to consider which revenue they will contribute towards:
 - 3.4.1. The Distribution Network (DN) Pensions Deficit Charge and NTS Meter Maintenance Charge, under the EU Tariff Code (Article 4), do not fall into the specific criteria for Transmission Services. This modification proposes that these will be classified as Non-Transmission Services charges thereby contributing towards Non-Transmission Services Revenue.
 - 3.4.2. The St. Fergus Compression charge will be a Non-Transmission Services charge. The methodology used to calculate the St. Fergus Compression Charge is not proposed to be reviewed at this stage.
 - 3.4.3. The methodologies to calculate these charges (DN Pensions Deficit, NTS Meter Maintenance and St. Fergus Compression) are not proposed to be reviewed at this time. Whilst these could be considered as either Transmission Services or Non-Transmission Services, providing it is approved by the National Regulatory Authority (NRA), it is proposed this is a pragmatic way to charge for these items.

Pricing Methodology

- 3.5. The current RPM (including the adjustments applied in order to calculate capacity charges) produces charges that are volatile and unpredictable. This causes challenges for investment decisions and in predicting operational costs for connected parties year on year and as such, is a key area to be addressed.
- 3.6. Alternative options to replace the current RPM include Capacity Weighted Distance (CWD) and Postage Stamp (PS). Each of these methodologies seeks to allocate historical costs to entry and exit points. An assessment of RPMs^{4&5}, concluded that Reference Prices generated by both the CWD Model and Postage Stamp Model are impacted by fluctuations in the inputs; however, the impact on Entry and Exit and across each location is identical and predictable. Basing the RPM only on Forecasted Contracted Capacity and Revenue under the Postage Stamp methodology retains these advantages but allocates costs uniformly on the basis of a single cost driver, capacity, which corresponds to the degree of network utilised at each entry and exit

⁴ See <https://www.gasgovernance.co.uk/ntscmf/subg1model>

⁵ See <https://www.gasgovernance.co.uk/sites/default/files/ggf/CWD%20and%20Postage%20Stamp%20modellinq%20-%20Sensitivities%20Analysis%20v1%200.pdf>

point. RWE believe that this approach is fair, proportionate and non-distortive and compliant with the EU Tariff Code and UNC relevant objectives and relevant charging objectives. Analysis has shown that allocating costs locationally by including a distance driver in the CWD model creates prices at a number of entry and exit points that are not intuitive, unpredictable and volatile. As a result, similar offtake points (in terms of offtake volumes and distances from points of entry) may incur materially different charges.

- 3.7. The proposed use of Postage Stamp as the RPM resolves these issues by introducing uniform prices and as such making them more predictable. This makes the RPM more relevant to how the NTS is used and expected to be used. It would better suit the current and future expectations for the NTS and maximising its use (driven through market behaviour) rather than using a RPM built on the foundation of continued expansion.
- 3.8. As a result of changing the RPM, any adjustments, discounts and other charges must be reviewed in order to avoid unintended consequences and to ensure that a clear impact assessment (including any Ofgem Impact Assessment) can be carried out on the total impact of these adjustments, discounts and other charges to NTS customers and to the end consumer.
- 3.9. This proposal considers EU compliance with the EU Tariff Code which has a deadline to implement the changes of 31 May 2019. Price changes would apply from 01 October 2019.
- 3.10. This proposal also seeks to establish a framework for review and update of key inputs to the newly established RPM which will further the objectives of the RPM.
- 3.11. This proposal aims to simplify the charging methodology, limiting aspects of the methodology whereby some charges can materially impact other charges and also eliminating the influence between Transmission and Non-Transmission Services.

Forecasted Contracted Capacity (FCC)

- 3.12. The proposed changes to the charging regime may result in changes to commercial behaviours in the procurement of capacity rights. Given this uncertainty, a transitional approach for the period commencing 01 October 2019 is proposed based on capacity values documented in the National Grid Licence.
- 3.13. Beyond 30 September 2021, RWE proposes an approach that ensures FCC is reviewed annually and updates considered and updated in the appropriate transportation charging statement and charging models. This review of FCC values will, at an appropriate point, take account of any behavioural changes in capacity procurement observed under the revised charging regime with the aim of aligning the FCC closer to actual bookings. At the same time the FCC is reviewed and updated, beyond 30 September 2021, there will be an additional adjustment to the reserve prices in order to account for the anticipated under collection driven by the application of any discounts (e.g. interruptible and specific capacity discounts).

Multipliers

- 3.14. Adjustments or separate charges can be applied in the calculation of the Entry and Exit Capacity Reserve Prices. These can serve a number of functions such as to acknowledge any potential risk associated with the type of Entry or Exit Capacity, to facilitate the recovery of revenues where relevant or beneficial to do so, and to encourage behaviours along with ensuring National Grid fulfils any relevant obligations.

- 3.15. Multipliers are applied to the Reference Price to produce the Reserve Price. Under the EU Tariff code (Article 13), the Multipliers for Interconnection Point (IP) quarterly standard capacity products and for IP monthly standard capacity products should be no less than 1 and no more than 1.5. For IP daily standard capacity products and IP within-day standard capacity products, the Multipliers should be no less than 1 and no more than 3. For the IP daily standard capacity products and IP within-day standard capacity products, the multipliers may be less than 1 but higher than 0 or higher than 3, where duly justified.
- 3.16. Beyond 30 September 2020, Multipliers for IPs need to be consulted on each year (as per Article 28 of the EU Tariff code).

Discounts

- 3.17. The pricing of Interruptible (Entry) / Off-Peak (Exit) capacity will change from the current pricing approach. It will be consistent with the EU Tariff Code Article 16 and applied to all points. The changes proposed permit an adjustment to the relevant firm entry or exit Reserve Price in the calculation of a non-zero Reserve Price and the calculation of that Reserve Price for interruptible products.
- 3.18. The adjustment applied will be proportional to the probability of interruption and will be forward looking based upon an expectation of interruption over the coming year. An adjustment factor ('A' factor) may also be applied to reflect the estimated economic value of the product which will be factored into the assessment. Together, the probability of interruption and the 'A' factor make up the adjustment to be applied to the Reserve Price of the equivalent standard firm capacity product.
- 3.19. Within the EU Tariff Code there are requirements to apply further discounts for storage capacity, where that discount must be at least 50%. This minimum discount is specific to storage in order to avoid double charging and in recognition of the general contribution to system flexibility and security of supply of such infrastructure. RWE proposes an enduring storage discount value but recognises that EU Tariff Code requirements for the charging regime to be reviewed, as a whole, at least every 5 years.
- 3.20. Any specific 'site type' discounts contemplated by the EU Tariff Code (Article 9) are applied to the Reserve Price to produce a final Reserve Price for the particular Firm Entry or Exit Capacity product at that particular point. The adjustment for Entry Points and Exit Points will be based on the values specified in the Transportation Statement.

Revenue Recovery

- 3.21. These proposals incorporate a mechanism to manage the consequence of under or over recovery of revenues from Transmission Services Capacity Charges. The approach advocated is an initial period where these Revenue Recovery charges are applied at most points as a flow based (commodity) charge which then transitions to a capacity-based charge on an enduring basis.
- 3.22. Whilst RWE recognises that use of commodity (as opposed to capacity) charges must be the exception within the overall charging proposals to be compliant with the EU Tariff Code, the proposer believes this approach is appropriate in this case. This is on the basis that it is beneficial to managing the under or over recovery of Transmission Services revenue until such

time as the industry can have confidence in the production and use of a capacity forecast that can be used both for the purposes of setting capacity reserve prices and for managing revenue recovery, where needed.

- 3.23. RWE considers that the proposed transition is as short as practicable and provides a means to mitigate the risks associated with Transmission Services revenue being wholly capacity based from October 2019. Without evidence of the change in behaviours for capacity bookings under the new regime and given National Grid's experience to date in the use of commodity to manage revenue recovery, the temporary use of commodity as revenue recovery charge will be an effective way to manage the revenue under / over recovery in compliance with Article 17(1) of the EU Tariff Code. It will also afford National Grid time to develop a capacity booking forecast capability learning from any changing capacity booking behaviours in the market.
- 3.24. From October 2021, the charging framework moves away from the commodity charge to a greater dependency on a capacity forecast and a significantly reduced revenue recovery charge that would be capacity-based achieving 100% capacity basis for recovery of Transmission Services revenue.
- 3.24.1. From October 2021, the calculation of the capacity prices will, at the time of calculation, take into account the revenue shortfall from any discounts referred to in paragraphs 3.17 to 3.20 of Section 3) in order to adjust the reserve prices such that the amount forecast to be under collected as a result of these discounts is reduced. For the avoidance of doubt, the calculation of capacity charges from 1 October 2019 to 30 September 2021 will not have this additional step.
- 3.24.2. The approach in 3.24.1, applicable from October 2021, means that less revenue will be required to be collected from the Transmission Services Revenue Recovery charges than if it were not carried out. It is most relevant to do this step from October 2021 at the same time as the FCC is updated.

NTS Optional Charge

- 3.25. RWE proposes to retain a charge that discourages inefficient bypass of the NTS. The general principle is to retain an incentive to utilise the NTS rather than construct a dedicated pipeline to exit points that are sufficiently close to an entry point. Such a product should consider the most appropriate method of applying such a charge and in its derivation should consider such elements as the costs of building an alternative pipeline and a reasonable limit over which this may be considered economic to construct and how the charge functions with the rest of the charging framework to be in keeping with the general principle of the NTS Optional Charge.
- 3.25.1. Within the transition period, RWE proposes to effectively retain this through the use of, in principle, the existing NTS Optional Commodity ('NTS shorthaul') charge as an alternative charge to the transitional Transmission Services entry and exit Revenue Recovery charges and Non-Transmission Services Entry and Exit Charges.
- 3.25.2. RWE continues to believe it is appropriate to dis-incentivise the construction of dedicated pipelines to exit points which are sufficiently close to an entry point.

- 3.26. Recognising the proposed transition to an entirely capacity based Transmission Services charges in October 2021 (after the end of the transition period), RWE proposes that the application of the NTS Optional expires at the end of the transition period. For the calculation and application of an equivalent charge on an enduring basis after the transition period (i.e. from 01 October 2021), the proposer anticipates a future change proposal to be raised to achieve this.
- 3.27. As a means of applying the NTS Optional charge in the transition period, there are two key differences that will apply:

3.27.1. *Inclusion of a 60km distance cap.*

As the existing charge is based on a fixed formula (as opposed to a percentage discount for example), the number of Entry / Exit Point combinations for which the optional charge is less than the standard charge is far in excess of the numbers initially intended. Consequently, the entry to exit point distances within scope are also far in excess of the distances initially envisaged.

RWE considers that the distance cap proposed constrains the availability of the incentive to those exit points sufficiently close to entry points (to genuinely consider construction of a dedicated pipeline) in line with the original aims of the optional charge.

3.27.2. *Indexation of the costs incorporated into the charge formula.*

The existing formula incorporates four numeric values which are driven by the estimated cost of laying and operating a dedicated pipeline of NTS specification in 1997. RWE proposes that these cost inputs are updated to October 2017 values via indexation using the Retail Prices Index. Prospectively, RWE believes it is appropriate to update these costs (via indexation) for the relevant charging period and proposes to use the Retail Prices Index for this purpose (i.e. for October 2019 the cost inputs will be updated using RPI from the 12 month period ending 31 March 2019 and for October 2020 updated using RPI from the 12 month period ending 31 March 2020).

- 3.28. Other aspects of the existing NTS Optional Commodity charge derivation are proposed to be retained within the new NTS Optional Charge:

3.28.1. The existing range of pipe sizes taken into account;

3.28.2. The maximum daily capacity, as derived from the maximum hourly volume as specified in the Network Exit Agreement, as an input to the formula;

3.28.3. The maximum daily capacity load being subject to a 75% load factor adjustment; and

3.28.4. The existing determination of 'eligible quantities' (including the current bespoke arrangement at the Bacton ASEP (introduced by UNC Modification 0534) is principally retained.

Existing Contracts and Interim Contracts (Collectively referred to as Historical Contracts)

3.29. RWE proposes provisions to apply for Entry Capacity (for 01 October 2019 or beyond) allocated up to the Effective Date

3.29.1. This will include Existing Contracts, as outlined in Article 35 in EU Tariff Code where the “contract or capacity booking concluded before the entry into force of the EU Tariff Code – 6 April 2017, such contracts or capacity bookings foresee no change in the levels of capacity and/or commodity based transmission tariffs except for indexation, if any”.

3.29.2. This will also include Interim Contracts, as defined in this Proposal. Beyond the Effective Date sufficient clarity of the charging regime to apply from 01 October 2019 is apparent and therefore no specific treatment (for capacity subsequently booked) is proposed.

3.29.3. The capacity procured under these contracts impact the application of the Postage Stamp charging model (specifically when determining Reference Prices at Entry Points) and calculation of Transmission Services Revenue Recovery Charges.

Aspects of the GB Charging Regime where there are no proposals for change:

The following is a list of items for which changes are not being proposed at this time but could be the next steps in the evolution of the GB charging regime.

- Auction Structure – All timings for auctions will be as per prevailing terms (including any changes implemented to comply with CAM).
- Entry/Exit Split – No change is proposed to the current 50:50 split.
- Gas Year/Formula Year – the Formula Year (April to March) and Gas Year (October to September) will be retained.
- DN Pensions Deficit Charge – No change to the calculation or the application of the charge.
- St. Fergus Compression Charge – No change is proposed to the calculation or the application of the charge.
- NTS Metering Charge - No change is proposed to the calculation or the application of the charge.
- Shared Supply Meter Point Administration Charges - No change is proposed to the calculation or the application of the charge.
- Allocation Charges at Interconnectors - No change is proposed to the calculation or the application of the charge.
- Categorisation of Entry and Exit Points – Maintain the link to the Licence for categorisation.
- Seasonal Factors – Not used in current methodology and propose not to introduce.
- Fixed Pricing – As per Modification 0611, Amendments to the firm capacity payable price at IPs.
- Allowed Revenue – No change as per the Licence.
- Principles and application of Interruptible – As per prevailing terms. In respect of IPs, the terms implemented pursuant to Modification 0500, EU Capacity Regulations - Capacity Allocation Mechanisms with Congestion Management Procedures.

4 Code Specific Matters

Reference Documents

There are summary documents available on each of the topics (mentioned in the solution section of the modification proposal) which have been discussed at NTSCMF and sub-groups related to the gas charging review, which are available at: <http://www.gasgovernance.co.uk/ntscmf/subg1page> and <http://www.gasgovernance.co.uk/ntscmf/subg1model>.

A Postage Stamp Model and User Guide have been produced which can be found at: <http://www.gasgovernance.co.uk/ntscmf>.

A Postage Stamp model is also available to be able to do a comparison of the prices in each of these models (found at the same location).

A Non-Transmission Services model has been produced which can be found at: <http://www.gasgovernance.co.uk/ntscmf>

Uniform Network Code (UNC) Section Y:

http://www.gasgovernance.co.uk/sites/default/files/TPD%20Section%20Y%20-%20Charging%20Methodologies_29.pdf

UNC European Interconnection Document (EID):

<http://www.gasgovernance.co.uk/EID>

EU Tariff Code:

<http://www.gasgovernance.co.uk/sites/default/files/EU%20Tariff%20Code%20-%20final%20clean.pdf>

Implementation Document for the Network Code on Harmonised Transmission Tariff Structures for Gas (Second Edition)

https://www.entsog.eu/public/uploads/files/publications/Tariffs/2017/TAR1000_170928_2nd%20Implementation%20Document_Low-Res.pdf

Uniform Network Code (UNC) Section B:

http://www.gasgovernance.co.uk/sites/default/files/TPD%20Section%20B%20-%20System%20Use%20&%20Capacity_55.pdf

NTS Transportation Statements:

<http://www.gasgovernance.co.uk/ntschargingstatements>

Customer and Stakeholder Objectives:

<http://www.gasgovernance.co.uk/sites/default/files/NTS%20Charging%20Review%20Objectives%2006Sep16%20v1.0.pdf>

Gas Transmission Charging Review (GTCR) and associated update letters:

<https://www.ofgem.gov.uk/gas/transmission-networks/gas-transmission-charging-review>

Knowledge/Skills

An understanding of the Section Y Part A within the UNC, NTS Transportation Statements, the EID within the UNC, Section B within the UNC, the EU Tariff code, GTCR documentation and the customer / stakeholder objectives developed within NTSCMF would be beneficial.

Definitions

Term (Abbreviation)	Description
Effective Date	The earlier of: <ul style="list-style-type: none"> the last day of the month in which Ofgem issues its letter directing implementation of this Proposal; and 31 May 2019
Existing Contracts (ECs) (for the purposes of this modification)	Arrangements relating to Long Term Entry capacity allocated before 6 April 2017 (Entry into Force of EU Tariff Code)
Forecasted Contracted Capacity (FCC)	FCC is the capacity input to the RPM that will be used in the Transmission Services capacity charges calculation that for this proposal will be through a Postage Stamp methodology. There should be an FCC value for every Entry and Exit point which will be summed to produce an Entry Point FCC and an Exit Point FCC.
Historical Contracts (HCs)	The combination of Existing Contracts (ECs) (for the purposes of this modification) and Interim Contracts (ICs) and in relation to Transmission Services Revenue Recovery Charges at Storage includes adjustments to available capacity (including transfers) executed up to and including the Effective Date.
Interim Contracts (ICs)	Arrangements relating to Long Term Entry capacity allocated between 6 April 2017 and the Effective Date excluding Interconnection Point Entry Capacity.
Long Run Marginal Costs (LRMC) Model	This is the current underlying RPM used in the calculation of the Entry and Exit Capacity Prices. Whilst there are different approaches in Entry and Exit as to how secondary adjustments are applied, the underlying LRMC principles are there in both. The LRMC approach is an investment focused methodology where the intention is to have strong locational signals to facilitate decision making. More information is available in TPD Section Y of the UNC.
Multipliers	The factor applied to the respective proportion (runtime) of the Base Reference Price in order to calculate the Reference Price for non-yearly standard capacity product.

Non-Transmission Services	The regulated services other than transmission services and other than services regulated by Regulation (EU) No 312/2014 that are provided by the transmission system operator;
Non-Transmission Services Revenue	The part of the allowed or target revenue which is recovered by non-transmission tariffs
Postage Stamp Model	<p>The Postage Stamp model fundamentally requires two main inputs:</p> <ul style="list-style-type: none"> • A revenue value is required, which will be the target revenue required to be recovered from Transmission Services, split between Entry and Exit; • A capacity value for each Entry and Exit point that will be the Forecasted Contracted Capacity (FCC) (which is mentioned later in this section). <p>The Postage Stamp model produces the Transmission Services Reference Prices and, with additional adjustments, produces the Transmission Services Reserve Prices.</p>
Reference Price	Price for a capacity product for firm capacity with a duration of one year, which is applicable at entry and exit points and which is used to set capacity based transmission tariffs. This will be produced in p/kWh/a (pence per kWh per annum).
Reference Price Methodology (RPM)	<p>The methodology applied to the part of the transmission service revenue to be recovered from capacity based transmission tariffs with the aim of deriving Reference Prices. Applied to all entry and exit points in a system.</p> <p>The RPM therefore is the framework to spread certain costs / revenues (relevant to the methodology in place) to the Entry and Exit points and thereby on to network users.</p>
Reserve Price	<p>Reserve Price for Yearly standard capacity = the Reference Price</p> <p>Reserve Price for Non- yearly standard capacity is calculated by applying any Multipliers (if applicable).</p> <p>This will be produced in p/kWh/d (pence per kWh per day).</p>
Target Revenue	This is the revenue required to be recovered from a particular set of charges. There will be an Entry Target Revenue and an Exit Target Revenue.
Transmission Services	The regulated services that are provided by the transmission system operator within the entry-exit system for the purpose of transmission.
Transmission Services Revenue	The part of the allowed or target revenue which is recovered by transmission tariffs.

Transportation Statement	The Transportation Statement containing the Gas Transmission Transportation Charges
---------------------------------	---

5 Solution

This modification proposal seeks to amend TPD Section Y, Part A (The Gas Transmission Transportation Charging Methodology) of the UNC, by changing the methodology for the calculation of gas transmission transportation charges. Changes to the Transition Document, TPD Sections B (System Use and Capacity), E (Daily Quantities, Imbalances and Reconciliation), G (Supply Points) and European Interconnection Document (EID) Section B (Capacity) are also required.

Mapping of the revenue to Transmission Services revenue and Non-Transmission Services revenue (see paras 3.3 and 3.4 in section 3)

Transmission Services Charges

It is proposed that Transmission Services charges will be collected via:

- Transmission Services Capacity charges made up of;
 - Transmission Entry Capacity charges (including NTS Transmission Services Entry Capacity Retention Charge);
 - Transmission Exit Capacity charges;
- Transmission Services Entry Revenue Recovery charges;
- Transmission Services Exit Revenue Recovery charges
- NTS Optional charges; and
- NTS Transmission Services Entry Charge Rebate.

Non-Transmission Services Charges

It is proposed that Non-Transmission Services charges will be collected via:

- General Non-Transmission Services Entry and Exit Charges;
- St Fergus Compression Charges;
- NTS Metering Charges;
- DN Pensions Deficit charges;
- Shared Supply Meter Point Administration charges; and
- Allocation Charges at Interconnectors

Transmission Services Charges

Reference Price Methodology (see paras 3.5 to 3.11 in section 3)

It is proposed that a Postage Stamp approach is used in the RPM.

One RPM will be used for the calculation of Reference Prices for all Entry Points and all Exit Points on the system. The RPM produces Entry and Exit Capacity Reference Prices for the applicable gas year which in turn through the relevant adjustments and calculation steps will determine the Entry and Exit Capacity Reserve Prices.

Final Reference Prices


It is proposed that the calculation of the final Reference Price for a given Entry Point or Exit point cannot be zero. Where a zero price arises as a result of the FCC value or the Existing Contracts (EC) influencing the Postage Stamp calculation (see below), then the Reference Price to be used for such points will be the Entry Point Postage Stamp price (for an Entry Point) or the Exit Point Postage Stamp price (for an Exit Point).

Calculations within the Postage Stamp Model

Proposed Postage Stamp Model for calculating Entry and Exit Capacity Base Reference Prices:

The proposed Postage Stamp approach fundamentally requires two main inputs:

- Target Entry Transmission Services Revenue (which is Allowed Revenue net of known Existing Contracts (EC) revenue and Interim Contracts (IC) revenue) and Target Exit Transmission Services Revenue.
- Capacity (FCC) – Entry FCC (which is net of Existing Contracts (EC) capacity and Interim Contracts (IC) capacity) and Exit FCC.




Key steps in the Postage Stamp calculations:

	Entry Capacity Calculation	Exit Capacity Calculation
Reference price	$\frac{\text{Entry Target Revenue}^\#}{\text{Sum Entry Point FCC}^*}$	$\frac{\text{Exit Target revenue}}{\text{Sum Exit Point FCC}}$


[#]Entry Target Revenue – this is net of revenues associated with Existing Contracts and Interim Contracts.

^{*}Entry FCC – this is the Entry FCC net of capacity associated with Existing Contracts and Interim Contracts.

Entry Point Reference Prices are calculated in the following steps in the Postage Stamp model:



Exit Point Reference Prices are calculated in the following steps in the Postage Stamp model:



Forecasted Contracted Capacity (FCC) (see paras 3.12 and 3.13 in section 3)

It is proposed that:

- For the period commencing 01 October 2019 until 30 September 2021 (inclusive), the FCC for an Entry Point or an Exit Point will be equal to the ‘Baseline capacity’ specified within National Grid’s Licence (Special Condition 5F Table 4B for Entry Points, and Special Condition 5G Table 8 for Exit Points) for the relevant Entry Point or Exit Point; and
- For the period commencing 01 October 2021 onwards, the FCC for an Entry Point or an Exit Point will be equal to a forecast value determined by National Grid taking account of capacity booking trends observed at respective Entry Points and Exit Points from 1st October 2019. The approach to determine a capacity forecast will be developed and shared with industry and the intention is

that it be transparent and to keep the approach flexible to develop the best possible forecast to be applied to the relevant year from 2021 onwards in the calculation of the capacity charges.

Reserve Prices produced from Reference Prices (see paras 3.14 to 3.16 in Section 3)

It is proposed that Reserve Prices for capacity will be produced in p/kWh/d. The Reserve Prices will be calculated each year based on the latest available set of inputs and once published, these will be the Reserve Prices applicable for the relevant gas year regardless of when the capacity product is procured. For example, capacity procured in 2019 for a period in October 2025 will be subject to the Reserve Prices determined for gas year 2025/26 plus, where applicable, any auction premium (the difference between the allocated price and Reserve Price in the relevant auction) initially contracted for.

It is proposed that the Reserve Price for Firm capacity at an Entry Point or an Exit Point is determined by application of any applicable Multipliers to the relevant Reference Price.

It is proposed that Multipliers

- shall not be zero for any capacity type or product;
- are not to be used for the purposes of managing revenue recovery;
- shall be calculated on an ex-ante basis ahead of the applicable year.

It is proposed that for the period commencing 01 October 2019 the Multiplier applied to the Reference Prices for all Entry Point and Exit Points in order to determine the Reserve Price will be 1.

Interruptible (Entry) and Off-Peak (Exit) Capacity (see paras 3.17 to 3.18 in Section 3)

It is proposed that the Reserve Price for Interruptible Capacity at an Entry Point and Off-Peak Capacity at an Exit Point is derived by application of an ex-ante discount to the Reserve Prices for the corresponding Firm capacity products (the day ahead firm price at the relevant Entry Point and the daily firm price at the relevant Exit Point).

It is proposed that when determining the level of discount applied in respect of Interruptible and Off-Peak Capacity from 01 October 2019, the likelihood of interruption and the estimated economic value of the Interruptible or Off-Peak capacity products are used to determine a discount value (as per Article 16 of EU Regulation 2017/460). It is further proposed to adopt a 'banding approach' for the period commencing 01 October 2019 and for subsequent years, such that the proposed discount value will be rounded up to the nearest 10%:

It is proposed that for the period commencing 01 October 2019 the discount applied in respect of Interruptible and Off-Peak Capacity at:

- Entry Points is 10%; and
- Exit Points is 10%.

Specific Capacity Discounts (see paras 3.19 to 3.20 in section 3)

It is proposed that Specific Capacity Discounts will be applied to the Reserve Prices in respect of Firm and Interruptible/Off-Peak Capacity at the Points detailed below.

It is proposed that in respect of **storage sites**, (locations where the type of Entry point/Offtake is designated as a 'Storage Site' in National Grid's Licence (Special Condition 5F Table 4B for Entry Points, and Special Condition 5G Table 8 for Exit Points) the applicable Specific Capacity Discount for a given gas year will be equal to [86] %.

It is proposed that in respect of **Liquefied Natural Gas (LNG) sites**, (locations where the type of Entry point is designated as a ‘LNG Importation Terminal’ in National Grid’s Licence (Special Condition 5F Table 4B)) for the period commencing 01 October 2019 the applicable Specific Capacity Discount for a given gas year will be equal to 0%.

It is proposed that no other Specific Capacity Discounts are applied.

Additional Calculation Step under Postage Stamp for Reference / Reserve Prices applicable from 01 October 2021 (see para 3.24 in section 3)


It is proposed that the following step is only applicable for Capacity Reference Prices from October 2021 (on an enduring basis) concurrent with when the FCC determination approach is updated to be based on a more informed forecast. Once the Reserve Prices have been calculated taking into account all the required Multipliers, Specific Capacity Discounts and Interruptible / Off-Peak adjustment there will be an under recovery driven by the levels of discounts or adjustments (e.g. Interruptible / Off-Peak adjustment and Specific Capacity Discounts). This anticipated under recovery will result in the need for an adjustment to be applied to the CWD calculation in order to recalculate Reference Prices, and therefore Reserve Prices, such that the under recovery is estimated to be zero or close to zero. This will minimise the size of the Transmission Services Entry and Exit Revenue Recovery charges. This will be applied to the Entry and Exit Capacity calculations to recalculate the Entry and Exit Capacity Reference Prices and Reserve Prices for all Entry and Exit points.

Minimum Reserve Price

It is proposed that Reserve Prices for Firm and Interruptible / Off-Peak capacity (determined following the application of any relevant Multipliers, Specific Capacity Discounts, or Interruptible / Off-Peak adjustments) will be subject to a minimum value (collar) of 0.0001p/kWh/d.

Summary of Reserve Price Derivation

The following diagram summarises the proposed approach to the derivation of Reserve Prices (from the applicable Reference Price) for both Firm and Interruptible / Off-Peak Capacity products (including Capacity at Storage and LNG sites).




Capacity Step Prices

For the purposes of capacity step prices used in the QSEC Auction, these will be an additional 5% of the applicable Reserve Price or 0.0001 p/kWh/Day, whichever is the greatest, per step.

Transmission Services Revenue Recovery Charges (see paras 3.21 to 3.24 in section 3)

It is proposed that where a proportion of revenue could be under/over recovered (i.e. compared to the target Transmission Services revenues) as a consequence of application of Reserve Prices applicable for the following gas year, a revenue recovery mechanism is applied.

The Transmission Services Revenue Recovery charges (Transmission Services Entry Revenue Recovery charge and Transmission Services Exit Revenue Recovery charge) will be calculated after the Reserve Prices have been determined and will be calculated as follows for Entry and Exit in the same way:



It is proposed that the ‘Anticipated Bookings’ value will be based on National Grid’s forecast of capacity bookings and therefore used to forecast the anticipated under or over recovery. It is proposed that the Transmission Services Revenue Recovery charge rate may be adjusted at any point within the gas year.

For the avoidance of doubt, such change would be subject to the existing notice requirements for variation of Transportation Charge rates.

It is proposed that for the period commencing 01 October 2019 until 30 September 2021 (inclusive) the Transmission Services revenue recovery mechanism is calculated in a number of steps and applied differently at Interconnection Points and Non-Interconnection Points:

- The required revenue to be applied to the Transmission Services revenue recovery mechanism will be determined in the same manner for Entry and for Exit in the steps highlighted above. The steps below apply independently to both Entry and to Exit to produce Transmission Services Entry Revenue Recovery charges and Transmission Services Exit Revenue Recovery charges.
- The total anticipated flows on the NTS (excluding Storage flows unless it is flowed as “own use” gas at the Storage point) will be used as the main denominator.
 - For Non-Interconnection points, the anticipated Non-Interconnection Point flows as a proportion of the total anticipated flows on the NTS will be applied to the required revenue from the Transmission Services revenue recovery mechanism to determine the revenue to be collected from Non-Interconnection Points. This amount divided by the applicable

Non-Interconnection Point flows shall determine the Transmission Services Entry and Exit revenue recovery charges for Non-Interconnection Points for the relevant period. This charge shall be applied to all Non-Interconnection Point flows except Storage flows not considered “own use” gas at the storage point. The Transmission Services Entry and Exit revenue recovery charges for Non-Interconnection Points will be produced in p/kWh.

- For interconnection points, the anticipated Interconnection Point flows as a proportion of the total anticipated flows on the NTS will be applied to the required revenue from the Transmission Services revenue recovery mechanism to determine the revenue to be collected from Interconnection Points. This amount divided by an aggregate forecast of fully adjusted capacity at Interconnection points shall determine the Transmission Services Entry and Exit revenue recovery charges for Interconnection Points for the relevant period. This charge shall be applied to all Interconnection Point fully adjusted capacity. The Transmission Services Entry and Exit revenue recovery charges at Interconnection Points for this period will be produced in p/kWh/d.

It is proposed for the period commencing 01 October 2021 onwards, the Transmission Services revenue recovery mechanism is capacity based and applied as additional capacity charges to all fully adjusted capacity except Historical Contracts for Storage. The Transmission Services Entry and Exit revenue recovery charges for this period will be produced in p/kWh/d. For the avoidance of doubt, any Entry Capacity (except Historical Contracts for Storage) or Exit Capacity booked for the applicable year (irrespective of when this capacity was procured from National Grid) would be subject to Revenue Recovery charges.

It is proposed that in respect of adjustments to available Entry Capacity at Storage, where the adjustment is executed:

- up to and including the Effective Date, the Capacity will be treated as Entry Capacity procured via Historical Contracts; or
- subsequent to the Effective Date, the Capacity will not be treated as Entry Capacity procured via Historical Contracts.

NTS Optional Charge (see paras 3.25 to 3.28 in Section 3)

It is proposed that for the period up until and including 30 September 2021, the NTS Optional Charge is available for eligible flows or eligible capacity at Specified Entry Point and Specified Exit Points. This is available to Users (by election) as an alternative to the Transmission Services Revenue Recovery charges (entry and exit) and general Non-Transmission Services Entry and Exit Charge where the straight line distance from the Specified Entry Point to the Specified Exit Point is 60km or less.

A Specified Entry Point can be any System Entry Point except those located at Storage Connection Points. Whereas one Specified Entry Point can be associated with more than one Specified Exit Point, it is not permitted to associate more than one Specified Entry Point to an individual Specified Exit Point.

The method of determining the NTS Optional Charge for the relevant years will be to apply the following formula structure and indexation approach to provide an updated formula to be applicable in the relevant year. The formula is designed to take into account the estimated costs of laying and operating a dedicated pipeline of an appropriate specification and also takes into account a range of flow rates and pipeline distances.

$$w^*(M^x)^D + y^*(M^z)$$

where:

w means a value derived from the estimated costs (of laying and operating a dedicated pipeline of NTS specification) between the relevant points and for the 12 month period commencing 01 October 2017 is equal to 2006;

M means the Maximum NTS Exit Point Offtake Rate (MNEPOR) converted into kWh/day at the site as specified in the relevant Network Exit Agreement;

x means a value derived from the estimated costs (of laying and operating a dedicated pipeline of NTS specification) between the relevant points and for the 12 month period commencing 01 October 2017 is equal to -0.835;

D means the straight line ('as the crow flies') distance from the site or non-National Grid NTS pipeline to the Specified Entry Point in km (up to a maximum distance of 60km);

y means a value derived from the estimated costs (of laying and operating a dedicated pipeline of NTS specification) between the relevant points and for the 12 month period commencing 01 October 2017 is equal to 587;

z means a value derived from the estimated costs (of laying and operating a dedicated pipeline of NTS specification) between the relevant points and for the 12 month period commencing 01 October 2017 is equal to -0.654; and

^ means to the power of

It is proposed that the methodology that supports the derivation of the above formula and its parameters will be included in a separate Methodology Statement.

Indexation approach

It is proposed that the estimated costs (of laying and operating a dedicated pipeline of NTS specification) which underpin the calculation that derives the values **w**, **x**, **y** and **z** above are subject to indexation to the Retail Prices Index (RPI) for the relevant charge period consistent with RIIO-T1 Licence RPI calculations. The cost base will be updated using publicly published RPI figures from the previous completed formula year (i.e. October 2019 will be updated using April 2018 to March 2019 data) and the formula for determine the RPI will be as follows:

$$RPI_t = \frac{RPI_{t-1}}{RPI_{1998/99}}$$

RPI_t means the arithmetic average of the monthly Retail Price Index published or determined with respect to each of the twelve months from 1 April to 31 March in formula Year t.

It is proposed that the updated formula for the relevant year (within the period for which the NTS Optional charge is applicable i.e. up to 30 September 2021) is specified in the Transportation Statement.

It is proposed that the NTS Optional Charge rate (in place for an individual Supply Point Registration) will be subject to change annually (as a consequence of the indexation described above). For the avoidance of doubt this charge rate change will take effect in absence of any subsequent Supply Point Administration activity.

It is proposed that by 01 August 2020 National Grid notify each User at a Point with an existing NTS Optional Charge rate (as at 01 July 2020) of the prevailing tariff/rate and the NTS Optional Charge rate (which will apply from 01 October 2020).

Transition

The existing NTS Optional Commodity Rate (OCR) will no longer be available from 01 October 2019. It is proposed that existing Users subject to the OCR will not be automatically transferred to the proposed NTS Optional Charge.

It is proposed that by 01 August 2019 National Grid notify each User at a Point with an existing OCR (as at 01 July 2019) of the removal of the OCR and the availability of the NTS Optional Charge for points that meet the criteria (i.e. where the straight line distance from the site or non-National Grid NTS pipeline to the Specified Entry Point is up to 60km). For the avoidance of doubt, in absence of an accepted application for the NTS Optional Charge in respect of a Point, the standard Revenue Recovery Charges will be payable from 01 October 2019 as described above.

Application (all Points)

It is proposed that the flow utilised for the basis of the NTS Optional charge ('NTS Optional Flow') is the lower of the input flow (at the specified Entry Point) or the output flow (at the specified Exit Point). Where a single Entry Point is the specified Entry Point for multiple identified Exit Points and the aggregate volume flowed at the identified Entry Point is less than the aggregate volume flowed at the identified Exit Points, the NTS Optional Flow for each will be the pro rata proportion of the aggregate volume flowed at the identified Entry Point (i.e. in proportions equivalent to the Exit Volumes).

Application: Non-Interconnection Points

It is proposed that NTS Optional Flow will be subject to the NTS Optional Charge as an alternate to both the flow-based Entry Revenue Recovery Charge (at the identified Entry Point) and the flow-based Exit Revenue Recovery Charge (at the identified Exit Point). Any flow at the identified Entry Point or the identified Exit Point that is not classified as NTS Optional Flow is subject to (respectively) the flow-based Transmission Services Exit Revenue Recovery Charge or flow-based Transmission Services Entry Recovery Charge.

Application: Interconnection Points

It is proposed that the quantity of capacity deemed to have been used ('NTS Optional Capacity') for this NTS Optional Flow will be equal to the NTS Optional Flow volume.

It is proposed that NTS Optional Capacity will be subject to the NTS Optional Charge as an alternate to (where applicable) the capacity based Entry Revenue Recovery Charge (at the identified Entry Point) and the capacity based Exit Revenue Recovery Charge (at the identified Exit Point). Any capacity at the identified Entry point or the identified Exit point that is not classified as NTS Optional Capacity is subject to (respectively) the capacity-based Transmission Services Exit Revenue Recovery Charge or capacity-based Transmission Services Entry Recovery Charge.

Application: Bacton ASEPs⁶

It is proposed that at the Bacton ASEPs only, the input flow at the ASEP will be equal to the sum of the UKCS ASEP and the IP ASEP. In order to determine the proportion of NTS Optional Flow which is subject to application in respect of non-Interconnection Points and which is subject to application in respect of

⁶ The approach advocated is consistent with the principles introduced by UNC Modification 0534 '*Maintaining the efficacy of the NTS Optional Commodity ('shorthaul') tariff at Bacton entry points*' which was implemented with effect from 01 August 2016.

Interconnection Points, the NTS Optional Flow shall be apportioned between the UKCS ASEP and the IP ASEP in pro rata proportion to the input flow (i.e. in proportions equivalent to the input flow at the UKCS ASEP and the IP ASEP).

NTS Transmission Services Entry Charge Rebate

The charge mechanism reduces any Transmission Services entry over recovery. The process may be triggered at the end of the formula year. It is proposed that this will be applied as a Transmission Services entry capacity credit.

NTS Transmission Services Entry Capacity Retention Charge

NTS Entry Capacity Substitution is where National Grid moves unsold non-incremental Obligated Entry Capacity from one (donor) ASEP to meet the demand for incremental Obligated Entry Capacity at a different (recipient) ASEP. It is proposed that where a User elects to exclude capacity at potential donor ASEPs from being treated as substitutable capacity without having to buy and be allocated the capacity it is required to take out a “retainer”.

The retainer is valid for one year, covering all QSEC auctions (including ad-hoc auctions) held in this period. National Grid will exclude the relevant quantity from the substitution process, but the retainer will not create any rights to the User to be allocated or to use the capacity. The retainer will not prevent Users (including the User taking out the retainer) from buying that capacity at the ASEP in question in the period covered by the retainer.

The retainer is subject to a one-off charge which is payable via an ad hoc invoice raised within 2 months of the QSEC auction allocations being confirmed. If a User wishes to protect capacity for more than one year then a further retainer must be obtained each year and a charge will be payable each year for which a retainer is taken out.

Where any capacity covered by a retainer is allocated, a refund of the retention fee may be made, for example, for a retainer taken out for Gas Year 2013/14 in January 2010, a refund can be triggered by an allocation at the relevant ASEP made during a QSEC auction in 2010, 2011 and 2012, and an AMSEC auction in 2013 and 2014.

NTS Entry Capacity Retention Charges, in regard to non-incremental Obligated Entry Capacity, are calculated based on the minimal capacity charge rate of 0.0001 pence per kWh per day applying over a time period of 32 quarters; this equates to 0.2922 p/kWh of Entry Capacity retained. NTS Entry Capacity Retention Charges and refunds in regard to non-incremental Obligated Entry Capacity are treated as Transmission Services.

Non-Transmission Services Charging

It is proposed that revenue due for collection via General Non-Transmission Services Entry and Exit Charges will be equal to the Non-Transmission Services revenue minus the DN Pensions Charges, NTS Meter Maintenance Charges, St. Fergus Compressor Charges, Shared Supply Meter Point Administration Charges and Allocation Charges at Interconnectors.

The revenue due for collection via General Non-Transmission Services Entry and Exit Charges will be recovered through a flow based charge as a flat unit price for all Entry Points and Exit Points. It is proposed that the St. Fergus Compressor Charges and General Non-Transmission Services Entry and Exit Charge rates may be adjusted at any point within the gas year.

It is proposed that this is applied to all flows excluding eligible flows (in respect of the NTS Optional Charge) and Storage flows unless it is flowed as “own use” gas at the Storage point.

The General Non-Transmission Services charge will be produced in p/kWh.

Treatment of under/over recovery (K) – after each formula year

It is proposed that a separate under or over revenue recovery (otherwise known as the “K” value) will be calculated for Transmission Services and Non-Transmission Services for the formula year. This will be different to the TO and SO “K” values however the principle of reconciling Transmission Entry and Exit revenues separately will remain.

It is proposed that the approach and calculation will be specified in the UNC, to be approved by Ofgem. In addition to Transmission and Non-Transmission being reconciled this modification also proposes to have reconciliation between Entry and Exit under Transmission Services.

Transmission Services Revenue:

It is proposed to maintain 50/50 split between Entry and Exit (for the purposes of allocating revenues to the charges to recover Transmission Services Entry and Exit Revenues). It is also proposed to maintain the reconciliation of Entry and Exit for Transmission Services, as per the current approach for TO charges. This would continue to mean that Entry and Exit, under Transmission Services, when reconciled would not result in Entry impacting Exit or vice versa.

The applicable years Transmission Service Revenue will be split 50:50 between revenue to collect on Entry Capacity charges and revenue to collect on Exit Capacity charges. This value will then be added to any under/over recovery (Transmission Services K value) which was calculated in y-2 (two years ago) and split between Entry and Exit in the correct proportion, to make the applicable revenue which will be used in the Postage Stamp model to calculate the capacity charges.

Non-Transmission Services Revenue:

It is proposed that all those charges in respect of Non-Transmission Services shall contribute towards Non-Transmission Services revenue recovery. All charges are set on an ex-ante basis.

It is proposed that any under or over recovery attributed to the charges other than the Non-Transmission Services Entry and Exit Charge shall not be subject to reconciliation with any K value (Non-Transmission Services K value) adjusting the Non-Transmission Services Revenue recovery charge. Non-Transmission Services revenue charge will be added to the Non-Transmission Services K value which was calculated in y-2 (two years ago) which will be used to calculate the applicable years Non-Transmission Services Revenue which will be used for calculation of the Non-Transmission Services Charges.

Transportation Charges: Information Publication

It is proposed that information in respect of Transportation Charges will be published in accordance with the following table:

	Data Item	Publication	Issued by:
Transmission Services	Forecasted Contracted Capacity	Charging Model	01 August
	Capacity Reference Prices	Transportation Statement	01 August
	Multipliers	Transportation Statement	01 August
	Capacity Reserve Prices	Transportation Statement	01 August
	Interruptible Adjustment (Entry)	Transportation Statement	01 August

	Interruptible Adjustment (Exit)	Transportation Statement	01 August
	Specific Capacity Discounts (Storage)	Transportation Statement	01 August
	Specific Capacity Discounts (LNG)	Transportation Statement	01 August
	Revenue Recovery Charge (Entry)	Transportation Statement	01 August
	Revenue Recovery Charge (Exit)	Transportation Statement	01 August
	NTS Optional Charge Formula	Transportation Statement	01 August
Non-Transmission Services	Non-Transmission Services Charges	Transportation Statement	01 August
	DN Pension Deficit Charges	Transportation Statement	01 August
	NTS Metering Charges	Transportation Statement	01 August
	St Fergus Compression Charges	Transportation Statement	01 August
	SSMP Administration Charges	Transportation Statement	01 August
	Allocation Charges at Interconnectors	Transportation Statement	01 August

*Issued by means the date by which the listed information will be consolidated and published in the relevant publication. The information in this table will be published and made available in steps via the relevant notice and supporting material which may be before the date listed.

6 Analysis

The proposer did not provide any specific analysis. See Model and Analysis Workbook prepared by National Grid: <https://www.gasgovernance.co.uk/0621/Analysis>.

7 Relevant Objectives

Impact of the modification on the Relevant Objectives:	
Relevant Objective	Identified impact
a) Efficient and economic operation of the pipe-line system.	None
b) Coordinated, efficient and economic operation of (i) the combined pipe-line system, and/ or (ii) the pipe-line system of one or more other relevant gas transporters.	None
c) Efficient discharge of the licensee's obligations.	Positive
d) Securing of effective competition: (i) between relevant shippers; (ii) between relevant suppliers; and/or (iii) between DN operators (who have entered into transportation arrangements with other relevant gas transporters) and relevant shippers.	Positive

e) Provision of reasonable economic incentives for relevant suppliers to secure that the domestic customer supply security standards... are satisfied as respects the availability of gas to their domestic customers.	None
f) Promotion of efficiency in the implementation and administration of the Code.	None
g) Compliance with the Regulation and any relevant legally binding decisions of the European Commission and/or the Agency for the Co-operation of Energy Regulators.	Positive

Demonstration of how the Relevant Objectives are furthered:

c) Efficient discharge of the licensee's obligations.

The proposed changes to TPD B, EID B and Transition Document (where applicable) support the implementation of the new charging methodology and arrangements. Standard Special Condition A5(5) of the NTS Licence sets out the relevant methodology objectives and RWE believes that these objectives are better facilitated for the reasons detailed below ('Impact of the modification on the Relevant Charging Methodology Objectives').

d) Securing of effective competition between relevant shippers;

There has been no objective justification for the inclusion of a distance driver in the determination of tariffs for Transmission Services. TAR NC describes CWD but does not require it to be implemented only to serve as a counterfactual. The GB NTS is a highly meshed pipeline system, with multiple entry and exit points. Shippers book entry capacity and exit capacity independently and nominate flows without specifying specific routes and therefore it is extremely difficult to allocate flows to specific assets. Reference Prices set to recover allowed revenue should not provide undue advantages to any particular set of network users. This will best facilitate efficient use of the network. Where there are differences in the charge faced by similar users there should be a clear reason and an understandable link from those variances to the benefit the user receives. The proposer cannot identify any additional benefits associated with location that justify using anything other than the single cost driver of Capacity as utilised in the Postage Stamp methodology.

Tables 1 and 2 below show the distribution of tariffs set under the Postage Stamp method and CWD. The distribution in the Postage Stamp prices arises from application of an 86% storage discount; for the CWD method the distribution is caused by the inclusion of distance as a cost driver together with a storage discount.

Table 1a: Minimum, Maximum and Weighted Average Reference Prices based on Postage Stamp

POSTAGE STAMP 2019/20	Entry (p/kWh/day)	Exit (p/kWh/day)
Minimum Price	0.0020	0.0016
Maximum price	0.0142	0.0111
Weighted Average Price	0.0108	0.0101

Table 1b: Minimum, Maximum and Weighted Average Reference Prices based on CWD

CWD 2019/20	Entry (p/kWh/day)	Exit (p/kWh/day)
Minimum Price	0.0046	0.0043
Maximum price	0.0243	0.0180
Weighted Average Price	0.0126	0.0106

Table 2a: Minimum, Maximum and Weighted Average Reference Prices based on Postage Stamp

POSTAGE STAMP 2021/22	Entry (p/kWh/day)	Exit (p/kWh/day)
Minimum Price	0.0086	0.0031
Maximum price	0.0611	0.0220
Weighted Average Price	0.0597	0.0215

Table 2b: Minimum, Maximum and Weighted Average Reference Prices based on CWD

CWD 2021/22	Entry (p/kWh/day)	Exit (p/kWh/day)
Minimum Price	0.0154	0.0073
Maximum price	0.0847	0.0352
Weighted Average Price	0.0597	0.0215

Table 3: Shows exit points close to an entry point see significant reserve price increases caused by the high average distance.

Exit Point	Average Distance (km)	Distance to nearest entry point (km)	Current Reserve Price (p/kWh/d)	CWD Reserve Price 2019/20 (p/kWh/d)
Aberdeen	611	63	0.0001	0.0164
St Fergus PS	670	0	0.0001	0.0175
Kinknockie	656	16	0.0001	0.0172
Pembroke PS	547	7	0.0001	0.0166

Upper Neeston Milford Haven Refinery	553	.15	0.0001	0.0168
---	-----	-----	--------	--------

Table 4 below shows that some exit points relatively far from an entry point have relatively low reserve prices, caused by the low average distance.

Exit Point	Average Distance (km)	Distance to nearest entry point (km)	Current Reserve Price (p/kWh/d)	CWD Reserve Price 2019/20 (p/kWh/d)
Rugby	273	141	0.0142	0.0093
St Neots PS	303	156	0.0117	0.0097
Stratford-upon-Avon	296	126	0.0172	0.0100
Tur Langton	281	150	0.0118	0.0092
Willington PS	306	158	0.0184	0.0098

The postage stamp methodology ensures shippers pay same price for the same service across entry and exit, removing distortions that arise as a result of CWD creating artificial and unjustified differences in charges. In turn, this will support effective competition between suppliers and shippers in the gas market and in the wider electricity energy and capacity markets.

g) Compliance with the Regulation and any relevant legally binding decisions of the European Commission and/or the Agency for the Co-operation of Energy Regulators.

The proposed changes to TPD B, EID B and Transition Document (where applicable) support the implementation of the new charging methodology and arrangements including those elements required to comply with the EU Tariff Code.

Impact of the modification on the Relevant Charging Methodology Objectives:	
Relevant Objective	Identified impact
a) Save in so far as paragraphs (aa) or (d) apply, that compliance with the charging methodology results in charges which reflect the costs incurred by the licensee in its transportation business;	Positive
aa) That, in so far as prices in respect of transportation arrangements are established by auction, either: <ul style="list-style-type: none"> (i) no reserve price is applied, or (ii) that reserve price is set at a level - (l) best calculated to promote efficiency and avoid undue preference in the supply of transportation services; and 	Positive

(II) best calculated to promote competition between gas suppliers and between gas shippers;	
b) That, so far as is consistent with sub-paragraph (a), the charging methodology properly takes account of developments in the transportation business;	Positive
c) That, so far as is consistent with sub-paragraphs (a) and (b), compliance with the charging methodology facilitates effective competition between gas shippers and between gas suppliers; and	Positive
d) That the charging methodology reflects any alternative arrangements put in place in accordance with a determination made by the Secretary of State under paragraph 2A(a) of Standard Special Condition A27 (Disposal of Assets).	None
e) Compliance with the Regulation and any relevant legally binding decisions of the European Commission and/or the Agency for the Co-operation of Energy Regulators.	Positive

This modification proposal does not conflict with:

- (i) paragraphs 8, 9, 10 and 11 of Standard Condition 4B of the Transporter's Licence; or
- (ii) paragraphs 2, 2A and 3 of Standard Special Condition A4 of the Transporter's Licence;

as the charges will be changed at the required times and to the required notice periods.

Demonstration of how the Relevant Objectives are furthered:

- a) **Save in so far as paragraphs (aa) or (d) apply, that compliance with the charging methodology results in charges which reflect the costs incurred by the licensee in its transportation business;**
- aa) **That, in so far as prices in respect of transportation arrangements are established by auction, either:**
 - (i) **No reserve price is applied, or**
 - (ii) **that reserve price is set at a level -**
 - (I) **Best calculated to promote efficiency and avoid undue preference in the supply of transportation services; and**
 - (II) **Best calculated to promote competition between gas suppliers and between gas shippers;**

Neither CWD nor Postage Stamp are cost reflective as both, by design, are set to recover National Grid's historical costs rather than setting forward looking charges that aim to signal the marginal cost of providing capacity at different network locations. The Proposer believes that the proposed utilisation of a new Reference Price Methodology which allocates and recovers National Grid's costs on a uniform basis ensures revenue recovery is fair and proportionate across all users of the network and will enhance competition between gas suppliers and between gas shippers when compared to the current application of a Long Run Marginal Cost Methodology (LRMC). The proposed Postage Stamp model is better suited to the current and expected future usage of the NTS where marginal costs are low or close to zero and entry capacity and exit capacity charges are set to ensure revenue recovery.

Where a zero price arises as a result of the FCC value or the Historical Contracts, the Postage Stamp methodology will use the Entry Point Postage Stamp price (for an Entry Point) or the Exit Point Postage Stamp price (for an Exit Point) rather than a price based on the nearest entry/exit point.

- c) **That, so far as is consistent with sub-paragraphs (a) and (b), compliance with the charging methodology facilitates effective competition between gas shippers and between gas suppliers**

RWE believes that the proposed utilisation of a new Reference Price Methodology which allocates National Grid’s costs on a uniform basis, will not distort competition between gas suppliers and between gas shippers. The proposed model is better suited to the current and expected future usage of the NTS and the current model is more suitable for an expanding network requiring an investment based RPM.

A sub-group of the NTS Charging Methodology Forum identified that as the inputs into the LRMC model are varied the resulting price changes are not intuitive and the changes can cause unpredictable results, and the changes to prices can be volatile. As a result, similar offtake points (in terms of offtake volumes and distances from points of entry) may incur materially different charges. Use of a methodology which delivers more comparable costs would better facilitate these objectives.

There has been no objective justification for the inclusion of a distance driver in the determination of tariffs for Transmission Services. TAR NC describes CWD but does not require it to be implemented only to serve as a counterfactual. The GB NTS is a highly meshed pipeline system, with multiple entry and exit points. Shippers book entry capacity and exit capacity independently and nominate flows without specifying specific routes and therefore it is extremely difficult to allocate flows to specific assets. Reference Prices set to recover allowed revenue should not provide undue advantages to any particular set of network users. This will best facilitate efficient use of the network. Where there are differences in the charge faced by similar users there should be a clear reason and an understandable link from those variances to the benefit the user receives. RWE cannot identify any additional benefits associated with location that justify using anything other than the single cost driver of Capacity as utilised in the Postage Stamp methodology.

Tables 1 and 2 below show the distribution of tariffs set under the Postage Stamp method and CWD. The distribution in the Postage Stamp prices arises from application of an 86% storage discount; for the CWD method the distribution is caused by the inclusion of distance as a cost driver together with a storage discount.

Table 1a: Minimum, Maximum and Weighted Average Reference Prices based on Postage Stamp

POSTAGE STAMP 2019/20	Entry (p/kWh/day)	Exit (p/kWh/day)
Minimum Price	0.0020	0.0016
Maximum price	0.0142	0.0111
Weighted Average Price	0.0108	0.0101

Table 1b: Minimum, Maximum and Weighted Average Reference Prices based on CWD

CWD 2019/20	Entry (p/kWh/day)	Exit (p/kWh/day)
Minimum Price	0.0046	0.0043
Maximum price	0.0243	0.0180
Weighted Average Price	0.0126	0.0106

Table 2a: Minimum, Maximum and Weighted Average Reference Prices based on Postage Stamp

POSTAGE STAMP 2021/22	Entry (p/kWh/day)	Exit (p/kWh/day)
Minimum Price	0.0086	0.0031
Maximum price	0.0611	0.0220
Weighted Average Price	0.0597	0.0215

Table 2b: Minimum, Maximum and Weighted Average Reference Prices based on CWD

CWD 2021/22	Entry (p/kWh/day)	Exit (p/kWh/day)
Minimum Price	0.0154	0.0073
Maximum price	0.0847	0.0352
Weighted Average Price	0.0597	0.0215

Table 3: Shows exit points close to an entry point see significant reserve price increases caused by the high average distance.

Exit Point	Average Distance (km)	Distance to nearest entry point (km)	Current Reserve Price (p/kWh/d)	CWD Reserve Price 2019/20 (p/kWh/d)
Aberdeen	611	63	0.0001	0.0164
St Fergus PS	670	0	0.0001	0.0175
Kinknockie	656	16	0.0001	0.0172
Pembroke PS	547	7	0.0001	0.0166
Upper Neeston Milford Haven Refinery	553	0.15	0.0001	0.0168

Table 4 below shows that some exit points relatively far from an entry point have relatively low reserve prices, caused by the low average distance.

Exit Point	Average Distance (km)	Distance to nearest	Current Reserve Price (p/kWh/d)	CWD Reserve Price
-------------------	------------------------------	----------------------------	--	--------------------------

		entry point (km)		2019/20 (p/kWh/d)
Rugby	273	141	0.0142	0.0093
St Neots PS	303	156	0.0117	0.0097
Stratford-upon-Avon	296	126	0.0172	0.0100
Tur Langton	281	150	0.0118	0.0092
Willington PS	306	158	0.0184	0.0098

The Postage Stamp methodology ensures shippers pay same price for the same service across entry and exit, removing distortions that arise as a result of CWD creating artificial and unjustified differences in charges. In turn, this will support effective competition between suppliers and shippers in the gas market and in the wider electricity energy and capacity markets.

b) That, so far as is consistent with sub-paragraph (a), the charging methodology properly takes account of developments in the transportation business;

The update to the Transmission Services methodology proposal takes into account developments which have taken place in the transportation business, in particular that the network is no longer expanding.

e) Compliance with the Regulation and any relevant legally binding decisions of the European Commission and/or the Agency for the Co-operation of Energy Regulators.

The EU Tariff Code compliance is taken into account in this modification proposal. Accordingly, implementation of this proposal would ensure that the GB arrangements are compliant with the EU Tariff Code. In particular, RWE believe that implementing Postage Stamp:

- (a) Enables network users to reproduce the calculation of reference prices and their accurate forecast;
- (b) Takes into account the actual costs incurred for the provision of transmission services considering the level of complexity of the transmission network
- (c) Ensures non-discrimination and prevents undue cross-subsidisation including by taking into account the cost allocation assessments set out in Article 5;
- (d) Ensures that significant volume risk related particularly to transports across an entry-exit system is not assigned to final customers within that entry-exit system.

8 Legal Text

Text Commentary

Explanatory Tables for the legal text for Modification 0621 and all ten Alternatives is provided in here: <https://www.gasgovernance.co.uk/0621/text>

Text

Legal Text for Modification 0621 and all ten Alternatives is provided here:

<https://www.gasgovernance.co.uk/0621/text>