



Valid Hit Scenarios		<i>no.of Hits</i>	
Activity	Data Hits	Page No.	
Login	N	2	
Search Enquiry	N	3	
Search Enquiry Results	Y	4 & 5	
View Further Search Details	Y	6	
Refresh Results	Y	7 & 8	
View Historical Pages	N	9 & 10	
Log Off	N	11	
<b>Hit Count:</b>		<b>3</b>	

Login Page Login to IAD for any user, will go to IAD Database this is not a Hit since there will not be any Data retrieved from IAD Database to User





Search Enquiry is a Page which is available to IAD users to enter their search criteria for any Details. This is will hold the information provided by the user and not the information from IAD Database. Unless user clicks on find button, this will not result in a Data hit.



xoserve Internet Applications - Microsoft Internet Explorer

Thursday October 15th, 2009 at 12:04:54

**xoserve**  

### Meter Point/Address Search

[Back](#) [Forward](#) [Refresh](#) [Stop](#) [Print](#) [Logout](#)

Please enter EITHER  
A valid Meter Point Reference Number

OR Address/Serial Number search criteria

Building Number/Name:

Street:


Town:

Post Code:

Meter Serial Number

Logical Meter Number (LMN)  
for DM CSEP/NDM CSEP/US

[Global Data Access](#)



1. **Search Enquiry Results** –Searching MPRN 9999 details on website will result in a hit to the IAD Database to retrieve the details belonging to MPRN. Hence this is a data hit.

David axed; S... xonet - Micros... xoserve Inter... IAD Transactio... 15/10/2009

xoserve Internet Applications - Microsoft Internet Explorer

Thursday October 15th, 2009 at 12:05:08

**xoserve** HELP MENU

*M Number Information Service*

[Back](#) [Forward](#) [Refresh](#) [Stop](#) [Print](#) [Logout](#)

New Query

Search returned a single result

PO Box 1, Street name, Town, County, Post Code	Large Site	LDZ ID: NW	<a href="#">More Data</a>
--	------------	------------	---------------------------

[Global Data Access](#)

**xoserve**



Done Local intranet

start naomi.desktop... 2 Microsoft ... Untitled - Note... Unicenter Serv... https://gcars.... 12:04 Thursday 15/10/2009

Dravid axed; S... xonet - Micros... xoserve Inter... IAD Transactio...

xoserve Internet Applications - Microsoft Internet Explorer

Thursday October 15th, 2009 at 12:07:26

**xoserve**  


**M Number Information Service**

[Back](#) [Forward](#) [Refresh](#) [Stop](#) [Print](#) [Logout](#)

<b>MPR Number:</b> 9999		
<b>Gas Act Owner:</b> T		<b>Meter Type:</b> Rotary
<b>MAM ID:</b> ABC		<b>Meter Capacity:</b> 56000
<b>Designation:</b>		<b>Number of Dials:</b> 8
<b>Transition meter Point?:</b> No		<b>Imperial Indicator:</b> Imperial
<b>Status:</b> Live		
<b>Interruption Exists(Y/N)?:</b> N		

[Supplier Details](#)

[Global Data Access](#)



Done Local intranet

**2. View Further Search Details.** Clicking on the more link of original result screen will fetch up more details. To view this further detail, there will be a hit to the IAD database. Hence this is a data hit.

MEU Application : - Microsoft Internet Explorer Thursday October 15th, 2009 at 12:09:30

**xserve** HELP MENU **Meter Point Data**

[Back](#) [Forward](#) [Refresh](#) [Stop](#) [Print](#) [Logout](#)

---

<p><b>MPR Number:</b> 9999</p> <p><b>Meter Serial Number:</b> 12345</p> <p><b>MPAQ:</b> 25,777,809 kWh</p> <p><b>Link Code:</b> 25,777,809 kWh</p> <p><b>Supply Point Address:</b> Free Standing meter</p> <p>Street Name,</p> <p>Town,</p> <p>County</p> <p>Post Code</p>	<p><b>Gas Nomination Type:</b> Daily metered</p> <p><b>Supply Type:</b> Firm</p> <p><b>Reading Frequency:</b> Daily</p> <p><b>Bypass Fitted ?:</b> Yes</p> <p><b>Latest Read Date:</b></p> <p><b>Latest Reading:</b></p> <p><b>Reading Type:</b></p> <p><b>Previous Supplier:</b></p> <p><b>Status:</b> Live</p> <p><b>Transitional Meter Point?:</b> No</p>	<p><b>Datalogger</b></p> <div style="border: 1px solid black; padding: 5px;"> <p>Shipper Name</p> </div>
--	--	--

[Supply Point Data](#)   [Asset Data](#)   [New Enquiry](#)   [M Number Database](#)

This Meter Point has 1 Related Reference Numbers

MPR Number	Meter Serial Number	Meter Link Code
1234567	RO1234A9999A	Free standing meter

**xserve**

**3. Refresh Results.** - MPRN9999 is displaying the previous supplier as "Shipper Name" in the screen shot. If the previous supplier detail is deselected from IAD Database, the screen would not reflect it unless we refresh or search it again. Hence refresh operation will always result in a hit to IDS Database.

Page 7 of 11

Untitled - Notepad   5 Internet Explorer   IAD Transaction char...   15/10/2009



### Meter Point Data

[Back](#) [Forward](#) [Refresh](#) [Stop](#) [Print](#) [Logout](#)

<b>MPR Number:</b>	9999	<b>Gas Nomination Type:</b>	Daily metered
<b>Meter Serial Number:</b>	12345	<b>Supply Type:</b>	Firm
<b>MPAQ:</b>		<b>Reading Frequency:</b>	Daily
<b>Link Code:</b>	25,777,809 kWh	<b>Bypass Fitted ?:</b>	Yes
<b>Supply Point Address:</b>	Free Standing meter	<b>Latest Read Date:</b>	
	Street Name,	<b>Latest Reading:</b>	
	Town,	<b>Reading Type:</b>	Datalogger
	County	<b>Previous Supplier:</b>	
	Post Code	<b>Status:</b>	Live
		<b>Transitional Meter Point?:</b>	No

[Supply Point Data](#) [Asset Data](#) [New Enquiry](#) [M Number Database](#)

This Meter Point has 1 Related Reference Numbers

MPR Number	Meter Serial Number	Meter Link Code
1234567	RO1234A9999A	Free standing meter





**AFTER REFRESH – Previous Supplier No longer shown.**



xoserve Internet Applications - Microsoft Internet Explorer

Thursday October 15th, 2009 at 12:05:08

**xoserve**  


**M Number Information Service**

[Back](#) [Forward](#) [Refresh](#) [Stop](#) [Print](#) [Logout](#)

Search returned a single result

PO Box 1, Street name, Town, County, Post Code	Large Site	LDZ ID: NW	<a href="#">More Data</a>
--	------------	------------	---------------------------

[Global Data Access](#)



**View Historical Pages** – First page is Mnumber result. These are retrieved from the Internet Temporary Folders and not the IAD Data base, *The time stamp on the upper right corner is the same as the timestamp when the page was first visited*, Hence it is not a Data Hit.

Dravid axed; S... xonet - Micros... xoserve Inter... IAD Transactio... Thursday 15/10/2009

result



### Meter Point Data

[Back](#) [Forward](#) [Refresh](#) [Stop](#) [Print](#) [Logout](#)

<b>MPR Number:</b>	9999	<b>Gas Nomination Type:</b>	Daily metered
<b>Meter Serial Number:</b>		<b>Supply Type:</b>	Firm
<b>MPAQ:</b>	12345	<b>Reading Frequency:</b>	Daily
<b>Link Code:</b>	25,777,809 kWh	<b>Bypass Fitted ?:</b>	Yes
<b>Supply Point Address</b>	Free Standing meter	<b>Latest Read Date:</b>	
	Street Name,	<b>Latest Reading:</b>	
	Town,	<b>Reading Type:</b>	Datalogger
	County	<b>Previous Supplier:</b>	Shipper Name
	Post Code	<b>Status:</b>	Live
		<b>Transitional Meter Point?:</b>	No

[Supply Point Data](#) [Asset Data](#) [New Enquiry](#) [M Number Database](#)

This Meter Point has 1 Related Reference Numbers

MPR Number	Meter Serial Number	Meter Link Code
12345678	RO1234A9999A	Free standing meter



**View Historical Page Second Page is Mnumber More.** The details shown while clicking back are retrieved from Internet Temporary Folders and not the IAD Database. Hence this is not a Data hit.

Log Off will result in termination of user connection from the IAD Database. This does not result in retrieval of any data from IAD. Hence not a hit.

